

Old Dominion University

ODU Digital Commons

Engineering Management & Systems
Engineering Theses & Dissertations

Engineering Management & Systems
Engineering

Spring 2013

An Expert Based Multi Attribute Group Decision Making (MAGDM) Model for Portfolio Evaluation: Application on Ground Force Units

Metin Gultekin
Old Dominion University

Follow this and additional works at: https://digitalcommons.odu.edu/emse_etds



Part of the [Industrial Engineering Commons](#), [Operational Research Commons](#), and the [Systems Engineering Commons](#)

Recommended Citation

Gultekin, Metin. "An Expert Based Multi Attribute Group Decision Making (MAGDM) Model for Portfolio Evaluation: Application on Ground Force Units" (2013). Doctor of Philosophy (PhD), Dissertation, Engineering Management & Systems Engineering, Old Dominion University, DOI: 10.25777/3nbr-ch91 https://digitalcommons.odu.edu/emse_etds/159

This Dissertation is brought to you for free and open access by the Engineering Management & Systems Engineering at ODU Digital Commons. It has been accepted for inclusion in Engineering Management & Systems Engineering Theses & Dissertations by an authorized administrator of ODU Digital Commons. For more information, please contact digitalcommons@odu.edu.

**AN EXPERT BASED MULTI ATTRIBUTE GROUP DECISION MAKING
(MAGDM) MODEL FOR PORTFOLIO EVALUATION: APPLICATION ON
GROUND FORCE UNITS**

by

Metin Gültekin

B.S. August 1998, Military Academy, Turkey
M.S. March 2003, Defense Science Institute, Turkey
M.A. July 2008, Army War College, Turkey

A Dissertation Submitted to the Faculty of
Old Dominion University in Partial Fulfillment of the
Requirements for the Degree of

DOCTOR OF PHILOSOPHY

ENGINEERING MANAGEMENT

OLD DOMINION UNIVERSITY

May 2013

Approved by:

Adrian V. Gheorghe (Director)

Reşit Unal (Member)

Holly A. H. Handley (Member)

Gokay Sursal (Member)

ABSTRACT

AN EXPERT BASED MULTI ATTRIBUTE GROUP DECISION MAKING (MAGDM) MODEL FOR PORTFOLIO EVALUATION: APPLICATION ON GROUND FORCE UNITS

Metin Gultekin
Old Dominion University, 2013
Director: Dr. Adrian V. Gheorghe

This main objective of this dissertation is to propose an expert based multi attribute group decision making model (MAGDM) for portfolio evaluation and demonstrate it by applying it to evaluate brigade types under different military missions. Specifically, currently used Heavy, Mechanized Infantry, Airborne Infantry, and Stryker brigades are evaluated under a set of possible future military missions. The purpose of the study is to provide a model for decision makers, engaged in a force development process.

This study combined MAGDM and simulation by using expert judgments to create distributions rather than aggregating them into point values. Excel and Monte Carlo simulation software are exploited to create the model.

This dissertation will primarily be of interest to force planners and high-level decision makers in the land forces and broader Department of Defense and other parts of the government concerned with defense planning. It should also be of interest to researchers focusing on decision making, specifically Multi Attribute Decision Making (MADM), and Multi Attribute Group Decision Making (MAGDM) under imprecise information, and engineers dealing with portfolio selection.

Copyright, 2013, by Metin Gultekin, All Rights Reserved.

This dissertation is dedicated to my wife, Nesrin Gültekin.

ACKNOWLEDGMENTS

Throughout the development of this dissertation I have had many companions that made the journey possible.

I would like to express my appreciation to my thesis advisor, committee chairman, Dr. Gheorghe, for his valuable feedback and careful reading of the manuscript. His thoughtful criticism and suggestions ultimately made this a sounder and more coherent document.

I would also like to thank the following committee members for their patience, time and understanding: Dr. Handley, Dr. Ünal and Dr. Sürsal. They provided numerous valuable comments and suggestions during my doctoral study under significant time constraints. Without their constructive criticism and advice, this thesis would have not progressed as smoothly as it did throughout its completion

I would especially like to thank my lovely wife, Nesrin, who has passionately supported and encouraged me without ever complaining. I felt her everlasting support during my 3 year Ph.D. endeavor. Without her, it would not have been possible to complete my chapters on time.

Nurten and Eren, my daughter and son, sorry for not having played with you as much as I wanted. I hope I can compensate for this someday, and I also hope my perseverance in my studies encourages you in your long school life in the future; “There is no pain without gain!”

Special thanks to the SME team, who supported me during the analysis, for their time, contribution and efforts. Their discussions and suggestions during workshops were vital to supporting my analysis.

I also want to express my appreciation to my colleagues in NATO/ACT. I am especially grateful to Bianca and Tony, for their help during the spell checking process.

Last but absolutely not least, I thank the Turkish Armed Forces for granting me this opportunity to pursue a Ph.D. degree so that I can better serve my country.

LIST OF ACRONYMS AND ABBREVIATIONS

AC	Active component
ARCIC	Army Capabilities Integration Center
ARFORGEN	Army Force Generation
ARSTRUC	Army structure
BCT	Brigade combat team
CNN	Cable News Network
COCOM	Combatant command
CS	Combat support
CSA	U.S. Army Chief of Staff
CSS	Combat Service Support
DISCOM	Division Support Command
DM	Decision Making
DMs	Decision Makers
DoD	Department of Defense
DOTMLPFI	Doctrine Organization Training
DSS	Decision Support Systems
FM	Field Manual
FY	Fiscal Year
GDSS	Group Decision Support Systems
GF	Generating Force
GPD	Gross domestic product
HA	Humanitarian Aid

HMMWV	High Mobility Multipurpose Wheeled Vehicle
HADR	Humanitarian Aid & Disaster Relieve
HQDA	Headquarters, U.S. Department of the Army
HQ	Headquarter
JP	Joint Publication
JTF	Joint task force
MADM	Multi Attribute Decision Making
MADA	Multi Attribute Decision Analysis
MAGDM	Multi Attribute Group Decision Making
MCC	Major Combat Campaign
MCDM	Multi Criteria Decision Making
MDCA	Multi Criteria Decision Analysis
MP	Military Police
MTO&E	Modified Table of Organization and Equipment
NATO	North Atlantic Treaty Organization
NCO	Non-commissioned Officer
OEF	Operation Enduring Freedom
OF	Operating Force
OS	Opposed Stabilization
SFUF	Support to Foreign Unconventional Forces
SD	Sanctuary Denial
SIPRI	Stockholm International Peace Research Institute
TRADOC	Training and Doctrine Command

WS

Weapon systems

TABLE OF CONTENTS

	Page
LIST OF TABLES	xiii
LIST OF FIGURES	xvi
 1. INTRODUCTION	 1
1.1 Background of the Study	1
1.2 Statement of the Problem.....	4
1.3 Purpose of the Study	7
1.4 Research Questions.....	8
1.5 Significance of the Study	9
1.6 Limitations	10
1.7 Organization of the Remainder of the Study	11
1.8 Definitions of Key Terms	12
 2. MCDM AND ITS APPLICATIN IN MILITARY	 15
2.1 Introduction.....	15
2.2 Decision Making (DM).....	16
2.3 Multiple Criteria Decision Making (MCDM).....	17
2.4 Evolution of MCDM.....	18
2.5. Main Futures of Multi Attribute Decision Making (MADM)	19
2.6. Major Steps in MADM Process.....	23
2.7. Overview of MCDM Methods.....	25
2.8 Use of Multiple Decision Makers in MADM.....	26
2.9 Use of MCDM in Weapon System Evaluation/Assessment.....	28
2.10 Studies on Force Development and Defense Planning	32
2.11 Gaps in Military Applications of MCDM Literature.....	41
 3. METHODOLOGY	 43
3.1 Introduction.....	43
3.2 Defining criteria Set and Hierarchy	45
3.3 Weight Assignment to Criteria	48
3.4 Alternative Generation.....	52

	Page
3.5 Evaluation of System Attributes	53
3.6 Evaluation of Force Level Attribute and Capability Values.....	55
3.7 Evaluation of Mission Effectiveness	56
3.8 Prioritization	56
3.9 Perturbation.....	58
3.10 Conclusion	58
4. APPLICATION AND ANALYSIS	59
4.1 Mission Scenarios	60
4.2 Force Level Capabilities	68
4.3 Evaluating Importance of Force Level Capabilities	70
4.4 Weapon System (WS) Attributes.....	74
4.5. Evaluation of Weapon System Attributes.....	85
4.6. Weapon System Roles	89
4.7. Alternative Generation.....	92
4.8 Evaluation of Weapon Systems	98
4.9 Attribute Values of Each Force Option	100
4.10 Capability Values of Force Options.....	102
4.11 Mission Effectiveness Values	103
4.12 Perturbations	108
4.13 Conclusions.....	109
5. CONCLUSIONS AND RECOMMENDATIONS	110
5.1 Introduction.....	110
5.2 Research Findings.....	112
5.3 Implications for Theory	117
5.4 Implications for Practice	118
5.5 Limitations of the Study.....	119
5.6 Recommendations for Future Studies	120
5.7 Conclusion	121
REFERENCES	122
APPENDICES	
A. Multi Attribute Decision Making Models.....	139
B. List Of MADM Methods In Literature	149

C. List Of Subject Matter Experts (SME)	152
D. Simulation Results OF @Risk Software.....	153
VITA	237

LIST OF TABLES

Table	Page
1. Decision Matrix	22
2. Gap Analysis of the Literature on MCDC Applications on Force Evaluation	42
3. Full Spectrum Operations	46
4. Scale to assess the relative importance of capabilities.....	50
5. Rating Scale to Asses WS Attributes Importance for System Roles	51
6. Composition of an Alternative.....	53
7. Sample Expert Judgement Aggregation.....	56
8 Rank Frequency Calculation.....	57
9 Sets Used for Analysis	60
10 Mission Scenarios by Key Variables	68
11 Weights of Force Level Capabilities under each Mission Scenario	72
12 WS Attribute and Proxy List.....	75
13. Rating Scale for Firepower	76
14. Rating Scale for Mobility.....	77
15. Rating Scale for Protection	79
16. Rating Scale for Concealment	80
17. Rating Scale for Detection.....	81
18. Rating Scale for Self-Sufficiency	82
19. Rating Scale for Transportability.....	83

Table	Page
20. Rating Scale for Command & Control.....	84
21. System AttributeWeights Under Each Capability	86
22. Expert ratings for System Roles	91
23. Component Weapon System Descriptions.....	93
24. Rates and Roles of WSs in Alternative Force Options	97
25. Ratings of Weapon Systems for Each Attributes.....	99
26. Alternatives' Maximum and Minimum Attribute Values.....	102
27. Ranking of Alternatives for 10000 Simulation Iterations.....	106
28. Results of Pairwise Comparison of Force Options	107
29. Importance of Missions.....	108
30. Ranking Frequency of Alternatives	109
31. Ranking Results of Options.....	115
32. Scale of Relative Importance (Saaty, 1980)	142

LIST OF FIGURES

Figure	Page
1. Conflict Spectrum	3
2. Snapshots From Different Missions and Environments.	5
3. Literature Review Outline.....	16
4. Decision Process Diagram	19
5. MBT Assessment Hierarchy	29
6. Hierarchy from national security strategy to resources	30
7. Use of medium forces in complex Terrain	34
8. Range of Military Operations	40
9. Comparative Expectations for the Utility of Army Forces.....	41
10. Phases of MAGDM Model	44
11. Criteria Sets and Their Hierarchy	48
12. Weighted Criteria Set.....	52
13. Evaluation of Force Level Attributes.....	55
14. Placement of Missions used in Analysis in the Operations Spectrum.....	61
15. Capability weights for each Mission.....	74
16. Importance of Attributes for Each Force Capability.....	88
17. Importance of Weapon System Attributes for System Roles	90
18. Attribute Values of Force Alternatives	101
19. Average of Capability Value Diagram	103
20. Mission Effectiveness Levels of Options	104

Figure	Page
21. Attribute importance for Capabilities	113
22. Capabilities Across Missions.....	115
23. Technique for Order Preference by Similarity to Ideal Solution.....	145

CHAPTER 1

INTRODUCTION

“Uncertainty is necessarily the lot of the planner, since he deals with the future. Uncertainty can never be completely removed. However, it can be compensated for, and to do so is a continuing responsibility of those who plan military forces. Primarily this can be done by insuring, in so far as we can, that future weapons and forces will be adaptable to the right range of defense needs or, as defense planners often put it, by insuring flexibility.”

Harold Brown, 1967

U.S. Secretary of Defense (1977-1981)

1.1 Background of the Study

Countries are devoting dwindling resources to large ground forces to keep them in position for today and tomorrow's war spectrum. This diverse spectrum ranges from the least severe peacetime missions like domestic disaster relief or security assistance to the most severe ones like international war or nuclear warfare.

According to the Stockholm International Peace Research Institute (SIPRI) Yearbook (2011) the U.S. is the top military spender in the world with \$687 b. (4.7% GDP). Similar nations spend an average of 2.5% of their GDP to keep their armed forces ready for any future conflict. Analyses of the future security environment, in which NATO member countries and Coalition forces may engage, have concluded that two of the major characteristics will be: complexity and uncertainty. This conclusion is also supported bluntly by the Former US Secretary of Defense, Robert Gates:

When it comes to predicting the nature and location of our next military engagements, since Vietnam, our record has been perfect. We have never once gotten it right, from the Mayaguez to Grenada, Panama, Somalia, the

Balkans, Haiti, Kuwait, Iraq and more -- we had no idea a year before any of these missions that we would be so engaged. (CNN, 2011)

Although this expression may exaggerate the situation, an army has to be prepared for the unpredictable nature of the future security environment. This requires force planning with a high level of uncertainty.

Given war history, nations have been instinctively keeping their forces ready for contingent conventional major combats since WWII, but over the last two decades stability operations have become an inescapable reality of the security environment. U.S. and allied military expeditions to Afghanistan, Iraq and other unstable regions are likely to be continued. Success requires complete accomplishment of conventional and non-conventional operations. Therefore, both types of operations should be planned for, and the capability to do both should be developed. (Kelly, Jones, Barnett II, Crane, Davis, Jensen, 2009)

1.1.1 Uncertainty of Combat Environment: Missions, Adversaries, Terrain

Owing to a decade of persistent irregular conflicts, with its emphasis on ground centric operations, U.S. Army units are highly expected to play a central role in future conflicts. Figure 1 displays whole range of this conflict spectrum which includes 26 types of operations that land forces may or may not be tasked to conduct. At the diagram severity of operations increases from left to right, and there is a gray area between peace and combat environment. Army forces need to build on well-known cold war era expertise in conducting operations at the lower end of the conflict spectrum like stability

operations, foreign internal defense, transition and reconstruction, and counterinsurgency (Krepinevich, 2009).




Figure 1 Conflict Spectrum (Adapted from Army Vision 2010 (Washington, D.C.: Headquarters, Department of the Army, nd.)

Diversity is not limited to operation types; new adversaries-besides the state actors-are added to the spectrum during the last two decades of war in Bosnia, Kosovo, Iraq and Afghanistan. The Army is expected to be prepared and conduct operations against non-state actors like terrorists, insurgents, militias, and criminal organizations.

Environment or more specifically terrain is another important dimension affecting the composition and capability requirements of the Army units. Although historically U.S. Army units are deployed to various distinct regions, from the jungles of Vietnam to desserts in Iraq and mountains in Afghanistan, recent studies suggest that every single operational type could reasonably be anticipated in every region of the world (Freier, 2011).

These disparate missions, adversary types, and environments argue for specialized and properly equipped army units and troops that are able to operate effectively around the globe and across the entire conflict spectrum.

1.2 Statement of the Problem

Owing to the broadness of the scenario range, the Army requires capabilities and skill sets that are sufficiently different from each other. In practical terms, capabilities are mostly achieved through weapon systems. Weapon systems (WS) requirements of a peace building mission in an urban environment are completely different from a strike or conventional conflict mission in a steppe or rural area. The first mission is about monitoring and policing the cease-fire and requires lightly equipped mobile infantry troops, but the latter one requires heavy armored troops with a high level of lethality. Figure 2 provides more visualization to understand diverse weapon requirements for different combat missions.



Figure 2 Snapshots from Different Missions and Environments

Currently, nations possess armies that maintain this specialization by different unit types. Light forces (airborne, air assault, and light infantry divisions) are tailored for forcible-entry operations and for operations on restricted terrain, like urban areas, mountains, and jungles. Heavy forces (mechanized and armored divisions equipped with armored fighting vehicles and main battle tanks) are trained and equipped for operations against state armies employing modern tanks and armored fighting vehicles (FM 3-92, 2010).

Currently these unit types and their percentage within the Army is under great scrutiny:

- Does the Army still need armored divisions?
- What should be the percentage of the unit types within the Army?

- How do newly emerged combat types affect the force mix in the Army?
- If equipped with proper weapon systems, can a unique force type be more effective than all the other unit types?
- Should the Army dissolve the current units and go for a multi- purpose unit type that can effectively be used in whole combat spectrum?

Debate on the future of the Army has not ended yet, and currently there is no clear answer; the answer differs among decision makers and researchers. Krepinevich and others argue that although some heavy forces are necessary insurance against the unlikely event of a major ground war, the Army could cut its armored and mechanized battalions. On the other hand, the Army cites its experiences since WWII and insists that armored and mechanized units are necessary for deterrence and any future combat (Freedberg, 2012).

In order to enable high level decision makers to answer these complex questions, detailed analysis needs to be done, and decision makers should be backed up with proper models and associated decision support systems. Although many analyses have been done on ground force evaluation, those are either focused to specific weapon systems or they are high level strategic assessments of specific combat types. Review of the literature shows that numerous assessment studies have been done on specific weapon systems like tanks, helicopters and rifles, but these studies are not able to link the lower level weapon systems to higher level force skills and capabilities and capabilities to the conflict spectrum as shown in Figure 1.

Therefore, one of the questions researchers need to answer is: what is the best mix of forces within the army and the mix of weapon systems within the army units at a given mission composition?

1.3 Purpose of the Study

The overarching purpose of this study is to investigate important factors that influence operational effectiveness of land forces and propose a methodology to assess ground forces by considering the weapon systems that they contain. To reach that goal this study has four subsequent objectives.

First, current and future security and combat environments need to be assessed since scarce resources are devoted to prepare and keep land forces in position for diverse missions.

Next, it is necessary to analyze and define elements and factors that determine or influence the effectiveness of ground forces within different security and combat environments. These factors include, but are not limited to, doctrine, training, leadership personnel, and equipment

After that, literature needs to be reviewed to understand what tools, techniques, and methodologies have been used to aid decision makers in defense planning, force development, and weapon system procurement. Similar to the previous step, emphasis is on studies of weapon systems.

Lastly, Multi Criteria Decision Making (MCDM) methods are investigated, and a model is developed by exploiting MDCM techniques. This model would be able to evaluate multiple force alternatives composed of multiple weapon systems under different types of operations and terrain/environment and allow users to make sensitivity analysis to have a deeper understanding of the variables that affect the performance of ground forces.

The methodology aims to fill the gap between studies conducted to evaluate individual weapon systems and high level reports by linking bottom level weapon systems with high level force level capabilities.

1.4 Research Questions

The main questions for this research are stated below. The questions are further refined through sub-questions.

- What are the characteristics of current/future military missions?
- What are the factors that determine or influence the ground force effectiveness?
- What are the techniques and methodologies in the literature that have been used to aid decision makers in defense planning?
- How can MDCM techniques be exploited to design a methodology for ground force assessment?

The following Investigative Questions (IQ) are necessary in order to answer the above listed research questions:

IQ-1 How are capability requirements varied between operation types?

IQ-2 What are the major criteria sets and hierarchy to evaluate weapon systems and force options?

IQ-3 How do weapon systems contribute to these attributes?

IQ-4 How can subject matter expert opinion be used in the model?

IQ-5 What are the major attributes for evaluation of ground forces?

IQ5 What are the analytical requirements to evaluate ground force options?

1.5 Significance of the Study

Besides reviewing the literature regarding ground force assessment and analysis of factors that affect the success of ground forces in different combat tasks, this dissertation proposes a model that provides detailed analytical results to inform decision makers on force modernization and planning issues.

This study exploits MDCM techniques to evaluate a bigger system composed of weapon systems while previous studies focused on evaluating individual weapon systems. This study therefore tries to fill the gap between low level weapon system evaluations (e.g. tanks, artillery, rifles, vessels, etc.) and strategic level assessments on specific mission or force types (e.g. heavy brigades, counterinsurgency deployability studies).

Another important aspect of the study is the way of representing uncertainty. The model combines MCDM methods with simulation to represent the uncertainty linked with the force evaluation by converting expert ratings to probability distributions. Thus, final ratings are the results of the simulation iterations where expert ratings are used as inputs. This approach provides a larger ground for making additional analysis compared to many previous studies.

Finally, the generic model proposed in this study would be applicable to the evaluation of other systems composed of sub/individual systems. This might include, for example, vehicle fleet evaluation for transportation services or team evaluation for different rivals and environments.

1.6 Limitations

Evaluation of ground force options across multiple combat tasks and terrain types requires analysis of other aspects like personnel readiness, training, force structure, facilities besides analysis of weapon systems. The proposed model focuses on weapon systems composed of land units (e.g. tanks, infantry carriers, howitzers, mortars).

Due to security restrictions, all the data related to the weapon system specifications and force structures are obtained from related and reliable open sources (including unclassified military publications).

The methodology is not intended to find a complete solution to complex defense planning problem; rather, it is designed to serve as a decision aid tool for decision makers.

During the analysis five personnel from NATO Allied Command Transformation (ACT) Headquarters are used as Subject Matter Experts (SME). Although they have sufficient background and expertise on the topic, for more detailed real life studies the proposed model should be used with relevant decision makers in the Force Development Process.

1.7 Organization of the Remainder of the Study

This dissertation includes a total of 5 chapters. The research starts with an introductory chapter in which brief information and objectives of the research are presented. This chapter also identifies the research questions, limitations, and problem statement.

Chapter 2, “Literature Review, provides the necessary background about the specific area of interest for the research. In this part, past studies and research are revisited and will be introduced with a brief explanation. The literature review is intended to point to possible deficiencies or gaps and areas for future research. This chapter sets a baseline for Chapter 3 (“Methodology”) by exploring the fundamentals of MADM and its applications to military force planning and weapon system evaluations.

Chapter 3 describes the eight phases of the proposed MAGDM model. Chapter 3 also includes examples of methods and techniques to better explain the process and links to the literature.

Chapter 4 demonstrates the proposed model and its application by applying it to evaluation of current U.S. ground forces.

Chapter 5 presents a brief reflection on the main conclusions and recommendations as well as limitations and some suggestions for future research.

Finally, for the sake of simplicity, rather than providing all the literature consulted, only studies that are directly related to the research have been selected and put in the references.

1.8 Definitions of Key Terms

The following are significant terms that frequently appear in the study. Several of them are unique to the environment in which this research was conducted, while others have multiple meanings, depending on the context in which they are used. An understanding of the intended meaning in the context of this study and of the environment that provides the context will greatly assist in understanding specific portions of the study and the study as a whole. In some cases, expanded definitions are discussed in the literature review.

Military Operation: It is the harmonized military actions of a state in response to an emerging situation. These actions are designed as a military plan to resolve the situation in the State's favor. Operations may be of combat or non-combat types (JP 1-02, 2011).

Spectrum of Conflict: Spectrum of conflict is the backdrop for Army operations. The spectrum of conflict uses violence as a discriminator on an ascending scale that ranges from stable peace to general war. On the left hand of the spectrum, stable peace represents an operational environment characterized by the absence of militarily

significant violence. On the right hand of the spectrum, general war describes an environment dominated by interstate and intrastate violence (Figure 1) (FM0-3 p. 2-1).

Joint. This term refers to “activities, operations, organizations, etc., in which elements of two or more Military Departments (e.g. army, navy, air force) participate” (JP 1-02, 2004, p.25).

Multi Criteria Decision Making (MCDM): These are decision making methods that exist to help people making decisions according to their preferences, in cases where there is more than one conflicting criterion (Bogetoft and Pruzan, 1997). For a decision to be classified as an MCDM, more than one criterion must be present (basic requirement), and these criteria must be conflicting (sufficiency requirement) with each other. In other words, if a problem involves at least two conflicting criteria and at least two alternative solutions to choose from, it can be classified as an MCDM problem (Tabucanon, 1988). Multi-Attribute Decision Analysis/Aid (MCDA) is another term often used interchangeably with MCDM. It emphasizes that the methods should aid DMs in making better decisions.

Multi Attribute Decision Making (MADM): This is a branch of MCDM and concentrates on problems with distinct decision spaces. In these problems the set of alternatives are finite and have been predetermined. Car and house selection problems are well-known examples of this branch.

Multi Objective Decision Making (MODM): This is the second branch of MCDM and deals with multi criteria decision problems which have a continuous decision space with

infinite alternatives. The difference between MADM and MODM is that MADM is associated with problems of which a number of alternatives have been predetermined. The decision maker (DM) selects/ranks a finite number of courses of action. On the other hand, MODM is not associated with the problems in which alternatives have been predetermined. In other words, MODM techniques present optimization of an alternative or alternatives on the basis of prioritized objectives while MADM techniques present selection of an alternative from a set of alternatives based on prioritized attributes of the alternatives.

CHAPTER 2

MULTI CRITERIA DECISION MAKING AND ITS APPLICATION IN MILITARY

2.1. Introduction

Reviewing previous studies and investigating the collective knowledge related to a topic is an important stage of the research (Neuman, 2003). The literature review, which is part of chapter 2, brings clarity, helps researchers to build a foundation, and shows theoretical evolution of the topic at hand (Neuman, 2003).

Traditional and electronic sources supported the research in the literature. The search incorporated and used refereed journal articles, scholarly books, and research documents through electronic library search engines, ProQuest, EBSCOhost, etc. Bibliographic and reference listings were used from appropriate titles for further literature searches through Old Dominion University Perry Library's interlibrary loan services.

The purpose of this chapter is to address the MCDM and its relationship to military applications in order to set a baseline for Chapter 3 by exploring the fundamentals of MADM and its applications to military force planning and weapon system evaluations.

This chapter starts with a brief description of decision making and an explanation of where MCDM stands under this broad field. Then the main features and steps in MADM are explained, and a detailed list of MCDM techniques with good reference are provided. The literature review concludes with discussion of the use of MCDM in

weapon system evaluation and gaps in military applications of MCDM. Figure 3 displays the outline of the literature review.




Figure 3 Literature Review Outline

2.2. Decision Making (DM)

Making the right decision directly affects the success of both individuals and organizations. No matter how complex or simple, all decisions follow the same basic process. Although sometimes it might not be recognised by decision makers (DMs), the process should be supported by a model that guides the DMs through all appropriate steps (Ababutain, 2002). Regardless of the amount of alternatives and objectives, the decision making process is defined as an interactive process that encompasses a complete search of information, full of by-passes, enriched with feedback, and collecting and evaluating information. It is an indispensable organic process where pre and post decision activities overlap. Many researchers described the decision process, but Zeleny (1982) provides

one of the most detailed explanations for decision making. He stresses the process quality of human decision making, the inter-relation of its stages, and the evolutionary nature of its main outcomes.

Real life decision problems are usually too complex and multidimensional to be considered through a single point of view or criterion to reach an answer. To reach an optimum solution all pertinent factors that are related to the problem should be considered simultaneously. Otherwise, oversimplification of the problem by uni-dimensional approaches might lead to impractical decisions (Hall and Nauda, 1990).

The Army is a massive organization, and reaching a clear resolution in force planning decisions is always tough as it concerns national security and protection of national interests. Other important aspects that make force planning difficult are that it consists of multiple and conflicting criteria, there are multiple objectives, there is an uncertain future security environment, several stakeholders are involved in the decision process, and imprecise and incomplete assessments exist since the decision outcomes are all related to the future. MCDM offers a sound framework, as well as a wide range of methodological tools that are oriented to support the decision makers in facing complex decision problems (Zopounidis and Psarras, 2006).

2.3. Multiple Criteria Decision Making (MCDM)

MCDM is a well-recognized branch of decision making, a general class of Operations Research (OR). It studies decision problems under the presence of multiple decision criteria. Many authors including Zimmermann (1991), Pohekar & Ramachandran (2004), and Climaco (1997), divided MCDM into two main branches:

- Multi-Objective Decision Making (MODM)
- Multi-Attribute Decision Making (MADM).

MODM deals with decision problems that have a continuous decision space with infinite alternatives. A typical example is problems that can be solved with multiple objective functions in mathematical programming. The first reference to this problem is attributed to Kuhn and Tucker, (1951) as the "vector-maximum" problem. On the other hand, MADM concentrates on problems with distinct decision spaces. The difference between MADM and MODM is that MADM is related to problems of which a number of alternatives have been predetermined. The decision maker selects/ranks a finite number of courses of action (selecting a weapon system among ten alternatives). On the other hand, MODM is not related to the problems in which alternatives have been predetermined. In other words, MODM techniques present optimization of an alternative or alternatives on the basis of prioritized objectives.

2.4. Evolution of MCDM

Although today the application of MCDM techniques is widespread, it only has a fairly short 40 year history as a separate discipline. Similar to other disciplines, improvements in computer science serve as a catalyst for the developments in MCDM. On one hand, the widespread use of computers and information technology has generated a huge amount of information, which makes MCDM increasingly important and useful in supporting decision making. On the other hand, the rapid development of computer science has made it possible to conduct systematic analysis of complex MCDM problems (Xu and Yang, 2001).

The number of academic publications on MCDM techniques and applications have also grown dramatically. Figure 4 shows the number of MCDM publications have grown exponentially over the years from the 1970s to 2006. This significant increase indicates the utility and usability of MCDM techniques among decision makers.




Figure 4 Number of MCDM Related Publications Retrieved from (Wallenius, et al., 2008)

Since the aim of this dissertation is to propose a model that exploits a MADM method, the following section provides detailed information on MADM and methods in the literature. More information on MCDM and MODM can be found in the works of Szidarovszky, Gershon & Duckstein (1986); Yager (1977); Fonseca & Fleming (1993); and Figueira, Greco, and Ehrgott (2005).

2.5. Main Futures of Multi Attribute Decision Making (MADM)

Although MADM problems could be very diverse in context and can be structured and solved via different methods, they share some common features that differentiate them from other decision problems. A discussion of these features follows.

Multiple Attribute: As the name suggests, in a MADM problem there should be more than one attribute. The number of attributes depends on the nature of the problem. While there would be hundreds of factors to be considered for reaching a decision, DMs may use the most important among them to simplify the process. Selection of the criteria demands a special effort since this phase builds the framework of the process. A perfect process that started with a faulty criteria selection phase will result in an incorrect decision.

For an attribute to be useful for the decision maker, it should be both comprehensive and measurable. If the level of a criterion is known in a certain situation and with this knowledge the decision maker can clearly estimate the level of achievement for the objective related to that criterion, the criteria at stake is considered to be comprehensive. A criterion is measurable when a probability distribution for every alternative can be determined or point values for special situations can be calculated (Keeney, 1993).

Conflict among Criteria: Multiple criteria usually conflict with one another. For example, in tank design; protection, lethality, and mobility are conflicting with one other. Although it is not the only improvement, protection requires thicker armor and that lowers mobility due to additional armor weight. In the case of a land unit (ie. brigade) if DM wants to have a more protected and lethal unit, deployability needs to be sacrificed due increased transportation requirements.

Amount of Alternatives: A finite number of alternatives – out of maybe hundreds of alternatives – are evaluated, selected, or ranked in a MADM problem. Selecting some personnel among hundreds, selecting a car or vehicle among many are

examples of selection within a finite alternative pool. In the literature, the terms “choice,” “policy,” and “candidate” are also used instead of alternative.

Hybrid Nature and Different Scales/Units: Every attribute/criterion may require a different measurement scale. In a weapon selection problem, fuel consumption may be measured with liters/km, armor thickness with cm, rate of fire with rounds/minute, and price with dollars. In many decision problems, attributes may even be non-quantitative, such as the style or ergonomic performance (Valls and Torra, 2000).

Attributes of Qualitative and Quantitative Nature: It is possible that some attributes can be measured quantitatively while some others can only be described subjectively. For instance, command and communication of a weapon system, or safety features of a vehicle may only be indicated in linguistic terms. The price of a car can be defined by a quantitative scale (dollars), but the scale of comfort has to be qualitative. This requires MADM methods that aggregate both subjective and objective assessments, made for multiple decision criteria, in a meaningful and robust way.

Deterministic and Probabilistic Attributes: Some or all of the attributes of a decision problem may be probabilistic due to the nature of attributes, or lack of data (Kim and Ahn 1999). For example, in the weapon selection problem, cost might be deterministic while firepower might be probabilistic because hitting a target is measured by a probability distribution.

Weights of Criteria: In almost all MADM problems criteria/attributes have different importance/weights. These weights can be determined by the DMs, and many different methods have been proposed for assessing criteria weights. Detailed

information can be found in the works of Pekelman and Sen (1974); Choo and Wedley (1985); Darmon and Rouzies (1991).

Decision Matrix: MADM problems can be restated in a simple matrix format. In this matrix, the columns represent the criteria of the decision problem while the rows represent the alternatives. Each criterion has a weight that shows its importance. Table 1 represents a sample matrix for a tank selection decision problem. The problem has four attributes and three alternatives, and a matrix shows the weights of criteria and scores each alternative received for each criteria.

Table 1 Decision Matrix

Alt./Criteria	Mobility	Logistic Cost	Protection	Firepower
	Benefit	Cost	Benefit	Benefit
Criteria Weight	0,15	0,29	0,07	0,49
M1A2 Abrams	0,8081	0,9129	0,5657	0,3293
Leopard-2	0,5051	0,3651	0,4243	0,5488
Challenger	0,3030	0,1826	0,7071	0,7683

Attribute/Criteria Hierarchy: A hierarchy in MADM is composed of multiple levels of attributes. The top-level attribute of the hierarchy is generally an overall qualitative attribute like best desktop computer, best candidate for a job, best program, aircraft, armored vehicle, etc. This high level attribute should be decomposed into more specific sub-attributes or criteria. The sub-criteria can be further decomposed until the bottom level criteria can be evaluated directly or qualitatively (Xu & Yang, 2001). A hierarchy example for Main Battle Tank is shown in Figure 5, where the overall attribute

“main battle tank” is decomposed into “attack”, “mobility”, “defense”, “communication & control” sub-criteria. Then, to better evaluate alternatives against these attributes they are decomposed into sub criteria. For example, mobility is decomposed into “general” and “over obstacle” mobility, and these are decomposed again into sub-criteria.

Inconclusive Assessment: Due to lack of information, the conflict among criteria, the uncertainties in subjective judgment and different preferences among multiple decision makers, the final result of assessments may not be conclusive (Hwang and Yoon, 1981).

2.6. Major Steps in MADM Process

In every MADM problem four main steps need to be completed to reach a final decision and prioritize alternatives. First, attributes and alternatives needs to be defined. Then, importance (weight) of each criterion needs to be set. At the third step, alternatives are rated against each criterion. Lastly, weights of criteria and ratings of alternatives are aggregated, and alternatives are prioritized. Important aspects of these steps are highlighted in the following sections. The proposed model uses these steps but adds another step where imprecise expert judgments are defined as probability distributions and feed into the Monte Carlo simulation.

- Selection of Attributes/Criteria and Alternatives

The decision criteria must be clearly specified at the initial stage of the process. This helps DMs to focus on the right problem. Determining criteria is usually done by expert judgment supported by relevant literature review and surveys. Criteria set should *encompass* all fundamental aspects of the decision problem and should be *meaningful* and *transparent* enough to be easily used by experts. It should also be

decomposable so that the problem can be break into manageable pieces. A criteria set should be *non-redundant* to avoid double-counting. Lastly, but importantly, it should be as minimal as possible while satisfying the above highlighted properties (Keeney and Raiffa, 1993).

- **Assigning Weights to Criteria**

To evaluate the alternatives and represent the preferences of DMs, criteria should be differentiated among each other in terms of importance. DMs express their preferences by assigning weights to each criterion. By nature; preferences add subjectivity to the MADM. Also, sometimes it becomes quite difficult for the decision maker to make preferences on criteria (Karsak and Ahiska, 2008). Various methods have been proposed by researchers to make criteria weighting easier (Heerkens, 2006). In the literature there are many variations of weighting methodologies. The most common methods are: algebraic procedures, statistical procedures where statistical procedures such as regression analysis are used to get weights, decomposed methods look at criteria pairs at a time, while direct methods require the DMs to compare the ranges of two attributes in terms of ratio judgments whereas indirect procedures infer weights from preferred expert judgments using means (Weber and Borchherding, 1993).

Many researchers use a pair wise comparison method to calculate the weights of criteria. (Georgiadis, Mazzuchi, and Sarkani, 2012) The pair-wise comparison method was popularized by Saaty (1980), the developer of the Analytic Hierarchy Process. This process is used in the proposed method to determine criteria weights. Details of the AHP process are explained in Appendix-A.

- **Aggregating Numerical Values to Prioritize Alternatives**

Criteria weights and the ratings that each alternative receives against each criteria are usually normalized to remove computational difficulties caused by multiple measurement units (e.g. tons, mile, \$) in a decision matrix. The procedure of normalization aims to obtain equivalent scales, which allows comparisons among criteria. Consequently, normalized ratings have equal units, and the larger the rating becomes, the more preference it has. Linear and Vector Normalization are the two main normalization approaches, and MADM methods use variations of these approaches. Details of these methods can also be found in Appendix-A.

2.7. Overview of MCDM Methods

In recent years, the number of MDAM methods has increased dramatically, and today it is hard to have a certain record of it. Recent compilation and survey studies suggest between 30-60 MCDM methods in the literature. Georgiadis, Mazzuchi and Sarkani (2012) identified and listed 33 methods, among them are well known AHP and its variants, ER, PROMETHEE, TOPSIS, ELECTRE, Fuzzy models and more specialized ones like nTOMIC, Robust Portfolio Modeling (RPM), Geometrical Analysis for Interactive Aid (GAIA). Georgiadis (2013) expanded previous work by researching 59 MCDM methods excluding the Fuzzy method and its variants, but his list incorporates some MCDM methods that do not fulfill the main futures of MCDM like Bayesian Analysis, Game Theory & Neuroscience, Value Analysis (VA) and Value Engineering (VE). Fuzzy models are researched in detail and well covered by the studies of Kahraman (2008) and Zhang, Ruan and Wu (2007). In their extensive book, Tzeng &

Huang (2011) examine and give very detailed application examples of most common methods including Fuzzy sets, Rough Sets and the Gray Relationship Model.

Although not exhaustive, Appendix-B provides a list of 41 MCDM methods researched within the literature review. It can be considered as a summary of MCDM techniques in the literature capturing good samples of each method with references. Four well documented MADM methods, AHP, the Simple Additive Weighting (SAW) model, the Weighted Product Model (WPM), are exploited within the proposed model, and details of these methods are provided in Appendix-A.

2.8. Use of Multiple Decision Makers in MADM

Due to the complexity of real-world problems, a single DM often cannot comprehensively consider all aspects of the decision problem. Thus, complex decisions usually have to be made by integrating the knowledge of multiple DMs (Chuu, 2009; Ma, Lu, and, Zhang, 2010). The problem that this dissertation tries to address, the land force unit mix and option evaluation, is a complex and multi-dimensional problem, and it requires multiple experts. Therefore, the proposed model uses multiple DMs. This is called Multi Attribute Group Decision Making (MAGDM) in the literature (Pang and Liang, 2011). In MAGDM, multiple DMs make judgments or evaluations by virtue of their respective knowledge, experience and preference for a decision space (i.e., a finite set of alternatives) under multiple attributes to rank all the alternatives or give evaluation information of each alternative. Then, decision results from each DM are aggregated to form an overall ranking result for all the alternatives.

With group decision-making, the group's final decision may be reached through consensus (a solution that satisfies everyone), unanimity (all members of the group

agree), majority (the alternative that receives the most votes wins), or a mathematical mean of all judgments (Walker, 1995).

MADM methods such as, TOPSIS and AHP (and their variants) are often used in group settings (Srdjevic and Srdjevic 2012; Shih, Shyur, and Lee, 2006). The main issue in MAGDM is the aggregation of multiple DMs' preferences and judgments. Concerning AHP, there are two primary ways to aggregate individual preferences into a final preference depending on whether the group wants to act as separate individuals or together as a unit (Forman and Peniwati, 1998).

- **Aggregation of Individual Judgments (AIJ):** When DMs are ready to relinquish their own judgment ratings and they act in concert and pool their evaluations into the group decision. Discrete DMs are lost with every stage of aggregation, and a synthesis of the hierarchy produces the group's priorities. Since DMs may not even make any individual judgments, there is no synthesis required for each individual. Thus, MAGDM turns into normal MADM (Forman and Peniwati, 1998).

- **Aggregation of Individual Priorities (AIP):** When DMs are acting in their own right, researchers are concerned about each individual's resulting alternative priorities. An aggregation of each individual's resulting priorities can be computed using either a geometric or arithmetic mean proposed by Saaty (Pang and Liang, 2011).

Although both of these methods are applied in multiple cases and their results showed consistency, the final results of this method are point values and don't represent the uncertainty in the decision problem.

2.9. Use of MCDM In Weapon System Evaluation/Assessment

Since the characteristics of the problems are very similar to military decision making, especially in strategic defense/force planning, weapon system development and procurement, use of MADM is also common in military decision making. The literature review shows that most of the applications are on single weapon system evaluation. The rest of this section analyzes some of the significant MADM applications in weapon systems selection and defense planning.

An example of MCDM application for single weapon system selection is provided by Jiang, Li, Zhou, Xu, and Chen (2011). They considered weapon system assessment as MCDM under uncertain environments and proposed a model named Weapon System Capability Assessment (WSCA), which uses the Evidential Reasoning (ER) method. To demonstrate the WSCA model they evaluated four well known Main Battle Tanks (MBT), Type 98, M1A2 Abrams, Challenger 2E, and Leopard 2. For the evaluations they used a total of 32 criteria within 3 hierarchical sets as shown in Figure 5. Although the study demonstrates the appropriateness of the ER method in combining qualitative and quantitative information into a belief structure (BS), the final results do not represent the imprecise evaluations and “uncertainty” properly. MBTs are used in different combat environments for different missions. Each mission requires some characteristics more than others. Consequently, weights of criteria change from mission to mission and that affects the ranking of MBTs. However, the study does not cover this part of the problem and limit itself to a higher capability set.




Figure 5 MBT Assessment Hierarchy Jiang, Li, Zhou, Xu, and Chen (2011).

A naval researcher, Kocaman (2009), used MCDM to assess the operational readiness of warships. The primary focus of his study is to establish a suitable and feasible assessment methodology based on MCDM methods to derive Operational Readiness Level (ORL) through Material Readiness Level (MRL). In this structure, every single warship periodically undergoes a thorough routine check of the reliability and the operability of its material systems. During that process a score is given for each main system and subsystem according to the relevant technical documents. Researchers used seven different evaluation models including pairwise comparisons (AHP), Linear Normalization, Borda Count and analyzed them to find the most suitable model. As a result of analysis it is concluded that the most suitable combination would be the Borda Count Method via Ideal Values. He used a total of 81 criteria to evaluate 20 different

warships and in some methods 10 DMs were requested to complete 15200 pairwise comparisons for assessments. This study shows that AHP can be used to evaluate alternatives within a large number of criteria sets.

In a strategic level study, Meyez (2008) analyzed a current defense planning process and proposed that MADM methods can be used within long-range defense planning. He suggests that the model can be used in the formal defense planning process and allows decision makers to link top level qualitative National Military Objectives to R&D and acquisition programs. The proposed model exploits AHP with multi-level group decision making. Criteria sets used in Meyez's study have similarities to the ones used in this dissertation like mission types, military tasks, force requirements, etc. Figure 6 illustrates how Qualitative National Military Objectives are linked to low level acquisition and R&D programs. He limits his study with high level R&D contributions to higher level objectives.




Figure 6 Hierarchy From National Security Strategy To Resources.

Fuzzy numbers/theory have been widely used MADM and models developed for evaluation and ranking of weapon systems. For these models, preferences and weights of attributes are characterized by fuzzy assessments. Zhang, Ma, Xu (2005) have argued that most criteria that have been used for weapon system evaluations have interdependent or interactive characteristics; consequently, weapon systems cannot be evaluated by conventional evaluation methods. To overcome this issue they proposed a method based on Trapezoidal Fuzzy AHP and hierarchical fuzzy integrals to evaluate individual weapon systems. The ratings of criteria performances are described by linguistic terms expressed in trapezoidal fuzzy numbers. Main battle tanks are used to demonstrate the model. This study is another example of individual weapon systems evaluation, but, similar to Jiang, et al. (2011), the final results are point values and do not represent imprecise evaluations and uncertainty.

Lee, Kang, Rosenberger & Kim (2010) proposed a hybrid approach for weapon systems selection that combines principal component analysis (PCA) with AHP and to determine the weights to assign the factors that go into selection decisions. These weights are fed into a goal programming (GP) model to evaluate and prioritize weapon systems. They argue that proposed hybrid approach balances the shortcomings posed by AHP and can therefore provide DMs with more reasonable and realistic decision support than AHP alone. They used 3 attributes and 19 criteria to evaluate 6 missile alternatives in the case study. Although there are not crisp clear results, this demonstrates the usefulness and effectiveness of the proposed hybrid AHP–PCA–GP approach.

Some researchers utilized multiple methods to create models for weapon system evaluation. Dağdeviren, Yavuz, & Kılınç (2009) described weapon selection as a problem

containing subjectivity, uncertainty and ambiguity in the assessment process. They developed an evaluation model based on the AHP and the TOPSIS. The more simple AHP method is used to assign weights to the evaluation criteria, while fuzzy TOPSIS is employed to cope with ambiguity of the assessments while determining the priorities of the alternatives. Although they utilized two methods in their model, they used a single decision maker to evaluate a single weapon system (rifle) independent from the mission environment.

Multiple decision makers/stake holders are also an important aspect of MADM. Cheng and Lin (2002) utilized fuzzy numbers with the Delphi Group Decision Making method, developed by RAND (Ababutain, 2001) to adjust the fuzzy ratings of multiple experts to achieve a consensus condition. They have constructed a general and easy fuzzy group decision-making model to evaluate main battle tanks with multiple decision makers. This study is an example of using MADM with multiple decision makers. They used basically the same attribute – Attack, Mobility, Self Defense, and Command & Communication – that Jiang, et al. (2011) used in their model.

2.10. Studies on Force Development and Defense Planning

Review of the literature on defense planning and force development showed that most of the studies are strategic level and generally conducted on the request of government. The number of studies increased between 1993 and 2000 as the U.S. Army made its biggest transformation to adapt the post-cold war environment. Another main future of these studies is that they focus on single attribute (i.e. deployability) and single combat mission or scenario. This section provides major studies done in defense planning.

In an earlier study, Gordon & Wilson (1998) analyzed the ratio of different types of army units and described the Army as a “Barbell” (p.3) since at that time the Army only had 101st Air Assault division as a medium weight force between light and heavy. As a solution they proposed “aero-motorized divisions” (p.7), and they argued that there is a mix of existing and near-term combat systems and technologies that will allow the Army to create a number of these “aero-motorized divisions”. As a future concept they proposed that aero-motorized forces can be used either as part of a leading edge of a large and inherently slower to deploy expeditionary force or as a central combat component of future lesser contingencies including operations other than war. Having forces equipped with light armored vehicles, next generation combat aviation, and enhanced indirect fire support will provide the Army with a strategic fist (Gordon & Wilson, 1998).

Johnson, Grissom & Olikar (2008) aimed to draw insights about the use of medium-armored forces from previous operations to help inform decisions about the design of the Future Force. Doing this qualitative study they assessed the employment of medium-armored forces in the operations between 1936-2005 including Operation Iraqi Freedom. They analyzed how medium forces performed across the range of military operations in complex terrain shown in Figure 8 and against different types of opponents. Results suggest that medium-weight armor enjoys only four clear advantages over heavy armor: rapid deployability (particularly with air-droppable vehicles), speed over roads, trafficability in infrastructure not suited to heavy armor, and lower logistical demands. Since the U.S. Army cannot expect all future operations to occur in circumstances analyzed in the study, they advocated that it would be prudent to maintain a mix of heavy, medium-armored, and light forces. Although results of the study seem reasonable

it lacks quantitative analysis, thus, they couldn't suggest any ratio of medium, heavy and light force mix.

Case	Complex Terrain					
	Urban	Mountainous	Jungle	Forests	Hedgerows	Undeveloped infrastructure
Armored warfare in the Spanish Civil War (1936-1939)	X	X				
U S armored divisions in France and Germany during World War II (1944-1945)	X	X		X	X	
Armored cavalry and mechanized infantry in Vietnam (1965-1972)		X	X			X
Soviet airborne operations in Prague, Czechoslovakia (1968)	X					
South Africa in Angola (1975-1988)				X		X
Soviet Union in Afghanistan (1979-1989)		X				X
Operation Just Cause, Panama (1989)	X					
1st Marine Division light armored infantry in Operation Desert Shield and Operation Desert Storm, Southwest Asia (1990-1991)						X
Task Force Ranger in Mogadishu, Somalia (1993)	X					X
Russia in Chechnya I (1994-1996)	X	X				X
Australia and New Zealand in East Timor (1999-2000)			X			X
Russia in Chechnya II (1999-2001)	X	X				X
Stryker Brigade Combat Teams in Operation Iraqi Freedom (2003-2005)	X					X

Figure 7 Use of medium forces in complex Terrain. Adapted from Johnson, D. E., Grissom, A., & Olikier, O. (2008), p. 170.

Their key findings are presented below.

Medium-armored forces can make serious contributions, particularly when extending light forces or in cases where quick response can prevent an effective enemy counter.

Although medium armor has clear advantages over heavy armor in many circumstances, opponents operating in mixed complex terrain with heavy armor and/or highly lethal weaponry can refute these advantages.

Future Army forces need to maintain an appropriate mix of heavy, medium-armored, and light forces tailored to the battlefield conditions that best match their attributes. Johnson (2011) categorises future adversaries in Irregular, State-Sponsored, Hybrid, and States and examines organizational skills, and command and control

capabilities of these adversaries, using recent experiences across the range of military operations in Iraq, Afghanistan, Gaza, and Lebanon. He identifies the contributions of heavy armored forces throughout these operations and proposes a scalable approach to force structure that would ensure that the army has the required capabilities to deal with each potential adversary without maintaining specialized forces for every type of contingency. Contrary to Johnson, Grissom & Olikier (2008) and Gordon & Wilson (1998), he argues that light forces optimized for a lower spectrum of warfare cannot scale up to the high-lethality standoff threats that state opponents will present. Some other researchers focused on the transformation aspect of the force development and investigated alternatives for future force options.

Petty (2001) investigated the employment of heavy armored forces in near history and expressed his concerns about the future of heavy armor units. He argues that current and future security environment requires more deployable, agile and sustainable forces. To have this type of force he suggests that lighter vehicles -with very high end technology- should be developed and doctrine and training should be changed accordingly. He also suggests the use of many emerging technologies like Electromagnetic Guns electric motors, communication and radar technologies, etc. in vehicles.

Overland's (2009) study is an example of evaluation of a land unit type in a specific operation type. He assessed the effectiveness of Heavy Brigade Combat Team-HBCT in COIN operations using Iraq war as a case study with three case events. To evaluate the effectiveness of HBCTs in COIN, he used a three part analysis which included a tactical war-game, a cross walk of HBTC capabilities against doctrinal COIN

lines of effort, and a DOTMLPF capabilities assessment. Results suggested that from the beginning of war to 2007 HBCTs have made improvements over time in terms of capabilities, as well as enablers that improved their effectiveness in the COIN environment. In regard to results he argues that HBCTs are adaptable to complex environments and diverse missions; hence, they should be an important part of the future army.

In a single capacity focus study Davis (2000) examines a security environment in terms of army's deployability using Desert Storm as a case. The study lists actual transportation durations of certain amount of troops with the available air and sea lift capabilities which includes Fast Sealift Ships (FSS), roll-on/roll-off (RORO) ships, Fast Sealift Ships (FSS), C-5, C-17 and C-141 aircraft fleets, heavy equipment transporter trucks (HETs), etc. He also examines force concepts such as middle weight brigades, mobile combat teams and future warfare divisions and applies realistic global deployability constraints (by comparing them with future transportation capabilities) to determine possible solutions to meet strategic maneuver goals for a relevant transformed Army, but he didn't address the effects of having lighter and more transportable units on the battlefield or operation environment.

Cost-efficiency analysis of weapon systems involves several challenges: considering the possible interactions between various weapon systems, the relevance of multiple criteria, and the different combat missions where these systems may be used. Kangaspunta, Liesi & Salo (2012) developed a portfolio methodology where these challenges are addressed by evaluating the cost-efficiencies of portfolios consisting of individual weapon systems. Their methodology exploits combat simulation models and

expert opinion to address some interactions between systems by synthesizing impact assessment results. They argue that their hybrid methodology aids decision makers in identifying which combinations of weapon systems are efficient with respect to multiple evaluation criteria in different combat situations at different cost levels, but they limit their case study for indirect fire support weapon systems.

Don's (2002) work is an example of simulation application in force planning analysis. He examined the change in operation environment since the Cold War and addressed the ground commander's current and possible future needs for close fire support. His study employed a series of high-resolution models, like JANUS (a ground combat model) and CAGIS (a cartographic system), and applied them in a variety of combat scenarios. He used four diverse operational vignettes to cover different operational tasks that a troop may encounter. His study draws implications about the amount, category, responsiveness, and desirable features of close fire support.

Steeb, Matsumura, Covington, Herbert & Eisenhard (1996) used simulation as a tool in force planning. They mainly assessed how specific technological advances can help to have more transferable forces without sacrificing combat effectiveness. By exploiting JANUS force-on-force combat simulation they examined, compared, and contrasted new technologies and systems that would allow light forces to better resist and stop attacks from larger and more heavily armed forces in varying terrain. Effects of air-deliverable acoustic sensors (ADAS), studied in multiple combat scenarios against North Korea. Their study results suggest that a lighter but technologically advanced division ready brigade (DRB) can be improved to fight and survive against a current and future heavy force. The "hunter/standoff killer" concept, made possible by a number of

emerging technologies, proved to be major contributor to the success of a DRB against a larger, more maneuverable heavy force.

Strategic management and resource allocation of defense forces are carried out using the DoD's framework of the Planning, Programming and Budgeting System (PPBS). High level decision makers involved in this process and debates among them are very common during the process. Results of this bureaucratic but well-established process affect the size, mix, structure, and, shortly, the future of services. Lewis, Roll & Mayer (1992) examined PPBS process in the "Base Force Decision" case took place between 1989 and 1991. Their study is different from others in the literature since they focused on the effectiveness of the PPBS process rather than the individual outputs of this process. They evaluated the quality of information and options presented to key DoD DMs during the preparations, and analyzed the interactions among these players during the force structure debates. They used notes and documentation provided to DM before key meetings. As a result of their qualitative work they assert that, despite the many challenges of DoD's dynamic environment, the decision-making framework functioned successfully in that options were raised and debated by all participants.

Another example of single capability focus study is done on rapid employment of ground forces by Gritton, Davis, Steeb & Matsumura (2000). Their main criterion was deployability of forces within a given time frame (a week). They studied alternatives for rapidly deployable future ground forces that would be used in time-urgent joint-task-force missions. They first outlined the operational requirements, define forces responsive to those requirements, and then discussed the feasibility of achieving such forces. Their analysis suggests that such forces would potentially be quite valuable, while also

indicating likely limitations and the many uncertainties of the assessments.

Organizational structure is another dimension that affects an army's success in combat.

During the period of the main transition of the U.S. Army Johnsen (1998) conducted a qualitative analysis and discussed the 21st century Army in a broad strategic context. He examined the expected security environment and the roles the Army will be called upon to fill. After analyzing the future tasks he assessed general factors that will influence capabilities necessary to carry out these anticipated roles, including general and specific criteria used to determine the appropriate size of U.S. Army XXI. After the examining future security environment and factors like Power Projection, Interoperability, Overseas Engagement, that affect the force structures he concludes:

- The Army should expect to perform new noncombatant roles in addition to its long-standing conventional roles as described in Figure 8;
- To accomplish its varied missions, the Army's force structure and design must provide the capabilities necessary to operate across a broad spectrum of conflict in peacetime, crisis, and war;
- The Army should be able to perform effectively throughout the full range of military operations;
- A varied force structure is preferable against a single type of all-purpose brigade solution;
- Balance is necessary between technology and interoperability with less modernized allied forces and host nations.

Military Operations		General U.S. Goal	Examples
COMBAT	<i>War</i>	Fight & Win	Large-scale Combat Operations: Attack / Defend / Blockades
	NONCOMBAT <i>Operations Other Than War</i>	Deter War & Resolve Conflict	Peace Enforcement / Noncombatant Evacuation Operations (NEO) / Strikes / Raids / Show of Force / Counterterrorism / Peacekeeping / Counterinsurgency
		Promote Peace	Antiterrorism / Disaster Relief / Peacebuilding / Nation Assistance / Civil Support / Counterdrug / NEO

Figure 8 Range of Military Operations Retrived from :Johnsen (1998). Force planning considerations for Army XXI.

Many of the studies on force development are mission focus or limited to one force type such as motorized infantry, heavy force options, but Johnson, Peters, Kitchens & Martin's (2011) work differs from others in terms of focus. They recently conducted a study on the Army's new modular force structure.

First they examined the transformation history from 2003 to 2008 by reviewing the official military messages and orders and interviewing personnel involved in the process. After getting the necessary data they were able compare two force structures and their performances in different combat situations.

They concluded that the new modular force structure is more cost efficient compared to the division focus structure. Although some other researchers disagree they argued that modular forces (Heavy, Stryker and Light brigades) can deliver the same operational effectiveness with pre-modular force structure in the full spectrum of mission as depicted in Figure 9.

The Premodular Force		
Heavy Brigades (armor, armored cavalry, mechanized)	Light Brigades (airborne, air assault, light infantry, light cavalry)	
Open or mixed terrain <ul style="list-style-type: none">• Offensive, defensive, and security (screen, guard, cover) operations• Against either conventional or irregular forces• Premium on tank/armored protected firepower balanced by dismounted infantry	In or near urban terrain <ul style="list-style-type: none">• Offensive, defensive, and security missions• Against either conventional or irregular forces• Balance among strategic, operational, and tactical mobility• Premium on infantry strength and mechanical transport• Tank/armored protected firepower• Homeland defense and civil support (e.g., disaster relief)	Restrictive terrain (mountains, jungles, forests) <ul style="list-style-type: none">• Offensive and defensive operations• Against either conventional or irregular forces• Premium on strategic mobility• Premium on infiltration by foot and air assault• Homeland defense and civil support (e.g., disaster relief)
Heavy BCT	Infantry BCT	
Stryker BCT		
All modular BCTs have utility in stability and reconstruction operations		

Figure 9 Comparative Expectations for the Utility of Army Forces Adapted from Johnson, Peters, Kitchens & Martin (2011)

2.11. Gaps in Military applications of MCDM Literature

Most of the MCDM studies are done on individual weapon systems evaluation, but army units as a system that composed of weapon systems haven't been evaluated using MCDM.

The literature review on defense planning and force development showed that numerous studies done on force development are at strategic level and do not link the tactical level weapon systems to strategic level military missions. Table 2 summarizes the studies and the knowledge gap in the literature.

Table 2 Gap Analysis of the Literature on MCDM Applications on Force Evaluation

Topic/Application Name	Area	Type	Reference	GAP
Optimal decision-making of weapon system based on effectiveness evaluation. In Seventh Wuhan International Conference on E-business (Vol. I-III, pp. 1080-1084).	Individual Weapon System	Model Proposal	Gao, X. J., Shi, Y. B., & Zhang, A. (2008).	Study on portfolios that comprise multiple weapon systems Use of simulation to aggregate multiple DMs views into analysis
Analytic gray hierarchy process of safety evaluation for missile nuclear weapon system. Progress in Safety Science and Technology, 4, 2297-2300.	Nuclear Weapon System	Case Study	Gao, G. Q., Wen, F. L., & Liu, G. (2004).	
Study on tradeoffs between weapon system cost and performance based on support vector machine. In 2007 International conference on wireless communications, networking and mobile computing (Vol. 1-15, pp. 5232-5235).	Individual Weapon System	Cost/Effectiveness analysis	Jiang, T. J., Wang, S. Z., & Wei, R. X. (2007).	
Study on effectiveness evaluation of missile weapon system based on rough set theory and neural network. In Proceedings of the fifth international conference on information and management sciences (Vol. 5, pp. 212-215).	Missile Systems	Effectiveness analysis	Gu, H., & Song, B. F. (2006).	
Technology and tank maintenance: An AI-based diagnostic system for the Abrams tank. Expert Systems with Applications, 11, 99-107.	Tank	Logistic Study	Edmond, Dumer, Hanratty, Helfman & Ingham (1996).	
Evaluating the main battle tank using fuzzy number arithmetic operations. Defense Science Journal, 56, 251-257.	Tank	Model Proposal	Deng, Y., & Shen, C. (2006).	
Situational ME-LOWA aggregation model for evaluating the best main battle tank. In Proceedings of the sixth international conference on machine learning and cybernetics, (pp. 19-22).	Tank		Chang, J. R., Liao, S. Y., & Cheng, C. H. (2007).	
A multi-objective risk-based framework for mission capability planning. The artificial life and adaptive robotics laboratory technical report. (Assessment of capabilities)	Strategic Planning	Model Proposal	Bui, L. T., Barlow M., & Abbass, H. A. (2007).	
Cost-efficiency analysis of weapon system portfolios. European Journal of Operational Research, 223(1), 264-275. doi: 10.1016/j.ejor.2012.05.042	Simulation	Cost/Effectiveness analysis	Kangaspunta, J., Liesiö, J., & Salo, A. (2012).	
Weapon System Capability Assessment under uncertainty based on the evidential reasoning approach.	Individual Weapon System	Model Proposal	Jiang, J., Li, X., Zhou, Z.-j., Xu, D.-l., & Chen, Y. (2011).	

CHAPTER 3

3. METHODOLOGY

This chapter is dedicated to describing the proposed MAGDM model, the core of the dissertation. It also provides the structure for the rest of the dissertation.

3.1. Introduction

Methodology involves 8 separate phases: *defining criteria set and hierarchy, weight assignment to criteria, alternative generation, evaluation of weapon system weights, evaluation of force level attribute and capability values, evaluation of mission effectiveness, prioritization, and perturbation.*

Figure 10 shows the order of these 8 phases, which are described in detail through the rest of this chapter. It is worthwhile to mention that in the first four phases the model uses AHP wise structure to create criteria sets, hierarchy, weights of criteria, and alternatives than, feeds these ratings to Monte Carlo simulation to represent imprecise assessments and uncertainty in the last four phases.

These phases reflect the common steps of MCDM problem. First the decision model is structured by determining and defining criteria hierarchy. Then alternatives are selected and characterized. Then options are evaluated and compared. It is important to note that the proposed method is not necessarily the only or best way to apply MADM for force evaluation.

Although this model is applied to army brigades similar to current U.S. ones, it is generic and can be used for the assessment and evaluations of other countries' army forces without any significant modification. It can also be used to evaluate portfolios or vehicle fleets composed of multiple vehicles, airplanes, etc.

Force development is a complex issue and requires the involvement of multiple stakeholders (Chuu, 2009; Ma, Lu, and, Zhang, 2010). The model is designed in a way to reflect this aspect of the force development and allows integrating multiple decision makers' opinions into the evaluations.

Force evaluations also involve future uncertainties due to the range of probable combat and non-combat missions that force units may involve. Adding uncertainty on the use of multiple DMs makes the MADM problems even more complex (Chen, Yang (2011). Predicting the future is hard, and using deterministic methods to identify the probabilities of these missions may not give feasible results. To avoid that, the proposed method uses multiple DMs evaluations to create a probabilistic evaluation process rather than aggregating their assessments into a single value.




Figure 10 Phases of MAGDM Model

3.2. Defining Criteria Set and Hierarchy

At the beginning of the process decision criteria must be clearly specified. This helps DMs to focus on the right problem. Determining criteria is usually done by expert judgment supported by a relevant literature review and surveys. The criteria set should encompass all fundamental aspects of the decision problem and should be meaningful and transparent enough to be easily used by experts. It should also be decomposable so that the problem can be broken into manageable pieces. A criteria set should be non-redundant to avoid double-counting. Lastly, but importantly, it should be as minimal as possible while satisfying the other properties (Keeney and Raiffa, 1993).

The initial step of the model includes defining four sub sets: *missions*, *capabilities*, *attributes*, and *system roles*.

3.2.1. Combat Mission Selection

The first step of the process is choosing and defining the missions. They represent the diverse situations or conditions in which an alternative might be used. The effectiveness of each option is evaluated for multiple missions. As described in Chapter 1 there are more than 15 missions that land forces may be called upon to accomplish. The priority and importance of these missions dramatically differ among countries and change decade to decade. Although not inclusive, Table 6 lists the spectrum of operations that army forces may conduct in war and military operations other than war (FM-3.0).

Table 3 Full Spectrum Operations

Mission Types (m)	
Show of force	Seize and Secure
Humanitarian assistant & Consequence Management	Human security operation
Foreign Internal Defense	Opposed Stabilization
Support to Foreign Unconventional Forces	Sanctuary Denial
Enabling operation	Raid
Non-combatant evacuation	Counter-network campaign
Halt	Defend
Peacekeeping	Major combat campaign
Peace Building	Peace Enforcement

The missions set, indexed by “*m*”, should cover all the missions that are likely to occur or are significantly important to the decision maker (in this case the Army). It is worthwhile to mention that listed missions are just a snapshot in time and represent the current situation, but in the future new mission types may emerge or some missions may become redundant. Also, a decision maker may decide to create her/his own specific mission set to evaluate alternative force options. Subject Matter Experts may chose a number of missions to evaluate alternatives and each mission’s importance may differ.

3.2.2. Defining Force Level Capabilities

Capabilities represent the different dimensions from which the alternatives can be viewed (Chen and Hwang, 1992). At this step, essential capabilities of a ground force are defined. Land forces should have some capabilities to accomplish missions that are important to DMs. A set of capabilities is indexed by “*c*”. Capability is the quality of

being capable, to have the capacity or ability to do something, achieve specific effects or declared goals (JP 1-02). Lethality Mobility and Survivability are well-known examples of capabilities in military literature (Krepinevich, 2002). Those capabilities are related to a hierarchy of objectives that links them to bottom level weapon system characteristics and to the top overarching goal (Saaty, 1980). Capability levels of alternatives are too broad to be evaluated directly. Thus, they are calculated based on each force options composition and components' attribute levels. Therefore, they can be represented as a function of weapon system characteristics.

3.2.3. Defining Weapon System Attributes

Weapon systems, the components of the force options, have essential *attributes* that are different from the *capabilities* that a force should have. Attributes, indexed by “*a*”, represent the bottom level of the evaluation hierarchy. Attributes should represent the crucial properties of a WS. Fire power, mobility, transportability, and protection are some of the attributes that are used to evaluate weapon systems by Cheng & Mon (1994), Deng & Shen (2006), Gao, Wen & Liu (2004), Dağdeviren, Yavuz & Kılınç (2009) and many other researchers. To better explain each attribute, a number of contributing factors such as scale proxies are defined and a nine grade scale created to rate WSs under each attribute.

3.2.4. Defining System Roles

Alternative force options, that the model tries to evaluate, are composed of weapon systems. WSs perform many different roles, depending on their functions and abilities. System roles are indexed by “*r*”. Different roles require some attributes more than others. For instance, WSs may provide indirect fires where fire power has higher

importance while others conduct a reconnaissance role where concealment, detecting the enemy and properly providing information to relevant friendly forces have higher importance. Thus, allocating a system role to each WS allows it to contribute force option accordingly.

At the end of the first step, criteria sets should be defined and the hierarchy should be set. Figure 11 represents the criteria sets and their hierarchy System Roles will be added to the hierarchy at further steps.




Figure 11 Criteria Sets and Their Hierarchy

3.3. Weight Assignment to Criteria

After defining the criteria sets each criteria group should be weighted; thus, the evaluation structure is properly defined before the evaluation of alternatives. At this step the importance of each force capability is rated for each mission, and importance (contribution) of each WS attribute is weighted for each force capability. Lastly, the importance of each WS attribute is calculated for each system role.

3.3.1. Assessments of Multiple Experts and Their Usage in The Model

It is important to mention that the model uses multiple experts. Experts do not interact and do not behave as a group during the assessment of criteria weights. The

model uses these assessments to create distributions instead of aggregating them into point values¹. Assessments of experts can be seen in two ways. First they can be described as viewpoints to a problem (Keating, Kauffmann, Dryer, 2001). Secondly difference among their assessments represents the uncertainty in the problem, and aggregating them into single point values will result in ignoring a different perspective and uncertainty. Therefore, to incorporate each of the experts' judgment into the final results they are turned into the distributions and they feed into Monte Carlo simulations. At each iteration (of 10000) of the simulation one of the experts' views will be used randomly to calculate the mission effectiveness of alternatives.

3.3.2. Weighting Force Capabilities Under Each Mission

Each mission in the spectrum of operations requires a capability more than the others. Capability needs of a peacekeeping mission are completely different from a raid or major combat campaign or show of force mission. The first mission is about monitoring and policing the cease-fire and requires less survivability and lethality while needs more mobility. The latter ones require more lethality and survivability. To reflect this the importance of each capability is defined.

The capability weights are obtained using the pairwise comparison method developed by Saaty (1980) and used by many others. This scale is within the psychological limit of 7 ± 2 defined by (Miller, 1956). Detailed information about pairwise comparison and AHP can be found in Appendix-A. Using this method experts rate the importance of each capability (c_i) as compared to each of the other capabilities (c_j) under

¹ Detailed information on the use of multiple experts/decision maker and aggregation of expert assessments can be found in Chapter 2.

each particular mission (m). The scale, a modification of Saaty's (1980) original scale, shown in Table 4 is used for the pairwise comparisons.

Eigenvector normalization process, explained in Annex-A, is used for aggregation of pairwise comparisons into capability weights. First each element in the matrix is divided by its column total to generate a normalized pairwise matrix using equation (5-1) where (c_{im}) is the importance of i^{th} capability for m^{th} mission, $(r_{i,l,m})$ is the expert rating of i^{th} capability against l^{th} capability for m^{th} mission, (n) is the total number of capabilities.

Table 4 Scale to Assess the Relative Importance of Capabilities

Capacity (i) (c_i) is ____ important than Capacity (l) under mission (m)	Rating
Equally as	1
Moderately	3
Strongly	5
Very strongly	7
Extremely strongly	9
Moderately less	1/3
Strongly less	1/5
Very strongly less	1/7
Extremely less	1/9
Intermediate values between the two adjacent judgments	2,4,6,8,1/2,1/4,1/6,1/8

$$c_{im} = \frac{r_{il,m}}{\sum_{i=1}^n r_{i,l,m}} \quad (3.1)$$

To have the final weights for each capability ($C_{i,m}$) aggregated by normalizing the geometric means across all capabilities using equation (5.2) where “L” represents total number of capabilities. As the equation suggests each capability may have different

importance weight across missions; therefore, each force alternative archives different effectiveness levels across missions.

$$C_{im} = \frac{\sum_{i=1}^L c_{im}}{L} \quad (3.2)$$

3.3.3. Weighting WS Attributes for Each Force Capability

WS attributes represent the bottom level of the hierarchy. Force capabilities are assessed by the contribution of WS attributes. Model weights each attribute to indicate how much each of them contributes to each Capability. The weights of attribute “*l*” for each capability “*j*” ($aw(j,l)$) are obtained using the same method explained above for Force Capabilities. It is important to mention that the sum of the each criteria sets is equal to 1. Some of the capabilities or attributes can be more important than others while some of them can be equal.

3.3.4. Weighting WS Attributes for Each System Role

WS attribute set is the bridge between weapon systems that compose alternative force options and Force Capabilities. Thus, the importance of each attribute is also evaluated for each System Role that a WS may perform. Experts used the scale in Table 8 for the ratings.

Table 5 Rating Scale to Asses WS Attributes’ Importance for System Roles

Degree of Importance	Rating
Very low	1
.	2
Moderate	3
.	4
High	5
.	6
Very high	7
.	8
Extremely High	9

Up to this point of the model characteristic sets that alternatives are to be evaluated upon are created and their weights are assigned. Figure 12 depicts the weighted criteria where thickness of arrows represents the weight of a characteristic to determine the value of a characteristic in the higher level of hierarchy. One example is the weight of capability-1 in determining the value of Mission-1 is higher than Capability-3.




Figure 12 Weighted Criteria Set

The next step is the alternative generation where this model differs from the other studies.

3.4. Alternative Generation

Alternatives that the model tries to evaluate are mainly portfolios consisting of multiple weapon systems. Multiple options can be compared by using the model on the condition that they are distinct from each other. Alternatives should also be similar in terms of hierarchical level and the amount of ground they influence (e.g., battalion, brigade, and fleet).

It should be noted that options represent specific points in the option space.

Arithmetically the number of alternatives that can be generated from a portfolio of “N” different types of weapon system is equal to $N*(N-1)$, but most of these options may not be sufficiently distinct from each other and plausible to evaluate. Thus, decision makers (or experts) eliminate irrational options and select plausible ones from the option space.

A force option indexed by (f) is defined by: all weapon systems (s), like M1A2 Tank, Bradley APC, Mortar, etc. that comprise that option, the number of each weapon system (AWS) in the option, and the role of each weapon system (r) like fire support, reconnaissance, etc. An example of alternatives is shown in Table 9. At the next step system roles and the number of weapon systems are used to get the options force level attribute values.

Table 6 Composition of an Alternative

Weapon System (s)	System Role (r)	Option-1 (f ₁)	Option-2 (f ₂)	Option-3 (f ₃)
s ₁	r ₂	5x(s ₁ , r ₂)	7x(s ₁ , r ₂)	13 x(s ₁ , r ₂)
s ₂	r ₃	12x(s ₂ , r ₃)	2 x(s ₂ , r ₃)	10 x(s ₂ , r ₃)
s ₃	r ₁	0	8x(s ₃ , r ₁)	6 x(s ₃ , r ₁)
s ₄	r ₃	5 x(s ₄ , r ₃)	0	3 x(s ₄ , r ₃)
s ₅	r ₄	8 x(s ₅ , r ₄)	9 x(s ₅ , r ₄)	0
Total AWS		30	26	32

3.5. Evaluation of Weapon System weights

At this step weapon system attribute levels of each option are calculated using three values: attribute values of each system $av(j,s)$, quantity $(q[s,f])$ values of each system, and importance of each attribute for the system roles $(r_i(a_j))$.

The step starts with defining of 1-9 rating scale for each attribute. These scales should be specific enough to allow experts to rate component weapon systems. Using these scales attribute values of each WS is determined. Then for each attribute system quantity weights of each system ($q[s, f]$) are calculated using equation (3.3) where $AWS[s, f]$ is the amount of each system in an alternative, “n” is the total number of weapon systems in the option.

$$q[s, f] = \frac{AWS[s, f]}{\sum_{s=1}^n AWS[s, f]} \quad (3.3)$$

For example if we calculate the quantity weight of the first system (s_1) for each option (f_1, f_2, f_3) by using the values on the Table-9 it would be as follows:

$$q[s_1, f_1] = 5/30$$

$$q[s_1, f_2] = 7/26$$

$$q[s_1, f_3] = 13/32.$$

Then system role importance ratings SRI [r, a] are assigned for each system so each system has its own role importance (SRI (j, s)). For example if importance of the mobility attribute is rated as moderate (3) for “indirect fire support role” than SRI (indirect fire support, mobility) = 3. Consequently a weapon system with an indirect fire support role will have the same SRI such as SRI (howitzer, mobility) = 3.

SRI values are then combined with system quantity weights to have system importance weights (SIW [j, s, f]) for each attribute (j) in each force option (f) by using equation (3-4) where.

$$SIW[j, s, f] = \frac{SRI[j, s].q[s, f]}{\sum_{s=1}^S (SRI[j, s].q[s, f])} \quad (3-4)$$

3.6. Evaluation of Force Level Attribute and Capability Values

Force level attribute values are calculated by combining SIW in equation (3-4) and rating each WS received for each attribute using weighted sum method (WSM) in equation (3-5 where $FAV [j, f]$ represents an alternative (f) value for an attribute (j).

Figure-15 depicts the evaluation structure.

$$FAV [j, f] = \sum_{s=1}^S av[j, s].SIW [j, s, f] \quad (3-5)$$




Figure 13 Evaluation of Force Level Attributes

Similar to attribute evaluation, force level capability values (FCV) are evaluated using equation (3-6) where FCV stands for the value of l^{th} capability of f^{th} force, and $aw [j, l]$ stands for importance of j^{th} attribute for l^{th} capability.

$$FCV [l, f] = \sum_{a=1}^j FAV[j, f].aw [j, l] \quad (3-6)$$

3.7. Evaluation of Mission effectiveness

At the final stage of evaluation mission effectiveness of force alternatives (MAV [m,f]) are calculated using importance rates of each capability $cw [l,m]$ for each mission (m) and the FCV [l,f] from equation (3-6).

$$MEV [m, f] = \sum_{a=1}^l FCV[l, f].cw [l, m] \quad (3-7)$$

3.8. Prioritization

It is worthwhile to underline again that during the evaluation judgments of experts are used to create distributions instead of aggregating them to point values. Assume that five experts rated importance of three attributes for two capabilities as shown in Table 10. If those ratings are aggregated into an average or mean value, different views of experts and the uncertain nature of the problem might be disregarded. Using distributions instead of point values allows exploitation of simulation and representation of uncertainty therefore provides a better baseline for prioritization.

Table 7 Sample Expert Judgment Aggregation

	Capability-1			Capability-2		
	Attribute-1	Attribute-2	Attribute-3	Attribute-1	Attribute-2	Attribute-3
Expert-1	5	6	8	8	4	6
Expert-2	6	7	8	9	5	6
Expert-3	5	8	9	7	3	5
Expert-4	4	5	8	7	3	5
Expert-5	6	8	7	7	3	5
Aggregation (average)	5.2	5.6	8	9.5	4.5	4.5
Discrete Distribution Function	$\{(0.5,6), P(0.2,0.4,0.4)\}$	$\{(5,6,7,8), P(0.2,0.2,0.2,0.4)\}$	$\{(7,8,9), P(0.2,0.6,0.2)\}$	$\{(7,8,9), P(0.6,0.2,0.2)\}$	$\{(3,4,5), P(0.6,0.2,0.2)\}$	$\{(5,6), P(0.6,0.4)\}$

Prioritization of Alternatives is done by comparing the mission effectiveness of options in two different ways. Both of them take the advantage of probabilistic nature of outcomes.

3.8.1. Comparison of All Alternatives

Outcomes of the model are results of Monte Carlo simulation iterations (e.g. 1000 runs). Due to the probabilistic nature effectiveness values of each option may change at each iteration. Thus the outranking force option may change, so the first method ranks the options under consideration for each iteration then sums up the rankings of each option. Table 11 represents this ranking. Ranking frequencies of options provide an overview of the performances of options relative to one another in each mission, but this does not always indicate how often one particular option is more effective than any other particular one.

Table 8 Rank Frequency Calculation

	Effectiveness Values Of Option for Mission-3				Ranking Frequencies			
	Option-1	Option-2	Option-3	Option-4	Opt-1	Opt-2	Opt-3	Opt-4
Iteration-1	4.016360	3.508936	3.864604	4.140096	2	4	3	1
Iteration-2	3.840400	3.164424	4.092129	4.395349	3	4	2	1
Iteration-3	4.052797	3.52389	4.118748	4.376426	3	4	2	1
Iteration-4	3.806544	3.487989	4.641163	4.183877	3	4	1	2
Iteration-5	4.105547	3.422478	4.65436	4.323440	3	4	1	2
Iter-1000	4.25077	3.564533	4.034750	4.230750	1	4	3	2

3.8.2. Pairwise Comparison of Alternatives

To better understand the ranking frequencies of competing options for a mission model compare them one on one. This information is easily obtained by comparing the

effectiveness of two competing options in every simulation iteration and summing the frequency of one option outranking other.

3.9. Perturbations

So far in the model alternatives are evaluated against each mission but no importance ratings are assigned to the missions, so they are assumed to have equal importance. At this step ranking of each option analyzed under different mission importance to understand how much the outranking of options are influenced by the perturbations. Changes in the mission weights should be enough to make decisions on ranking alternatives.

3.10. Conclusions

This chapter described the nine phases of the proposed MAGDM model in general terms. A major purpose of this dissertation is to demonstrate the contributions of this model to MAGDM by applying it to U.S. ground force evaluation. Thus, Chapter 4 discusses how the model was applied to a specific problem and interprets this analysis to illustrate how this process can yield useful insights and inform complex force decision problems in an uncertain environment.

CHAPTER 4

APPLICATION AND ANALYSIS

We have heavy forces that have no peer in the world, but they are challenged to deploy rapidly. The Army has the world's finest light infantry, but it lacks adequate lethality, survivability, and mobility once in theatre in some scenarios. We must change.

General Shinseki

US Army Chief of Staff, 1999

This chapter demonstrates the application of the proposed MAGDM model, described in Chapter 3. During the analysis five NATO military personnel are used as Subject Matter Experts (SME)². The chapter mainly follows the steps of methodology and begins by describing the missions that alternative force options can be tasked with performing. Then force level capabilities and system level attributes are defined and their importances are evaluated to set the stage for the analysis. This phase is followed by generation of alternatives where force options and their component weapon systems (WS) are described. Later using criteria hierarch force level capability values are derived and force options are ranked under each mission. Rankings are done using the results of each of 10000 Monte Carlo iterations. This chapter ends with additional analysis of force ranking by perturbation of mission's importance. Table 9 summarizes the criteria sets that are used for the analysis.

²Brief information about experts can be found in Appendix-D.

Table 9 Sets used for Analysis

Sets	Description	Set Content
Missions	Tasks that an alternative force option may perform.	<ul style="list-style-type: none"> • Humanitarian Assistance (HA) • Show of Force (SoF) • Sanctuary Denial (SD) • Support to Foreign Unconventional Forces (SFUF) • Opposed Stabilization (OS) • Major Combat Campaign (MCC)
Force Level Capabilities	Essential capabilities of a ground force to successfully perform the tasks.	<ul style="list-style-type: none"> • Survivability • Deployability • Menability • Sustainability • Lethality • Interoperability • Agility
System Level Attributes	Set of features that a weapon system should have.	<ul style="list-style-type: none"> • Mobility • Firepower • Concealment • Protection • Self-Sufficiency • Detection • Transportability • Command and Control
Alternatives	Force options , comprised of multiple weapon systems , to be ranked and evaluated across mission set .	<ul style="list-style-type: none"> • Motorized Infantry Brigade • Airborne Infantry Brigade • Heavy Armored Brigade • Stryker Brigade
Component Weapon Systems (WS)	Constituent elements of alternatives .	<ul style="list-style-type: none"> • Bradley Infantry Fighting Vehicle • M1A2 Abrams Tank • 81mm Mortar • Javelin Anti-tank Missile • M777A2 Howitzer • .etc.
System Roles	Tasks that a weapon system may perform in combat. Every WS performs a specific role in combat and that requires some attributes more than others.	<ul style="list-style-type: none"> • Fire Attack • Fire Support • Indirect Fire • Reconnaissance

4.1. Mission Scenarios

Force options are evaluated using a set of six representative mission scenarios:

Humanitarian Assistance (HA), Show of Force (SoF), Sanctuary Denial (SD), Support to

Unconventional Foreign Forces (SFUF), Opposed Stabilization (OS), and Major Combat Campaign (MCC). These missions are retrieved from the FM 3-07 (2003), Frier (2011), and FM 3-0 (2011) and vary considerably in both context and intensity. As shown in Figure 14, they are spanning a wide range of ground operations that ground forces might be expected to perform in the future.




Figure 14 Placement of Missions used in Analysis in the Operations Spectrum

4.1.1 Humanitarian Assistance (HA)

This mission covers the actions conducted to diminish or relieve the results of manmade or natural disasters or other widespread conditions such as human pain, disease, hunger, or privation that might present a serious threat to life or that can result in great damage to or loss of property. Humanitarian assistance provided by land forces is limited in scope and duration. The assistance provided is designed to supplement the efforts of the host nation civil authorities or agencies that may have the primary

responsibility for providing humanitarian assistance. During Hurricane Katrina (2005), and earthquakes in Haiti (2010) and Japan (2011) many land forces from different nations conducted HA operations independently or in a brother joint command.

- Scenario

Aggravating existing drought and food scarcities, a magnitude 7.0 earthquake occurs in an East African Country. The epicenter is approximately 70 km from the Capital city center. In Capital City, the destruction is extensive, with estimates of 4,500 killed, 20,000 injured and 700,000 homeless. The two main towns of the country are destroyed, with tens of thousands estimated killed and injured. Throughout the affected area key infrastructure is severely damaged (communications electricity, water) and all public and emergency services have collapsed. The government struggles to demonstrate its control and is expected to request humanitarian assistance. U.S. and foreign nongovernmental organizations are seeking assistance to reach the disaster location (Frier 2011).

4.1.2 Show of Force

Show of Force (SoF) is an operation intended to show a nation's determination. SoF involves increased visibility of deployed forces in an attempt to mollify a specific situation by establishing clear red lines for those purposefully threatening the security of key states or regions. If allowed to remain these situations may require extended use of military power and become unfavorable to national interests or objectives (JP 3-0).

- Scenario

As a Strong Asian Country prepares to conduct a major military exercise along the borders of an Eastern European country, the Foreign Minister furthermore provides

provocative comments regarding unification into a federation with its smaller neighborhoods. Unexpectedly, a major cyber-attack cripples the air defense networks and command and control systems of another bordering country. As this Strong Asian country begins positioning its ground forces for the alleged exercise, the Bordering States call on NATO to prevent any possible aggression. The U.S. considers swift movements of some land troops to demonstrate resolve (Frier 2011).

4.1.3 Sanctuary Denial (SD)

Insurgents generally conduct small scale, time limited attacks, and withdraw to their secure sanctuary at ungoverned, distant areas. Permeable spaces and borders for sanctuary, which provide operating space, can lengthen an insurgency if the counterinsurgent overlooks them or handles them inadequately (Celeski, 2006).

The main aim of sanctuary denial operations is to control and occupy territory in order to preclude its use as a safe haven by adversaries. The U.S. Invasion of Cambodia in 1970, Israel's 1982 attack on Southern Lebanon are some of the examples of sanctuary Denial operations. U.S. Army forces may conduct sanctuary denial operations to:

- Address a threat causing serious harm to core U.S. interests,
 - Prevent serious criminal or terrorist activity posing persistent hazards;
 - Disrupt or terminate adversary leadership, networks, and capabilities that enable hostile or illegal actions.
- Scenario

Concerned by Yellow Country's interference in Blue Country affairs, Haushi rebels increasingly reach out to Yerhan for support. Not only does Green Country provide multiple shipments of sophisticated weapons, including SA-7s that can be used by

individuals, but U.S. intelligence also confirms that dozens of Quds Force personnel are operating in Blue towns near the Yellow border. Reports that Haushi militias are selling their SA-7s abroad raise major concerns for U.S. leadership. The latest shoot-down of a Yellow Country transport helicopter prompts Yellow to start a ground offensive into northwestern Blue. Well-equipped and led by Quds Force experts, Haushi guerillas destroy dozens of Yellow Country tanks as they enter town centers. Missiles let the rebels to deny Yellow air forces the ability to operate safely in the region. After successive setbacks, Saudi forces pull back and are unable to resume their offensive action. Meanwhile, the Blue government weakens further, enabling the Haushis to gain more power in the northwest while al Qaeda forces continue to operate at training camps in the southeast. With the Blue government unable to challenge these two sanctuaries and Blue Forces still regrouping, the United States considers taking immediate and decisive action to eliminate both Haushi and al Qaeda networks (Frier 2011).

4.1.4 Support to Unconventional Foreign Forces

The best and most current example for this type of operation is the current situation in Syria. Support to foreign unconventional forces (SFUF) involves the employment of ground forces in direct support of a surrogate force of irregular foreign fighters who are in the midst of a conflict with a state or group hostile to the nation providing SFUF (JP 3-05). Ground forces conducting SFUF assist foreign irregular forces, in generating, fielding, employing, and sustaining guerrilla forces to implement offensive actions against a hostile government or group and/or protect vulnerable people against the attacks of enemy military or paramilitary forces (FM 3-07.1, 2009).

- Scenario

In the coming years, al Qaeda and its affiliated networks gain momentum in southern Blue. President Haleh's government remains weak and faces continuing challenges from groups inspired by the Arab Spring. Green increases its support for al Haushi rebels in the Baada region, further increasing the pressure on Haleh's regime. By the end of 2012 the southern separatists have established a strong state within a state, enabling al Qaeda and its affiliates to safely train and organize. A complex proxy war ensues with Yellow and Green as the main protagonists, while intelligence warns of more Anti-Western terrorist plots originating in Blue. To contest the al Qaeda foothold, the United States develops an indigenous Blue insurgent force with the tacit support and covert cooperation of Blue to combat the new central government and Green proxies in the north.

4.1.5 Opposed Stabilization (OS)

OS is the type of mission conducted when a rival or partner nation has lost control over security in all or part of its sovereign region and the related disorder and internal conflict puts U.S. interests at risk. The configuration of deployed forces will initially favor offensive combat capabilities. French Intervention in Zaire (1978) is an example of OS mission (Frier, 2011).

- Scenario

A separatist religious movement (AIAI) based in a Middle East country initiates a more violent Arab Spring by declaring independence from the State and claiming sovereign rights to southern provinces of the country. AIAI fighters drive off the State security forces, seizing control of two main cities and one coastal city with an important

port. Divided loyalties in the military and police formations result in escalation of the uprising. Shortly after this insurgency, another separatist movement with the same motives assassinated one of the modern and moderate kings of region. Due to that event violence spreads between the Regular army and National Guard forces spreads eastward, triggering widespread intra- and inter-communal violence around key petroleum extraction and port facilities. Heavy fighting within and between Religious fighters, irregular/tribal formations, and the government forces the shutdown of a number of main seaports. Looking to help stabilize the province, the United States and some regional actors consider intervention (Frier 2011).

4.1.6 Major Combat Campaign (MCC)

MCC includes well known conventional combats. A considerable number of the military actions in a MCC occur according to the conventions of traditional war fighting. They are extensive operations focused on defeating enemy state's conventional and irregular military capabilities and methods. The British operation to recapture the Falkland Islands after their seizure by Argentina in 1982, Operation Just Cause (Panama, 1989), Operation Desert Storm (Kuwait/Iraq, 1991) are contemporary examples of MCC (Frier, 2011).

- Scenario

North Red Country (NRC) remains to keep one of the major armies in the region holds a broad amount of Weapon of Mass Destruction (WMD), and maintains a hostile posture to South Blue Country (SBC). As the NRC economy continues to contract, its people become increasingly beset by famine and, as a result, become restive. In an attempt to maintain national cohesion, the NRC government takes a highly aggressive stance towards its neighbor to the south, and begins to conduct recurrent strikes and raids. Initially exercising control, the SBC government

eventually takes limited acts of retaliation. These limited operations in turn inflame an invasion from the North. Even though U.S. forces stationed on the SBC have been reduced, those remaining are instantly drawn into conflicts to shore-up the South's defenses, repel North Korean forces. The United States implements its war plans, racing to deploy additional forces to the SBC (Frier, 2011).

The main variables that differentiate missions among each other are basically strategic warning to deploy necessary forces to the operational area, expected duration of mission, and expected enemy and the terrain types where forces perform their missions.

The above described mission scenarios are selected by experts taking into consideration of current political situation in different regions around the world and past U.S. operations. These missions do not cover the whole spectrum and should be considered as spots in the multidimensional mission space. Hundreds of scenarios can be generated using the variables of mission, strategic warning, duration, adversary type, and terrain. Table 10 summarizes the mission scenarios.

Table 10 Mission Scenarios by Key Variables.

Mission Scenarios	Strategic Warning	Duration	Adversary Type	Terrain
Humanitarian Assistance (HA)	Extremely Short	Short, Moderate	Criminals and Terrorists.	Urban area and City
Show of Force (SoF)	Short	Moderate	Capable State Military	Open terrain
Sanctuary Denial (SD)	Short	Long	Criminals, Terrorists, Militia, Insurgents	Mountains, Rural and villages
Support to Foreign Unconventional Forces (SFUF)	Moderate	Moderate, Medium	State army with relatively lower capability	Mixture of rural areas and open terrain
Opposed Stabilization (OS)	Moderate	Medium, long	Terrorists, Insurgents	Urban environment,
Major Combat Campaign (MCC)	Long	Long	Capable State army	Rural areas and open terrain

Duration/Strategic Warning	
Extremely Short	Hours
Short	Days
Moderate	Weeks
Long	Months
Very Long	Year(s)

4.2. Force Level Capabilities

As illustrated in the scenarios each mission scenario requires some capabilities more than others due to the effects of key variables. In order to reflect this, force level capabilities are defined. The following capabilities portray crucial properties of a force.

- **Survivability**

Capability to protect personnel, weapons systems, and necessary equipment while retaining functionality and simultaneously deceiving the enemy.

Survivability includes employing frequent movement, using concealment, deception, and camouflage. (JP 3-34)

- **Deployability**

Capability to move forces (including systems, crews, support personnel, equipment, and everything else the force needs to operate quickly and effectively) over long distances. This can be between theatres or regions (NATO- MC319/1,n.d.)

- **Maneuverability**

It is the capability to move land forces in a position of advantage over the enemy on the battlefield. Units perform movement in combination with fires in order to engage, disengage avoid or funnel enemy forces (JP 3-0).

- **Sustainability**

It is the ability to maintain the necessary level and duration of operational effectiveness by providing materiel, consumables and services like fuel, ammunition, parts, maintenance, etc. to achieve military objectives.

- **Lethality**

It is the capability to destroy or disable opposing forces in an efficient and timely manner.

- **Interoperability**

It is the capability to operate in synergy with the other units and partners in the execution of assigned missions (JP 3-0). Due to the technological differences interoperability is generally an issue among coalition partners on communications and electronics equipment when information or services need to be exchanged between them.

- **Agility**

It is the ability of a force to rapidly respond to changes in the operational environment by adapting its original formation. It is important because there will be changes in the environment between planning phase and the execution phase of the operation and during the operation itself.

The capability set agreed upon by experts is consistent with military literature and the army documents. In the U.S. Army's capstone doctrinal manual FM 1-The Army establishes doctrine for employing land power. This document lists future core army capabilities as "responsive, deployable, lethal, versatile, agile, survivable, and sustainable". Krepinevich (2002, 2009) and many other researchers (City, 1999; Brendle & Jaczkowski, 2002; Plichta&Hamlen, 2002; Shisler, 2001) underline the importance of lethality, maneuverability, sustainability, and survivability as core capabilities of land forces.

4.3. Evaluating Importance of Force Level Capabilities

After identifying the capability set, experts evaluated each capability under each mission. The capability weights are obtained using the pair wise comparison method developed by Saaty (1980). Using this method experts rate the importance of each capability (i) as compared to each of the other capability under each mission (m). At this step experts are asked to make 126 comparisons between capabilities. The scale and details of the aggregation method are explained in Chapter 3. Table 11 shows the weights of each capability given by each expert, under each mission.

It is worth mentioning the degree of agreement among experts on the importance of capabilities under each mission. Table 14 shows the experts' ratings, where most

agreed capabilities are shaded and most disputed ones are shown in **bold**. At this stage it is worth emphasizing that, the ratings of experts will not be aggregated in to a single value and they will be used to create a probability distribution. So that final result will be output of simulation that, represent the probabilistic nature of the analysis rather than having single value to prioritize alternatives.

For the OS and MCC missions there is no major difference between experts' ratings and they strongly agreed on the importance of survivability, sustainability, lethality. Under SFUF and SoF missions, a more than "0.1" difference occurred between experts views for two capabilities (deployability, agility; deployability, lethality respectively). Experts strongly agree on the importance of "sustainability" and "interoperability" under each mission and their assessments never diverged more than "0.1".

Table 11 Weights of Force Level Capabilities under each Mission Scenario

	Humanitarian Assistance (HA)							Show of Force (SoF)							Sanctuary Denial (SD)							Support to Unconventional Foreign Forces (SFUF)							Opposed Stabilization (OS)							Major Combat Campaign (MCC)						
Expert-5	0.03	0.03	0.21	0.13	0.02	0.08	0.09	0.24	0.21	0.20	0.22	0.17	Survivability	0.09	0.26	0.10	0.25	0.14	0.07	0.06	0.04	0.15	0.16	0.22	0.21	0.19	0.07	0.31	0.07	0.05	0.21	0.38	0.02	0.13	0.13	0.19	0.03	0.34	0.07	0.21	0.08	0.09
Expert-4	0.03	0.03	0.21	0.14	0.02	0.08	0.08	0.21	0.23	0.27	0.10	0.16	Survivability	0.19	0.19	0.07	0.06	0.15	0.07	0.06	0.07	0.16	0.31	0.07	0.21	0.17	0.17	0.07	0.07	0.06	0.21	0.38	0.02	0.13	0.13	0.19	0.03	0.34	0.07	0.21	0.08	0.07
Expert-3	0.04	0.04	0.22	0.17	0.02	0.07	0.13	0.20	0.18	0.28	0.09	0.22	Survivability	0.17	0.20	0.11	0.23	0.13	0.06	0.05	0.03	0.21	0.19	0.22	0.17	0.21	0.17	0.32	0.07	0.07	0.05	0.22	0.36	0.02	0.12	0.15	0.20	0.03	0.39	0.06	0.19	0.07
Expert-2	0.03	0.37	0.24	0.15	0.02	0.07	0.12	0.27	0.24	0.20	0.11	0.05	Survivability	0.13	0.20	0.18	0.23	0.13	0.06	0.06	0.04	0.21	0.19	0.22	0.13	0.21	0.30	0.07	0.07	0.06	0.31	0.03	0.13	0.18	0.19	0.03	0.34	0.06	0.24	0.06	0.08	
Expert-1	0.03	0.41	0.08	0.18	0.02	0.12	0.16	0.27	0.27	0.13	0.18	0.11	Survivability	0.13	0.20	0.18	0.14	0.20	0.05	0.05	0.03	0.19	0.21	0.20	0.08	0.19	0.21	0.21	0.08	0.06	0.19	0.29	0.03	0.18	0.18	0.06	0.30	0.06	0.30	0.06	0.09	
	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility	Survivability	Agility	Interoperability	Agility		

Due to the importance of the reaction time in Humanitarian Assistance Mission, experts gave the highest importance to deployability and mobility (nearly half of the weight of deployability) while lethality received the lowest importance. For the Show of Force (SoF) mission survivability, deployability, lethality, and maneuverability received the highest ranks with minor difference while interoperability and agility received the lowest weights. Experts argued that SoF mission is conducted to show the determination of the country and the force required to conduct small scale engagements with opponents conventional forces, so this mission requires the capabilities that are mainly necessary in a major combat. Under Sanctuary Denial mission survivability, maneuverability and agility received the highest weights accordingly while interoperability received the lowest. Agility is the highest weighted capability for SFUF mission where supporting forces have to adapt to the frequent changes in operational environment. For Opposed Stabilization sustainability received the highest weight where lethality received lowest. Survivability, maneuverability, and lethality, as the core capabilities of conventional combat, received nearly the same weights under MCC.

Figure 15 summarizes the expert's assessments and weights of each capability under each mission. For HA, SoF, SFUF, OS, and MCC missions one of the capacities importance is prominent while for SD mission there is no prominent capability. When all missions are considered heights weights received by: Deployability under HA; Lethality followed by Maneuverability, and Deployability under SoF, Sustainability under OS; Agility under SFUF; Lethality, Survivability, and Maneuverability under MCC.




Figure 15 Capability weights for each Mission

4.4. Weapon System (WS) Attributes

WS attributes represent the bottom level of the evaluation hierarchy. Alternative force options that constituted by WSs will be evaluated at the next steps using scales that created for each attribute. Higher level force capabilities are assessed by the contribution of WS attributes. Eight attributes are determined, that represent the crucial properties of a WS. These attributes are used to evaluate weapon systems by Cheng & Mon (1994), Deng & Shen (2006), Gao, Wen & Liu (2004), Dağdeviren, Yavuz & Kılınç (2009) and many other researchers. To better explain each attribute, a number of contributing factors, scale proxies are defined and a nine grade scale created to rate WSs under each attribute.

Table 12 WS Attribute and Proxy List

Attributes	Proxies
Firepower	Most lethal weapon of the system
Mobility	Range of system without refueling & typical Speed.
Protection	Most lethal threat addressed
Concealment	Signature, size of the WS
Detection	Least prominent system that can be detected
Self-Sufficiency	Rate of consumption
Transportability	System weight, Smallest transportation platform
Command & Control	Information exchange means, Data transfer time

Eight attributes, listed in Table 15 are distinct from each other, and every one of them is the main contributor to at least one Force Capability. They also contribute to other capabilities - to the extent rated by experts. Firepower is the major source to lethality of the force while mobility primarily enables maneuverability, and protection is a major contributor to survivability. Concealment is the complement of protection to contribute survivability. It includes those system properties that make it harder to be detected and attacked. Detection is the second contributor to lethality following firepower as well as having a high stake in Agility. Self-sufficiency defines the degree of dependency to necessary supplies therefore a key factor in determining sustainability. Transportability- measure of carrying a WS to/from combat area- is the main contributor to deployability. Lastly, Command and Control, the measurement of communication, information sharing, and control, is the determiner of interoperability.

4.4.1 Firepower

Firepower is defined as the ability of a WS to terminate or damage an opponent system in combat. Contributing factors to firepower and the Scale Proxy are

defined on the Table 16. The most lethal weapon on board is used as proxy for the ratings and contributing factors are defined to support experts during their evaluation. The levels of scale are associated with different types of weapons and they are arranged in order of increasing capability. The scale includes a broad mix of weapons that use different types of attack mechanisms and energy to damage enemy systems, so well-known measures of lethality, like penetration ability or energy are not stated since they are only suitable for the compression of similar weapon types.

Table 13 Rating Scale for Firepower

Contributing Factors	
Range:	Maximum effective distance over which it can throw its projectile.
Accuracy:	Likelihood of hitting a target on the first shot.
Effectiveness:	Likelihood of destroying a target when hit.
Rate of fire:	Speed of delivering shots to target. It may change for multiple targets, or for long time periods.
Scale Proxy	
Most lethal weapon of the system	
Scale Level	Rating Scale for Firepower
1	Small Arms (Rifles, machine Guns)
2	14-30 mm Armor piercing rounds
3	RPG/ATM(Small Unitary)
4	30-50 mm FS KEP
5	RPG/ATGM Large unitary Small Tandem
6	RPG/ATGM Large unitary Large Tandem ATGM
7	120-130mm KEP Top EFP
8	LOSAT EFOG-M
9	130-150mm KEP
Abbreviations	RPG: Rocket propelled grenade ATGM: Anti-tank guided missile FS :Fin-Stabilized KEP: Kinetic Energy Penetrator DPCIM: Dual-Purpose Improved Conventional Munitions LOSAT: Line-of sight Antitank EFOG-M: Enhanced Fiber-Optic Guided Missile

4.4.2 Mobility

It is the ability of a WS to move effectively on the battlefield. This includes movement on harsh terrain and weather and over obstacles as well as on roads. Speed and range are used as proxies as they address two key aspects of mobility; off-road speed is essential in tactical situations, while maximum on road range is important in an operational context. Other characteristics of mobility such as obstacle passing, and amphibious capabilities are not represented on the scale but increases in these properties are every so often correlated with upper speed and range. Scale levels in Table 14 represent differences in mobility across a wide range of systems, from dismounted soldier at the lowest level to wheeled and tracked vehicles at higher levels.

Table 14 Rating Scale for Mobility

Contributing Factors	
Battlefield Mobility	Swiftness in combat and versatility over harsh terrain
Tactical Mobility	Moving between engagements on flat terrain and trails
Operational Mobility	Moving on main roads
Scale Proxy Maximum Range of system without refueling, Typical Speed of WS during combat.	
Scale Level	Rating Scale for Mobility
1	20 km, 2 km/hr
2	60 km, 10 km/hr
3	100 km, 30 km/hr
4	200 km, 50 km/hr
5	300 km, 70 km/hr
6	400 km, 80 km/hr
7	500km, 90 km/hr
8	600 km, 100 km/hr
9	700+ km, 120+ km/hr

4.4.3 Protection

It is the ability of a system to minimize the probability of being hit when under fire, and preventing the damage that is likely to be incurred if it is hit. Firepower and protection are like opposite sides of a coin; protection is the ability of a system to prevent itself from being destroyed, while firepower measures ability to kill enemy systems. Due to that relation, exactly the same scales are used to measure firepower and protection attributes (Table 15). There may be minor deficiencies in the coverage but overall expert ratings took such factors into account.

Table 15 Rating Scale for Protection

Contributing Factors	
Coverage	Completeness of covering attacks from different directions; from frontal only coverage to spherical coverage.
Reliability	Continuousness of protection to multiple attacks; from fragile highly vulnerable systems to robust systems that can stay operational even after multiple hits.
Active-Passive	Type of protection; from active techniques to reduce the probability of being hit to more passive techniques that decrease consequences of being hit.
Scale Proxy	
Most lethal threat addressed by WS	
Scale Level	Rating Scale for Protection
1	Small Arms (Rifles, machine Guns)
2	14-30 mm Armor piercing rounds
3	RPG/ATM (Small Unitary)
4	30-50 mm FS KEP
5	RPG/ATGM Large unitary Small Tandem
6	RPG/ATGM Large unitary Large Tandem ATGM
7	120-130mm KEP Top EFP
8	LOSAT EFOG-M
9	130-150mm KEP
Abbreviations	
RPG: Rocket propelled grenade ATGM: Anti-tank guided missile FS :Fin-Stabilized KEP: Kinetic Energy Penetrator DPCIM: Dual-Purpose Improved Conventional Munitions LOSAT: Line-of sight Antitank EFOG-M: Enhanced Fiber-Optic Guided Missile	

4.4.4 Concealment

It is the ability of system to minimize the probability of being detected, tracked and targeted by enemy systems. The rating scale for concealment defined using two proxies: signature and size. Given all the other factors equal, if a system is smaller and less visible in the combat, it is less likely to be detected by opponent systems. Therefore,

a lower signature, and smaller size make a WS more concealed. It is assumed that signature and size tend to vary together across different system types, ranging from very huge highly noticeable systems to very small systems that have negligible signature. To better explain the scale an example WS is attached with each rating.

Table 16 Rating Scale for Concealment

Contributing Factors	
Radiations	Grade of measures to decrease WS' emissions (Exhaust, infra-red, electromagnetic, acoustic etc.); starting from passive and basic (e.g., heat shields), to more evolved (e.g., exhaust muffler).
Design	Extent of measures to which WS's overall appearance is modified to reduce its presence in the battlefield by modifications in size, shape, surfaces.
Deception	Degree to which dedicated devices (e.g., decoys) are used to redirect and confuse opponent's attention.
Scale Proxy Signature, size of the WS and an example for each level.	
Scale Level	Rating Scale for Concealment
1	Very Noticeable Very Large (Tank in combat)
2	↔
3	Noticeable Large (Mobile artillery)
4	↔
5	Modest Medium (Scout vehicle)
6	↔
7	Low Small (Robotic scout)
8	↔
9	Minimal Very small (SOF soldier)

4.4.5 Detection

Detection contributes to exploration and gaining information about the enemy units, environment, and weapon system to attack or process information to other friendly forces. Concealment and detection have the same relationship that firepower and protection have (opposite sides of a coin); detection measures ability of detecting enemy systems, while concealment is the ability of a system to prevent itself from being detected. Due to that relation, same scales are used to measure concealment and detection attributes. There may be minor deficiencies in the coverage but overall expert ratings took such factors into account.

Table 17 Rating Scale for Detection

Contributing Factors	
Reliability	Functionality regardless of weather and environmental conditions; from systems that are easily effected by sun, wind cloud (e.g., eye view, binoculars, telescope) to systems that can operate in harsh weather conditions, night and day.
Range	Distance from which a WS can effectively identify a target; from eye sight to radars and thermal cameras.
Diversity	Number of different detection devices mounted on the WS; from single telescope to WS that uses multiple detection systems like thermal camera, radar, night vision.
Scale Proxy	
Least prominent system that can be detected by WS.	
Scale Level	Rating Scale for Detection
1	Very Noticeable Very Large (Tank in combat)
2	↔
3	Noticeable Large (Mobile artillery)
4	↔
5	Modest Medium (Scout vehicle)
6	↔
7	Low Small (Robotic, scout)
8	↔
9	Minimal Very small (SOF soldier)

4.4.6 Self-Sufficiency

It is the ability to reduce the dependency on supplies, services and other support to retain its critical abilities during combat. WSs are dependent on supplies and services (e.g., gas, and ammunition) to function properly during combat. If the systems use up supplies slower they need to refill their stores less frequently, so they have a tendency to be less dependent and more self-sufficient. WS's rate of consumption for essential supplies is used as proxy to measure self-sufficiency. Every other level of scale is defined with a qualitative description of consumption rate, from "very high" to "very low". To make the scale more meaningful, a WS is associated with each rating level.

Table 18 Rating Scale for Self-Sufficiency

Contributing Factors	
Stamina	Maximum length of continuous activity during operations.
Reliability	Time between failures that cause significant decrease in functionality.
Maintenance	Frequency and length of essential service and repairs required for a WS to function properly.
Scale Proxy	
WS's rate of consumption for essential supplies.	
Scale Level	Rating Scale for Self-Sufficiency
1	Very High (Tank)
2	↔
3	High (Light tank/IFV)
4	↔
5	Moderate (Tracked APC/scout vehicle)
6	↔
7	Low (Wheeled APC/scout vehicle)
8	↔
9	Very low (Robotic vehicle, small elite team)
Abbreviations	APC: Armored personnel carrier IFV: Infantry fighting vehicle

4.4.7 Transportability

It is the ease and speed of carrying a WS to and from the combat area. A direct relationship works between system weight and resource necessary to carry it long distances. The heavier a system is, the harder it is to transport. Weight is the foremost determinant of transportability therefore “weight of WS” is used as proxy to measure transportability. To anchor the scale, an example transport vehicle is included in each level. For example CH-47 Chinook at level 6 can carry up to 15 tons while C-130 can carry up to 22 tons therefore weight range at level 5 is 16-22 tons (above CH-47’s but within C-130 capacity).

Table 19 Rating Scale for Transportability

Contributing Factors	
Arrangements	Activities that needs be completed after arrival, but before engaging in combat (e.g., calibration, installation).
Dimensions	Volume and mass of WS during transportation.
Scale Proxy	
System weight, Smallest vehicle that can carry the WS	
Scale Level	Rating Scale for Transportability
1	75+ tons Slow sea lift
2	55-75 tons C-5/C-17
3	40-55 tons RORO sea lift
4	25-35 tons A400M Atlas aircraft
5	16-22 tons C-130
6	12-15 tons Large helicopter (CH-47 Chinook)
7	4-10 tons C-27J Spartan
8	1-3 tons Helicopter/V-22/
9	Under 1 ton Small parachute
Abbreviations	C-5, C-17: Strategic cargo aircraft. RORO: Roll-on/Roll-off sealift ship SSTOL: Super Short Takeoff and Landing

4.4.8 Command & Control (C&C)

It is the ability to communicate and to upper and lower echelons and execute control to lower levels by sending and receive information. The rating scale for C&C aimed to measure ease with which critical information can be exchanged in a timely and secure manner. It is defined using two proxies: Information exchange means and the time required to transfer data. In the scale, shown in Table 20, level definitions means are expressed by different communication devices, ranging from voice, gestures, and signs to sensors and satellite communication, while the time needed to transfer data is given in intervals that range from minutes to real-time.

Table 20 Rating Scale for Command & Control

Contributing Factors	
Reliability	Ability to function regardless of weather and combat conditions; from systems that are easily effected by precipitation, sunshine, electromagnetic pulse, and jamming (e.g., voice, eye sight, radio) to systems that can operate in harsh conditions (e.g., multiple radio & satellite devices).
Range	Distance from which a WS can transmit and receive data effectively; from eye sight to radars and thermal cameras.
Diversity	Number of different communication devices mounted on the WS; from no devices to multiple communication systems like sensors, radio, and satellite.
Scale Proxy Information exchange means, Time required to transfer data	
Scale Level	Rating Scale for Command & Control
1	Voice, Gesture and signs Minutes
2	↔
3	Single channel radio 1-2 minutes
4	↔
5	Multiple channel-high range radio Less than 1 minute
6	↔
7	Sensors & Multiple channel-high range radio Seconds
8	↔
9	Satellite & improved radio Real time

4.5. Evaluation of Weapon System Attributes

After identifying the Weapon System Attributes, experts evaluated the contribution of each attribute to each Capability. The capability weights are obtained by applying the pairwise comparison method used for the evaluation of Force Level Capabilities. Using this method, experts rated the degree of contribution of each attribute as compared to each of the other attribute under each capability. This step required each expert to make 196 comparisons between System Attributes. The scale and details of the aggregation method is explained in Chapter 3.

Experts made independent assessments and generally assigned similar weights to system attributes under each capability. It is worthwhile to mention the degree of agreement among experts on the attribute contribution to capabilities. Table 21 shows the results of the each expert rating, where most agreed attributes are shaded and most disputed ones are shown in **bold**.

Experts showed strong agreement on ratings except under “agility”. A more than “0.1” difference occurred between experts views for attributes contribution to “Agility”. Some experts argued that changes that may occur in the battlefield cannot be predicted and they may require different attributes to adapt for different situations. So, some rated all attributes equally to “agility” while others gave a higher rating to command & control.

On the other hand experts showed strong agreement on contributions to deployability due to the fact that transportability is the main contributor and firepower, concealment, and protection are not major factors.

Table 21 System Attribute Weights Under Each Capability

	Survivability	Deployability	Maneuverability	Sustainability
Expert-5	0.17	0.18	0.05	0.04
Expert-4	0.16	0.12	0.06	0.05
Expert-3	0.13	0.18	0.06	0.05
Expert-2	0.13	0.12	0.05	0.05
Expert-1	0.1	0.06	0.06	0.06
	Mobility	Mobility	Mobility	Mobility
	Firepower	Firepower	Firepower	Firepower
	Concealment	Concealment	Concealment	Concealment
	Protection	Protection	Protection	Protection
	Self-Sufficiency	Self-Sufficiency	Self-Sufficiency	Self-Sufficiency
	Detection	Detection	Detection	Detection
	Transportability	Transportability	Transportability	Transportability
	C&C	C&C	C&C	C&C

Table 21 Weights of System Attributes under each Capability (Continued)

		Lethality								Interoperability								Agility								
		Mobility	Firepower	Concealment	Protection	Self-Sufficiency	Detection	Transportability	C&C	Mobility	Firepower	Concealment	Protection	Self-Sufficiency	Detection	Transportability	C&C	Mobility	Firepower	Concealment	Protection	Self-Sufficiency	Detection	Transportability	C&C	
Expert-5	0.121	0.087	0.104	0.093	0.125	0.46	0.038	0.031	0.034	0.19	0.029	0.087	0.076	0.062	0.049	0.088	0.062	0.062	0.062	0.049	0.049	0.062	0.062	0.062	0.062	0.552
Expert-4	0.53	0.55	0.51	0.49	0.46	0.038	0.033	0.036	0.034	0.038	0.047	0.047	0.047	0.053	0.093	0.043	0.035	0.031	0.157	0.049	0.049	0.062	0.062	0.062	0.062	0.208
Expert-3	0.104	0.104	0.093	0.093	0.125	0.49	0.033	0.036	0.034	0.124	0.031	0.157	0.049	0.049	0.098	0.098	0.088	0.062	0.049	0.049	0.062	0.062	0.062	0.062	0.062	0.203
Expert-2	0.093	0.093	0.093	0.093	0.125	0.49	0.033	0.036	0.034	0.124	0.031	0.157	0.049	0.049	0.098	0.098	0.088	0.062	0.049	0.049	0.062	0.062	0.062	0.062	0.062	0.531
Expert-1	0.125	0.125	0.125	0.125	0.125	0.46	0.038	0.031	0.034	0.19	0.029	0.087	0.076	0.062	0.049	0.062	0.062	0.062	0.049	0.049	0.062	0.062	0.062	0.062	0.062	0.552

Figure 16 summarizes the expert assessments and weights of each attribute under each of the seven force capability. For each capability one of the attributes is the main determiner and the heights weights received by Protection under Survivability, Mobility under Maneuverability, Self-Sufficiency under Sustainability Firepower under Lethality, C &C under Interoperability and Agility.




Figure 16 Importance of Attributes for Each Force Capability

For the Survivability protection followed by concealment are the main determiners although mobility has a substantial importance. As expected, transportability of the weapon system is the main determiner of the deployability of a force, followed by mobility which allows WS to be self-deployed within the operational area. For Maneuverability mobility is the highest contributor (more than a 0.5 weight) while Self-Sufficiency is also an important contributor. Lethality and sustainability capabilities are clearly determined by firepower and self-sufficiency as expected (both has an importance weight more than 0.5).

Interoperability and agility don't have a dominant main contributor but C&C is the main determiner of these capabilities with additional contribution from detection for both capabilities.

4.6. Weapon System Roles

Alternative force options, being evaluated, are composed of weapon systems. WSs perform many different roles, depending on their functions and capabilities. Different roles require some attributes more than others as mentioned in section 4.4. For instance WSs may provide indirect fires where "fire power" has upmost importance while others conduct reconnaissance role where "detection" and "C&C" have higher importance. Assigning a role to each system allows its attributes to be weighted accordingly when the capabilities of the force as whole are calculated. A set of five roles are determined to capture differences in the analysis. A description and a WS example are provided below for each role:

- **Fire Attack:** The fundamental mission of fire attack weapons is to move to contact with enemy forces and then fight them directly at relatively short distances. (< 5 km). Example: Armored fighting vehicle, main battle tank.
- **Fire Support:** providing infantry and line-of-sight fires to support more capable forces from short to moderate range (2 – 5 km) while avoiding direct contact with enemy forces while. Example: infantry fighting vehicle with ATGMs.
- **Indirect Fire:** Indirect fire weapons include artillery units equipped with either field guns (howitzers), or heavy mortars. Artillery is part of an army that controls the bigger, long range weapons (5 – 20 km), formerly referred to as cannons. In battle, the artillery's role is to provide fire support for the infantry, cavalry, armor and other units. The

projectile, rocket, missile, and bomb are the weapons of indirect-fire systems. Example: Mortar and artillery.

- **Reconnaissance:** This role requires operating in varied locations to gather and interpret battlefield information from both human observations and multiple sensors, than disseminate it to the other elements of the force. Example: scout vehicle.

These roles represent the groupings of tasks and activities that systems tend to engage in on the battlefield. A single role from this set is assigned to each component system based on its design and primary function. For example, a main battle tank would be assigned to the “fire attack” role because it best describes what this system is designed for.




Figure 17 Importance of Weapon System Attributes for System Roles

After defining the system roles experts rated the importance of the system attributes for each of the four system roles. Average values of expert ratings are shown in Table 22 and depicted in Figure 17. These ratings are used to adjust the quantity-based weights associated with each system to account for its design and function when the force-level attributes are calculated. This method aggregates attributes in a manner that

allows systems to supplement one another by playing roles that focus on their strengths but not the weaknesses.

Table 22 Expert ratings of for System Roles

	Mobility				Firepower				Concealment				Protection				Self-Sufficiency				Detection				Transportability				C & C			
	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance	Fire Attack	Fire Support	Indirect Fire	Reconnaissance
Expert-1	8	5	4	8	9	9	9	6	7	4	3	9	8	6	5	8	7	6	5	9	7	6	8	9	3	3	6	3	7	6	7	8
Expert-2	5	3	6	7	7	8	8	5	5	4	7	8	7	5	3	7	5	5	7	7	5	5	6	8	2	6	4	4	4	5	5	9
Expert-3	6	8	3	5	8	7	8	3	4	3	2	7	8	7	2	5	5	5	3	6	7	7	7	8	6	6	3	5	6	5	7	8
Expert-4	7	5	5	7	8	7	9	5	5	5	4	7	9	5	1	6	7	6	4	8	5	5	6	8	7	7	5	6	8	6	5	8
Expert-5	9	3	3	7	7	7	8	3	4	6	2	8	7	8	3	5	4	4	3	9	6	5	7	9	4	5	6	4	6	7	6	9

Table 22 represents experts' ratings for each WS attribute under each system role where a higher number represents higher importance. Before discussing the importance of each attribute it is worthwhile to mention some patterns in the amount of agreement among the experts. Ratings with a small response range are shaded, and those with a large range are shown in bold. First, in indirect fire role the range of responses is large (2-7, 1-5, and 3-7 respectively) for concealment, protection, and self-sufficiency. In the fire attack role, range of responses for transportability and C & C are also large (2-7, and 4-8 respectively).

There was a high level of agreement among the experts for some ratings. In particular, their responses differed very little on the ratings of firepower and detection in all of the system roles, and they agreed quite strongly on the ratings for detection and C & C in the reconnaissance role and for firepower in the indirect fire role. There are also some interesting patterns in the values of these ratings. Very low ratings are quite rare (only a 1 and a couple of 2s), while very high ratings are quite common (34 of them are either 8 or 9).

The ratings for the direct fire and fire support roles are very similar across all attributes with minor differences. Firepower and protection received the highest rating in the direct fire and fire support roles followed by detection and mobility. For the indirect fire role firepower and detection have received the highest ratings while protection received the lowest. Lastly, detection, C & C, concealment, and self-sufficiency were rated as the most important attributes in reconnaissance role while the other attributes received nearly the same ratings. These ratings are logical since reconnaissance systems, operating near the enemy lines, need to have higher detection and C&C capabilities to collect information and send it to higher echelons also need to be less dependent and conspicuous than other systems.

4.7. Alternative Generation

This section first lists and describes each of the WS that is a component of the Alternative force options, than discusses the alternatives that composed of these WS. Four brigade level force options are considered for analysis: Motorized Infantry, Airborne Infantry, Heavy Armored, and Stryker brigades. These force options are sufficiently distinct from each other and roughly the same as the U.S. Army brigades. Main reason for using these current force options is to compare results of the proposed model with previous studies on these force options and test the model.

Component systems are listed and briefly explained in Table 23 but during the analysis more detailed information and specifications are used by experts to rate WSs on attributes that are described in section 4.4³.

³Descriptions/specifications of the WSs and composition of alternative forces are obtained from Army Weapon Systems Book 2010, Brigade Combat Teams (Infantry & Armour Schools, 2009) Federation of American Scientists web site: <http://www.fas.org/man/dod101/sys/land/index.html>, last accessed Feb 22, 2013.

Table 23 Component Weapon System Descriptions

Name of System	Description
M1A2	Latest version of Abrams main battle tank. It is equipped with 120 mm. main gun as well as other small arms also covered with steel encased depleted uranium armor.
M1A2-SEP	M1A2 with enhanced electronic and computing system program
M1109 Reconnaissance Vehicle	Up-Armored Armament Carrier configuration of the HMMWV family. The vehicles are equipped with additional armor to protect the crew from small arms ammunition and mines.
M1038A1 troop carrier	The vehicle are equipped with basic armor and used to transport equipment, materials, and/or personnel up to 2,500 pounds.
M2A3 Bradley 2 IFV	It is a fully tracked, armored vehicle that offers high level protection and transportation to infantry in the battlefield.
Mounted Sniper Team (M1038A1)	Mounted sniper team (3 personnel) equipped with XM107 .50 Caliber Anti-Personnel, Anti-Material Sniper Rifle
M3A3 Bradley CFV	Bradley Cavalry Fighting Vehicle is a tracked armored reconnaissance vehicle with 25mm cannon turret. It is compatible with the inter-vehicular communication system of the M1A2 Abrams tank and AH-64D Apache helicopter.
M2A3 Bradley Mortar Carrier	The Bradley Mortar Carrier provides immediate indirect fire support for armored and mechanized battalions and armored cavalry squadrons. Vehicle provides a battle proven survivability and mobility platform to support maneuver forces in all battlefield conditions.
M1151 w/LRAS3 Surveillance vehicle	Long Range Advanced Scout Surveillance System provides the real-time ability to detect, recognize, identify and geo-locate distant targets. It is mounted to HMMWV multi-purpose vehicle.
SP M109A6 Paladin	Paladin is the latest advancement in 155mm self-propelled artillery. It can operate independently, from on the move, it can receive a fire mission, compute firing data, select and take up its firing position, automatically unlock and point its cannon, fire and move out .
Target Acquisition System (M1151 UAH)	AN/TPQ-36(V) is a short and medium range mortar weapons locating system using projectile tracking. It can locate enemy position, detect, verify and track projectiles in flight from single or multiple weapons firing simultaneously by using a combination of radar and computer controlled techniques.
M1129A2 Stryker 120 mm. Mortar Carrier	M1129A2 is an 8×8 wheeled armored mortar carrier of the Stryker family. It supports infantry units with screening obscurants, suppressive forces and on-call supporting fires. 120 mm mortar carrier variants provide complimentary capabilities with responsive, accurate and lethal indirect fire support to the dismounted infantry assault.
M1128 Stryker MGS 105 mm.	The vehicle is primarily outfitted to support infantry combat operations. While it could take on some of the roles of tanks, it is not designed to engage in combat with tanks. The MGS can store 18 rounds of main gun ammunition in the turret. It has a rate of fire of six rounds per minute.

Table 23 Component Weapon Systems of Alternatives (Continued)

Name of System	Description
M1126A2 Stryker ICV (Infantry Squad)	The Infantry Carrier Vehicle provides protected transport and, during dismounted assault, supporting fire for the infantry squad. The Stryker is a full time four-wheel drive, selectively eight-wheel drive, armored vehicle weighing approximately 19 ton which carries an infantry squad with their equipment.
M777A2 howitzer w/M1152A2	The M777 howitzer is a towed 155 mm artillery weapon. The M777 uses a digital fire-control system similar to that found on self-propelled howitzers such as the M109A6 Paladin to provide navigation, pointing and self-location.
M1134A2 Stryker AT	Anti-Tank Guided Missile Vehicle is capable of defeating many armored threats up to 4 kilometers away using the TOW missile system while providing protection and mobility.
81mm Mortar (w/ M1152)	It is a medium-weight smooth-bore, muzzle-loading, high-angle-of-fire weapon used for long-range indirect fire with a range of 5 km. It is carried with HMMWV but needs to be dismounted to operate and fire.
Javelin team (w/M1152)	Javelin is a fire-and-forget missile with lock-on before launch and automatic self-guidance. The system takes a top-attack flight profile against armored vehicles (attacking the top armor, which is generally thinner), but can also take a direct-attack mode for use against buildings
HMMVW-Inf Team	Infantry team (9 personnel), mounted or dismounted, is to close with the enemy by means of fire and maneuver to defeat or capture him, or to repel his assault by fire, close combat, and counterattack.
HMMVW-TOW	TOW antitank missile mounted to M1045 multipurpose wheeled vehicle. It has a range up to 3750 m.
HMMVW-TOW	TOW antitank missile mounted to M1045 multipurpose wheeled vehicle. It has a range up to 3750 m.
120 mm Mortar (w/ M1152)	It is a high-weight smooth-bore, muzzle-loading, high-angle-of-fire weapon used for long-range indirect fire with a range of 7 km. It is carried with HMMWV but needs to be dismounted to operate and fire.
M119A3 105 MM Howitzer (Towed w/ M998)	The M119 Howitzer is a lightweight 105mm howitzer with a 11 km. range. It can be easily airlifted, even by helicopter, or dropped by parachute.
Reconnaissance Team (Dismounted)	Dismounted Recce teams with light weapons and portable reconnaissance equipment. It is airlifted, by helicopter, or dropped by parachute.
Mortar 81 mm. (Dismounted)	It is a medium-weight smooth-bore, muzzle-loading, high-angle-of-fire weapon used for long-range indirect fire with a range of 5 km.
Rifle Section (Dismounted)	Dismounted infantry units equipped with machine gun, 60mm. small mortars, and grenade launchers.
Weapons Team (w/M1151 UHA)	Mounted to HMMVW-TOW vehicle and equipped with MK-19, TOW-2, and grenade launcher.

Weapon systems that a brigade contains in its portfolio are not limited to the above mentioned list. These are the main systems that have significant impact on the effectiveness of brigade. Those systems not included in the list fall into two categories. First, systems/vehicles that provides logistical support to above mentioned systems. Secondly, small arms that have a minor effect on effectiveness and since all alternatives include these small weapons they don't cause any major difference between alternatives. Table 24 provides information about the composition of each option (amount of WSs), and the roles that WSs plays.

4.7.1 Motorized Infantry Brigade

Motorized infantry brigade differs from airborne infantry primarily by having wheeled platforms available to transport all elements of the unit when necessary. This option is mainly composed of light armored wheeled systems (different variants of HMMVW) that do not include any tracked system. HMMVW-Infantry carrier- transports personnel and light cargo behind the front line and provide fire support to dismounted infantry as required- is the main system with a 42% ratio and provides mobility to infantry troops with low level of protection. This option has a higher amount (18%) of antitank systems (HMMVW-TOW and Javelin), and several mortar systems in its portfolio compared to Stryker and heavy options. Overall due to the light wheeled platforms WSs in this option have a good amount of mobility, self-sufficiency and transportability while lacking armor protection.

4.7.2 Airborne infantry Brigade

Airborne infantry is set up to be moved by aircraft and "dropped" into an operation area as needed. Thus, it has the capability to deploy almost anywhere with short

notice. On the other hand, it lacks the systems and equipment for lengthy combat operations. Dismounted rifle section is the main component (38%) this option with little firepower, mobility, and protection, but extreme transportability. Dismounted javelin antitank missile systems and light mortar sections provides additional firepower. Option also contains limited amount of HMMVW vehicles to carry weapon systems that are necessary for fire support, but too heavy to be carried by dismounted infantry.

4.7.3 Heavy Armored Brigade

Primary WSs that compose this alternative are tracked armored vehicles. M2A3 Bradley IFV and M2A2 constitute more than 60% of the force (29% and 23% respectively). These two WSs have higher firepower and mobility but they are heavy (hard to transport) and prominent (hard to conceal) in the combat. M109A6 Paladin (155mm) and Bradley Mortar Carrier (120mm) are the main indirect fire support systems of the alternative with a 15% ratio. This option also includes different variants of HMMVW wheeled systems (M1028, M1109) for reconnaissance troops and sniper teams with a 15% ratio.

Table 24 Rates and Roles of WSs in Alternative Force Options

Name of System	System Role	Motorized Infantry	Airborne Infantry	Heavy Armored	Stryker
M2A3 Bradley 2 IFV	2	0	0	90	0
M1A2-SEP	1	0	0	15	0
M1109 Rec. Vehicle	4	24	0	12	8
M1038A1 troop carrier	2	0	0	12	0
M1A2	1	0	0	72	0
Mounted Sniper Team (M1038A1)	1	6	0	15	8
M3A3 Bradley CFV	4	0	0	18	0
M2A3 Bradley Mortar Carrier	2	0	0	24	0
M1151 w/LRAS3 Surveillance vehicle	4	0	0	10	0
SP M109A6 Paladin	3	0	0	16	0
Target Acquisition System (M1151 UAH)	3	2	2	2	2
Stryker 120 mm. Mortar Carrier	3	0	0	0	20
M1130A2 Stryker CV	2	0	0		12
M1128 MGS 105 mm.	2	0	0	0	54
Stryker ICV (Inf. Squad)	1	0	0	0	104
M777A2 w/M1152A2	3	0	0	0	12
M1134A2 Stryker AT	2	0	0	0	30
81mm Mortar (w/ M1152)	3	56	0	0	8
Javelin team (w/M1152)	2	18	0	0	15
HMMVW-Inf. Carrier	1	144	0	0	0
HMMVW-TOW	2	64	0	0	0
120 mm Mortar (w/ M1152)	3	8	0	0	0
M119A3 105 (w/ M998)	3	16	16	0	0
Recce Team (Dismounted)	4	0	16	0	0
Mortar 81mm (Dismounted)	3	0	20	0	0
Rifle Section (Dismounted)	1	0	98	0	0
Javelin team (Dismounted)	2	0	48	0	0
Sniper Team (Dismounted)	1	0	6	0	0
Weapons Team (w/M1151)	1	0	72	0	0
System Roles: 1. Fire attack, 2 Fire support, 3. Indirect fire, 4. Reconnaissance					

4.7.4 Stryker Brigade

The Stryker brigade is the infantry force option structured around Stryker vehicles. Stryker is a medium weight, eight-wheeled armored vehicle with two main variants - the Infantry Carrier Vehicle (ICV) and the Mobile Gun System (MGS). ICV,

the main component of this option (38%), transports and provides protection to infantry within combat and provides fire support to dismounted troops as required. MGS variants- ATGM, mortar carriers- provide additional direct and indirect fire support with high level of mobility. Overall this option falls between HMMVW equipped motorized infantry and M1A2/Bradley equipped heavy armored brigade options.

4.8. Evaluation of Weapon Systems

After defining the alternatives and the component weapon systems each WS listed on Table 24 is evaluated on each of the eight attributes that are defined and described in Section 4.4.

Table 25 represents ratings given by the experts for each WS under each attribute. Before discussing the rating it is worthwhile to mention some patterns in the amount of agreement and disagreement among the experts. Ratings with a small response range (0) are shaded, and those with a large range (4) are shown in **bold**. Rating for transportability shows very small range and in most cases differences between ratings are not higher than two grades. Protection is the second most agreed attribute where dismounted teams received lowest grades as they lack armored protection of a vehicle. The largest difference between expert ratings is not more than 4 grades and the ratio of them is minor (less than 4%). Ratings with a large range also don't show any particular patterns.

It is also worth to highlight the ratings of WS. Highest ratings are underlined and the lowest ones are shown in italic. Stryker vehicles received – followed by M1A2 tanks – the highest ratings for mobility while dismounted mortar team received the lowest rating. For the firepower, protection, and

Table 25 Ratings of Weapon Systems for Each Attributes

Name of System	Mobility	Firepower	Concealment	Protection	Self-Sufficiency	Detection	Transportability	C & C
M1A2	7 7 6 8 8	7 8 8 7 7	1 2 1 1 1	7 8 9 9 7	1 2 4 3 3	5 6 6 8 7	2 1 1 2 1	8 7 6 8 8
M1A2-SEP	7 7 6 8 8	7 8 8 7 7	1 2 1 1 1	7 8 9 9 7	3 3 4 3 3	5 6 8 8 7	2 1 1 2 1	8 7 8 8 8
M1109 Rec. Vehicle	6 7 6 8 6	3 4 4 3 4	5 6 5 4 6	1 2 3 1 1	7 8 8 7 8	5 6 7 7 5	5 5 5 5 5	5 7 5 6 4
M1038A1 troop carrier	6 7 6 8 7	1 2 3 2 2	5 6 5 4 6	1 2 3 1 1	7 8 7 7 8	3 4 3 3 3	8 8 8 8 8	5 5 5 5 4
M2A3 Bradley 2 IFV	6 5 7 7 8	5 6 5 5 6	3 4 3 2 4	4 5 4 5 5	3 2 3 3 3	6 5 6 7 5	4 4 4 4 4	7 7 8 6 7
Mounted Sniper Team (M1038A1)	7 7 6 7 7	2 1 2 2 1	5 6 5 4 7	1 2 3 1 1	7 7 7 8 8	6 4 6 4 5	8 8 8 8 8	5 6 5 6 4
M3A3 Bradley CFV	6 5 4 5 6	5 6 5 5 6	3 4 3 2 4	4 5 4 3 5	3 2 4 3 3	6 5 6 7 5	4 4 4 4 4	7 8 8 8 7
M2A3 Bradley Mortar Carrier	5 5 4 4 5	6 7 6 5 6	3 2 3 2 4	4 5 4 3 5	3 2 2 3 3	6 5 6 7 5	4 4 4 4 4	7 7 8 6 7
M1151 w/LRAS3 Surveillance vehicle	6 5 6 7 6	1 1 1 1 1	6 6 5 4 6	1 2 3 1 1	7 8 7 8 8	6 5 6 7 5	8 8 7 8 7	8 7 8 8 7
SP M109A6 Paladin Target Acquisition System (M1151 UAH)	4 5 4 5 4	9 9 8 9 9	3 4 3 2 3	2 3 1 2 1	6 4 5 5 4	6 5 6 7 6	4 4 4 4 4	7 6 8 7 7
Stryker 120 mm. Mortar Carrier	6 5 6 7 6	1 1 1 1 1	6 6 5 4 6	1 2 2 1 1	7 8 7 8 8	6 7 7 7 6	8 8 8 7 7	7 8 8 8 2
M1130A2 Stryker CV	8 7 7 6 7	5 7 6 6 5	3 4 3 4 4	2 2 1 2 2	7 6 6 8 8	5 6 5 4 5	4 5 5 5 5	7 7 8 7 6
M1128 MGS 105 mm. Stryker ICV (Inf. Squad)	8 6 7 7 8	2 2 1 1 2	3 4 5 4 4	2 3 1 2 2	7 8 7 8 8	5 6 5 7 5	5 5 5 4 5	7 7 8 8 8
M777A2 w/M1152A2	8 7 7 8 7	5 6 5 6 5	3 4 3 4 4	2 3 1 2 2	7 8 7 8 8	5 6 5 4 5	4 4 5 4 5	8 7 7 7 7
M1134A2 Stryker AT 81mm Mortar (w/ M1152)	8 7 7 8 7	3 4 3 3 4	6 4 5 4 5	2 2 1 2 2	7 6 7 6 6	4 6 5 4 5	5 4 5 4 5	7 6 6 8 6
Javelin team (w/M1152)	3 5 6 4 5	9 8 8 8 9	3 4 3 4 3	1 2 2 1 1	6 6 5 5 7	6 5 6 5 6	7 7 6 6 7	7 7 7 7 6
HMMVW-Inf Team	7 6 7 6 8	7 7 7 6 7	3 4 3 4 4	2 3 1 2 2	7 6 7 6 6	6 5 6 5 5	5 5 5 5 5	7 7 8 6 6
HMMVW-TOW	6 5 6 4 5	5 6 5 5 6	3 4 3 4 3	1 2 1 1 1	6 7 5 5 7	4 5 4 5 4	6 6 7 7 7	5 6 7 7 7
120 mm Mortar (w/ M1152)	6 5 7 5 5	7 8 6 7 7	3 4 5 4 5	1 2 1 1 1	7 8 7 6 8	4 4 5 3 4	8 8 7 7 8	5 5 6 7 7
M119A3 105 (w/ M998)	7 8 7 6 7	2 1 1 2 2	4 4 6 4 5	1 2 3 1 1	7 8 7 8 8	2 2 3 3 1	8 9 9 9 9	4 5 3 5 5
Recce Team (Dismounted)	7 5 6 7 6	5 5 6 5 5	4 4 6 4 5	1 2 2 1 1	7 8 7 8 8	2 2 3 3 4	8 8 8 9 8	4 5 3 5 5
Mortar 81mm (Dismounted)	4 5 6 4 5	5 5 6 6 5	3 4 3 3 3	1 2 1 1 1	6 6 5 5 7	4 5 4 5 4	7 7 6 8 6	4 5 5 5 5
Rifle Section (Dismounted)	4 6 5 6 5	9 8 8 8 9	3 4 3 3 3	1 2 1 1 1	6 5 5 5 7	5 5 5 4 4	6 7 6 7 6	4 5 6 5 5
Javelin team (Dismounted)	2 1 3 1 1	2 1 1 3 2	8 8 8 8 9	1 1 1 1 1	8 8 7 7 6	4 5 3 3 4	9 9 9 9 9	3 4 3 4 4
Sniper Team (Dismounted)	2 1 1 2 1	6 5 5 5 6	4 6 5 5 6	1 1 1 1 1	7 8 7 7 6	2 3 4 5 4	9 9 9 9 9	3 4 5 4 5
Weapons Team (w/M1151)	2 2 3 1 2	2 3 3 2 2	8 9 9 8 8	1 2 1 1 2	8 7 6 7 8	3 3 2 2 3	9 9 9 9 9	3 1 3 2 2
	2 2 3 1 2	7 8 6 7 7	7 8 8 7 8	1 1 1 1 1	8 6 7 7 8	4 4 5 3 4	9 9 9 9 9	3 3 3 4 3
	2 2 3 1 2	2 1 2 2 1	9 9 9 8 9	1 1 1 1 1	8 7 7 8 6	6 4 6 4 5	9 9 9 9 9	3 3 1 2 3
	4 5 4 6 5	3 3 4 2 3	7 8 7 7 7	1 2 1 1 1	6 7 4 6 5	5 4 3 3 5	8 8 8 8 8	3 1 3 2 2

detection M1A2 has the top ratings (heights detection rating shared with target acquisition system) while surveillance systems and dismounted infantry teams received the lowest ratings. Contrary to firepower M1A2 received the lowest rating for concealment due to its high size and signature, while sniper team received the highest rating. For the self-sufficiency tracked vehicles (Bradley and M1A1) received lowest while wheeled platforms (Stryker and HMMVW) get the higher ratings. The highest

ratings for C&C are shared by target acquisition systems Stryker MGS and M1A2 while the lowest ratings are received by dismounted units.

4.9. Attribute Values of Force Options

Up to this step alternatives that are subject to evaluation are generated, system roles, and the importance of each attribute for system roles (e.g. importance of mobility for indirect fire role) are obtained. Ratings of WS on each system attribute are also determined.

At this step attribute level of each alternative determined by aggregating system ratings on attributes (Table-22), the ratio of each system in each alternative, and system role values. It should be noted that these ratings are not single values instead distributions generated from the individual ratings of five expert⁴. Distributions represent uncertainty of WS effectiveness and operation environmental. They are fed into @RISK software so that the attribute values of each option and the following results will be output of simulation iterations (10000 iterations). Details of the aggregation process are explained in the methodology chapter.

⁴Rating/evaluations of five experts are used to create discrete distribution instead of aggregating in single values. So each rating is a distribution not a single value. For example, in Table 28 experts rated M1A2 on mobility as (7,7,6,8,8) than discrete distribution will be as $\{(6,7,8), P(0.2,0.4,0.4)\}$.




Figure 18 Attribute Values of Force Alternatives

Figure 18 shows the average values (with 5% error bars) that options got for each attribute. Airborne Infantry option received by far the highest values on transportability and concealment. On the other hand it also received the lowest values on all the other attributes except firepower. Motorized infantry option didn't get the heights value on any attribute but get good values on Mobility, concealment, and transportability. Heavy option received highest grades on four attributes (firepower, protection, protection, and C&C) but on the other hand it got lowest values on concealment, self-sufficiency, and transportability. Stryker is the only option which didn't get the lowest value on any attribute. Although by a small margin, it received the highest values on mobility and self-sufficiency followed by mechanized and airborne infantry. It is also worthwhile to highlight that Mechanized (inf), Heavy, and Stryker options received relatively close values compared to Airborne (inf).

Each force option is better than some of the other options at least for one attribute. None of the options is dominated by any other option for all attributes. That means no option should be excluded from the analysis at this point.

As a result of using distributions instead of point values, grades in Figure 20 are the average values of 10000 simulation iterations. Therefore, the deviations from the average values are also important to understand the effects of attributes on force level capabilities. Table 29 shows the highest and lowest values that each option received for each attribute. Rates with a small range (1) are shaded, and those with a larger range (~2)

are shown in bold. The main pattern identified is that Motorized (inf) values have a high range on four attributes while the other options are two or less. This implies that results of Motorized (inf) deviates more from the average value. For further detailed statistical data please refer to Appendix-D

Table 26 Alternatives' Maximum and Minimum Attribute Values

Options/Attribute	Mobility	Firepower	Concealment	Protection	Self-Sufficiency	Detection	Transportability	C & C
Motorized (Inf)	7.080105634	3.760220126	5.8691099	4.52305962	6.619242579	6.1953917	7.044038668	6.828657315
	5.246963563	2.266964952	3.0274566	2.07614213	4.474009901	4.2006048	5.458272328	5.071559633
Airborne (Inf)	4.09585492	4.853808354	8.322932917	1.80859375	7.645640074	4.730519481	8.668587896	4.3654189
	2.00515464	3.066027689	6.524366472	1	5.737609329	3.034175334	8.316770186	1.7203857
Heavy	7.3993865	6.455426357	3.879177378	6.214609287	4.65625	6.9726444	4.326359833	7.692722372
	5.34557235	5.200379867	2.183029453	4.247761194	2.823129252	4.9585308	3.120853081	6.244623656
Stryker	7.485958486	5.403491756	5.345110929	2.362260343	7.457317073	5.910967742	5.514352211	7.780208333
	6.021110242	4.131177829	3.428336079	1.013917884	6.262482168	4.187096774	4.518773946	6.092592593

4.10. Capability Values of Force Options

Capability values of each option are calculated from attribute values that are calculated at the previous step and contribution weights determined in fifth step (see section 4.5). The average capability values of options are depicted in Figure 21 (with 95% confidence interval). The capability rates of options span a smaller range than the attribute values discussed and depicted above. Because they are substantially aggregated from attribute values calculated at previous step and that allows compensation of an options weaknesses by its strengths.




Figure 19 Average of Capability Value Diagram

Stryker is the most balanced option where all of its capability values are above 5 except survivability. Motorized (inf) and Heavy are also well balanced where four of their attribute values are above five. Airborne (inf) is the least balanced option with five attributes lower than five. It also has the lowest values for survivability and Maneuverability (both of them less than 4). On the other hand it has higher values on Deployability (highest) and sustainability which are vital for force projection. Stryker option has the highest ratings on maneuverability and sustainability although the interval bars are overlap with other options has higher values on interoperability and agility. It is also worth to mention that none of the options got a value higher than 5 for survivability.

4.11. Mission Effectiveness Values

Mission effectiveness values represent ratings of each option for each mission. A higher rating means more effective force. These values are calculated from capability values and their respective importance for each mission. Capability values of each option

are calculated in the previous section (4.10) and the importance of each capability for each mission is calculated in Section 4.3




Figure 20 Mission Effectiveness Levels of Options

Average effectiveness values of alternatives (with 95% Confidence Interval) are depicted in Figure 20. Since these values are derived from the same set of attributes with different weight for each mission the results are not unexpected. Mainly Stryker, Heavy, and Mechanized (inf) options are competing for the highest value for each mission. Airborne (inf) only get a higher value than other options (heavy) for the Humanitarian Assistance (HA) mission. For all the other missions by far it received the lowest values. It is dominated by other options for five missions which is a clear indicator that this option will be in the fourth place in the rankings.

The Heavy option has the top spot for SoF, and MCC missions, while it has second place for SD and SFUF missions following Stryker, and third place after Mechanized (inf) for OS mission. It only got the forth place for HA mission which

requires a high level of deployability. Mechanized (inf) has the third place for the four missions following Stryker and Heavy except OS mission (second place). It has the highest value only for HA mission which requires high level of deployability and mobility. Although Airborne (inf) has the highest deployability it couldn't get the first rank because, HA mission also requires other capabilities at a certain level that it has lower values compared to Mechanized (inf). Stryker option has the first level for three missions which is positioned at the middle of the operational spectrum. For the other missions it has the second rank and no third or fourth ranks. This clearly implies that the Stryker option seems to be the most effective option but additional analysis is still needed.

4.11.1 Rankings on Each Mission

As explained in Methodology Chapter and section 4.9 values represented on the figures and tables are average values of simulation results (10000 iterations) and they are distributions rather than point values. As shown in Figure 20 in most cases confidence intervals overlapped (only exception is SD and MCC for Airborne (inf)). Although overlaps represent the uncertainty additional analysis required to make a ranking decision between competing options. The easiest way to measure this is to compare the effectiveness values of each option for all simulation iterations.

Table 27 Ranking of Alternatives for 10000 Simulation Iterations

Mission/Alternative	Mechanized (Inf)				Airborne (Inf)				Heavy				Stryker			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
HA	4100	3187	2335	378	2531	3169	3550	750	95	367	1253	8285	3274	3277	2862	587
SoF	525	1778	7269	428	2	25	472	9501	5803	3385	780	32	3670	4812	1479	39
SD	2130	3395	4081	394	18	141	759	9082	2988	3401	3191	420	4864	3063	1969	104
SFUF	2219	3072	3464	1245	142	619	1990	7249	3306	3168	2541	985	4333	3141	2005	521
OS	1716	4660	2954	670	51	506	1862	7581	875	2851	4572	1702	7358	1983	612	47
MCC	219	1381	8390	10	0	0	10	9990	6315	2877	308	0	2966	5742	1292	0

Table 27 shows how often a force portion placed in each rank in 10000 iterations.

For example in the HA mission Mechanized (inf) get the highest values in 4100 iterations, Stryker get the second highest with 3274 times while Airborne and Heavy followed them with 2531 and only 95 hits respectively. The highest number of first ranks are shaded while forth ranks are shown in bold. The Stryker option is clearly dominant in less traditional missions, SD, SFUF, and OS, while competing for the first rank in all the other missions. It rarely got the fourth place. For conventional MCC and SoF missions heavy option received by far the highest ratings at more than 5800 runs as expected. It also competes with Stryker for SD and SFUF. Airborne (inf) by far got the fourth place in all missions it only got the third place for HA mission following Stryker.

4.11.2 Pairwise Analysis between Options

Table 27 and Figure 20 show ranking of each option in the group but they do not indicate pairwise comparisons of options. To better understand the ranking frequencies of competing (overlapping) options they compared one on one. Table 28 shows the pairwise comparison of the alternative mission's effectiveness.

Table 28 Results of Pairwise Comparison of Force Options

	Stryker-Mechanized (inf)	Heavy-Stryker	Heavy-Mechanized (inf)
HA	0.44	0.076	0.05
SoF	0.82	0.61	0.88
SD	0.67	0.38	0.55
SFUF	0.64	0.43	0.57
OS	0.8	0.12	0.35
MCC	0.86	0.69	0.95

Results of pairwise comparison for Stryker and Mechanized (inf) showed that Stryker is better at on all missions except HA. Stryker is more effective than Mechanized (inf) in over 8000 of the 10000 Monte Carlo runs for SoF, OS, and MCC. It is also more effective on SFUF and SD with slightly lower run times (over 6000 of the 10000 runs). Mechanized infantry is slightly more effective than Stryker only for HA mission and the difference are minor (5600 of the 10000 runs). This comparison shows that Stryker option is far better than the Mechanized (inf) option.

Comparison of Heavy and Stryker also revealed interesting results. Heavy is very good at MCC and SOF (at over 6900 and 6100 runs) but its effectiveness is very low at HA and OS (Stryker won around 90% of the runs). SD and SFUF are two other missions for which Stryker is better than Heavy.

Heavy is also compared to Mechanized (inf), and it is clearly dominant for SoF and MCC missions as expected (88 and 95% of the runs), but that dominance is not clear for SD and SFUF (55% of runs). Mechanized (inf) is more effective than Heavy on OS mission over 65% of the times.

4.12. Perturbations

So far alternatives are evaluated against each mission but no importance rating assigned to missions so they are assumed to be equal (1/6 for each). At this step ranking of each option analyzed under different mission importance. Table 29 shows three importance set for missions. First MCC is significantly import (0.6) compared to others (0.08). Secondly SD, SFUF, and OS are twice more important (0.23) than other missions (0.1). Lastly HA is significantly more important than other missions (0.08). Each of these three weight groups is in favor of one of the options; importance of MCC and HA is for Heavy and Mechanized (inf), while the second is for Stryker.

Table 29 Importance of Missions

	Importance/Missions	HA	SoF	SD	SFUF	OS	MCC
1.	MCC has significantly more importance	0.08	0.08	0.08	0.08	0.08	0.6
2.	SD,SFUF, and OS have more importance	0.1	0.1	0.233	0.233	0.233	0.1
3.	HA has significantly more importance	0.6	0.08	0.08	0.08	0.08	0.08

Numbers in Table 30 represent how many times each option got the first place for the given mission weights in 10000 Monte Carlo simulation runs. For example for the first weight group the Heavy option got the highest rank for 4617 times while Stryker got for 4599 times and Mechanized (inf) 784 times and Airborne (inf) 0 times in 10000 Monte Carlo iterations. Although the third weight group is in favor of Mechanized (inf) Stryker is more effective than Mechanized (inf) and Heavy in over 5600 times of the 10000 Monte Carlo runs. Although the first weight group is in favor of Heavy, it got the first place only for 4617 times and Stryker followed it with 4599 hits. Thus, even within

this weight group the difference between Stryker's and Heavy's performance is very minor (Heavy got first place 18 times more than Stryker).

Table 30 Ranking Frequency of Alternatives

	Importance of Missions / Alternatives	Mechanized (Inf)	Airborne (Inf)	Heavy	Stryker
1	MCC has significantly more importance	784	0	4617	4599
2	SD,SFUF, and OS have slightly more importance	1960	28	2376	5636
3	HA has significantly more importance	3677	520	629	5174

4.13. Conclusions

This chapter demonstrated the application of the proposed MAGDM model to evaluate currently used brigade level U.S. ground forces. Analysis allowed representing uncertainty in the decision problem that, assigning point values to the criteria sets and their corresponding weights are very difficult. Detailed results and recommendations are discussed in Chapter 5.

CHAPTER 5

5. CONCLUSIONS AND RECOMMENDATIONS

This chapter discusses the implications of the results, conclusions and recommendations of the dissertation.

5.1. Introduction

Countries are dedicating even more declining resources to large ground forces to keep them in position for today's and tomorrow's uncertain war spectrum. This diverse spectrum ranges from the least severe peacetime missions like Humanitarian Assistance or Security Assistance to the most severe ones like international war or nuclear warfare.

Owing to the broadness of the scenario range, armies as a whole require capabilities and skill sets that are sufficiently different from each other. In practical terms capabilities are mostly achieved through units comprised of different weapon systems with different ratios. Weapon systems (WS) requirements of a peace building mission in an urban environment are completely different from a Strike or conventional conflict mission in a steppe or rural area.

Currently, most countries maintain different types of units like Airborne, Mechanized (inf), Heavy Armored, and Stryker divisions, but these unit types and their percentage within the army is under great scrutiny:

- Should the Army still keep armored brigades?
- Should the Army dissolve the current units and go for a multi- purpose unit type that can effectively be used in the whole combat spectrum?
- What should be the percentage of the unit types within the Army?

- How do newly emerged combat types affect the force mix in the Army?

The main objective of this dissertation was to propose an expert based multi attribute group decision making model (MAGDM) for Military Portfolio Evaluation and demonstrate it by applying it to evaluate U.S. like brigade types in different missions. The purpose of the study was to provide a model for decision makers within the force development process to assist them in finding solutions for above mentioned questions.

Chapter 1 outlined the justification for the research. With limited literature regarding the application of MADM and its military applications, this dissertation defines land force options as portfolios composed of weapon systems and proposes a MADGM model for their evaluation.

Chapter 2 brought clarity to the research and showed traces of issues and theory evolution of the research and main principles of MCDM and force evaluation. Specifically, multi criteria and multi attribute decision making (MCDM, MADM) use of multiple decision makers in MADM, and the representation of uncertainty in MADM. Application of MADM in individual weapon systems evaluation is elaborately presented, and it is concluded that there are gaps in the application of MADM in military unit evaluation that comprise multiple weapon systems.

Chapter 3 described the proposed model which includes 8 phases: defining criteria set and hierarchy, weight assignment to criteria, alternative generation, evaluation of weapon system weights, evaluation of force level attribute and capability values, evaluation of mission effectiveness, prioritization, perturbation. Although the process resembles the regular MADM process, the model allowed the evaluation of army force

units comprised of subsystems. Secondly, the model intensively used simulation in the MAGDM process.

In Chapter 4, the proposed model was used to evaluate the current U.S. brigade level forces: Airborne (inf) Mechanized (inf), Heavy, Stryker brigades. During the evaluation five Experts were used from NATO Allied Command Transformation (ACT) Headquarters.

Finally, Chapter 5 outlined the findings of the research problem, research contributions, implications for theory and practice, limitations and recommendations for future studies.

5.2. Research Findings

Using the steps of the analysis, research findings can be summarized in three groups which also have some insights for practical applications.

5.2.1. System Attributes:

Force level capabilities are evaluated using eight attributes. Figure 23 shows the average weights of the importance of each attribute in determining the capabilities of force options. It is concluded that firepower, mobility, transportability, and self-sufficiency are the dominant determiners for one of the capabilities (lethality, maneuverability, deployability, sustainability). Protection is assumed to be the dominant determiner for survivability, but it didn't receive as much weight as expected. Protection shared an important role with concealment and mobility. This also provides some insights about the utility of the heavily armored brigades.

Detection and concealment attributes didn't have a dominant role in determining any of the capabilities but support other dominant attributes for agility, interoperability, and survivability capabilities.

It is also concluded that none of these attributes has a major dominance over other attributes in determining the whole set of capabilities. Each of them is the main contributor to a capability but none of them clearly contributes more than other attributes in total. This also gives some insights for weapon design and appropriate levels of attributes for individual weapon systems.




Figure 21 Attribute importance for Capabilities

5.2.2. Force Capabilities

Although the military mission spectrum includes many other missions that a force may be asked to accomplish, in this study, alternative force options are prioritized across six different missions. Each of these missions requires some capabilities more than

others. Seven capabilities are evaluated across the mission set. Figure 22 demonstrates the average weights of the importance of each capability in each mission.

For each mission heights weights received by *Deployability* under HA, *Sustainability* under OS, *Agility* under SFUF, *Lethality*, *Survivability* and *Maneuverability* under MCC. Therefore except interoperability, second important capability for SFUF, each capability is dominant in one of the mission types. Although mobility and lethality have slightly more importance across missions, results showed that none of the capabilities has any major dominance across all missions. These results are also provides some insights about practical implications for the ratio of force types in the army.

Deployability and mobility is the main determiner of effectiveness in HA mission due to the importance of the reaction time. For the SoF mission, lethality, followed by maneuverability, survivability and deployability, received the highest rank. Survivability, maneuverability and agility have the highest weights accordingly for the SD mission while lethality has a very low importance. Agility is the highest weighted capability for the SFUF mission where supporting forces have to adapt to frequent changes in the operational environment. Maneuverability, lethality, and Survivability, as the core capabilities of conventional combat, received high weights under MCC.




Figure 22 Capabilities Across Missions

5.2.3. Ranking of Alternatives

Ranking of alternatives are completed by three consecutive analyses: the number of outranking on every simulation iteration, pairwise comparisons, and perturbations.

Table 31 Ranking Results of Options

Mission Alternatives	Mechanized (Inf)				Airborne (Inf)				Heavy				Stryker			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
HA	4100	3187	2335	378	2531	3169	3550	750	95	367	1253	8285	3274	3277	2862	587
SoF	525	1778	7269	428	2	25	472	9501	5803	3385	780	32	3670	4812	1479	39
SD	2130	3395	4081	394	18	141	759	9082	2988	3401	3191	420	4864	3063	1969	104
SFUF	2219	3072	3464	1245	142	619	1990	7249	3306	3168	2541	985	4333	3141	2005	521
OS	1716	4660	2954	670	51	506	1862	7581	875	2851	4572	1702	7358	1983	612	47
MCC	219	1381	8390	10	0	0	10	9990	6815	2877	308	0	2966	5742	1292	0

	Stryker-Mechanized (inf)	Heavy-Stryker	Heavy-Mechanized (inf)
HA	0.44	0.076	0.05
SoF	0.82	0.61	0.88
SD	0.67	0.38	0.55
SFUF	0.64	0.43	0.57
OS	0.8	0.12	0.35
MCC	0.86	0.69	0.95

Importance of Missions / Alternatives	Mechanized (Inf)	Airborne (Inf)	Heavy	Stryker
MCC has significantly more importance	784	0	4617	4599
SD,SFUF, and OS have slightly more importance	1960	28	2376	5636
HA has significantly more importance	3677	520	629	5174

Table 31 summarizes the results of the alternative prioritization completed in the last step of the analysis.

Airborne (inf) (by more than 90%) got fourth place for all missions except for Humanitarian Assistance mission. It got first place for 2531 times for HA mission but the Mechanized (inf) option almost doubled it and received the highest values 4100 times in 10000 iterations. Even though it showed some visibility for the HA mission, the Airborne (inf) alternative is dominated by the Mechanized (inf) option. Therefore, Airborne (inf) should not be taken into account as a major component of the army structure. The ratio of this force type within the army should be very minor and should be used as a supplement to other force alternatives in the operations.

Mechanized (inf) is better than other options only in HA mission, even in that mission Stryker option has very close rates to Mechanized (inf) (pairwise comparison ration is 44%). Although it showed some visibility at SD, SFUF, and OS missions, the rest of the five missions Mechanized (inf) is dominated by the Stryker or Heavy options. Results suggest that the Mechanized (inf) option should be kept in the Army's portfolio for low intensity combats types such as humanitarian assistance, peace building, peace keeping, and security assistance, but the ratio should be kept minimal (10-20%).

The Heavy option is dominant in conventional type MCC and SoF missions. It received by far the highest ratings for more than 5800 runs as expected. It also competes with Stryker for SD and SFUF. Although the conventional type missions are getting less and less expected (Frier, 2011) the consequences of being unprepared for this type of mission is very high. Thus, the results suggest that the heavy option should be kept in the

army. The ratio of this force should be higher than Mechanized (inf) but less than Stryker (20-25%).

Results showed that Stryker is better than other options in three missions (SD, SFUF, OS) and took second place for the other three mission types. It got fourth place in less than 0.5% in the simulation runs. It also clearly dominated other options in the perturbation step where missions are weighted to represent three future strategic environments. It clearly outranked the other options and got nearly the same ratings as the Heavy option (4617-4599) at the first ranking group (conventional mission MCC has a weight of 0.6). These results showed that Stryker is the most balanced option compared to other options in the given mission set. Therefore, the ratio of the Stryker in the army should be far more than Heavy and Mechanized (inf) options (more than 50%).

5.3. Implications for Theory

As explained in the literature review many studies have been conducted to evaluate individual weapon systems, but there is a gap in the application of MADM to evaluate military units composed of multiple weapon systems. This study –to the best of the researcher’s knowledge –is among the first to apply probabilistic MAGDM to the evaluation of forces that consist of multiple weapon systems and fills a knowledge gap in MADM.

The proposed model is structured in a way as to represent uncertainty explicitly and during the analysis Monte Carlo simulation is embedded into the evaluations. Results of iterations are used to compare alternatives rather than aggregated average values as used in traditional MADM models.

The first phase of the model is the generation of criteria sets. It is important because criteria sets should be decomposable, encompassing, meaningful, non-redundant and transparent (Keeney and Raiffa, 1993). Thus, it requires a detailed literature review and discussion. Therefore, criteria sets, developed for application of the proposed model, are themselves a significant contribution to military force development.

Last but not least, the proposed model, the main contribution of this dissertation, can assess the effectiveness of different force options across a spectrum of missions, and then compare their strategic values in a range of alternative futures by quantifying the tradeoffs among key force capabilities, and linking them to concrete weapon systems attributes.

The model used Monte Carlo simulation runs to prioritize the options. Using the results of Monte Carlo simulation runs as a prioritization tool in MADM can also be applied to other MADM problems where uncertainty has to be represented.

5.4. Implications for Practice

In the study force options were the portfolio of weapon systems and their rankings for each mission aggregated from the attribute levels of weapon systems. Analysis showed that a more balanced Stryker alternative, composed mostly by Stryker vehicles, ranked higher than extremely survivable but much less deployable Heavy and extremely deployable by very vulnerable Airborne (inf). This suggests that special effort should be made to keep attributes such as transportability, firepower, mobility, of the weapon systems balanced. Therefore, these WSs will be less vulnerable to the effect of uncertainties and contribute more to the forces they are in.

Low intensity missions are becoming more common and are expected to be even more so in the future (Krepinevich, 2009). Consequently, the use of Stryker and, to some extent, Motorized (inf) will increase, but due to technologic advances and the proliferation of arms state and non-state actors are easily obtaining hand held anti-armor guided missiles. Without adequate protection against these threats Stryker force will be vulnerable to attacks in these type of missions. To increase the protection of these vehicles, lightweight add-on defense measures like reactive armor active protection, should be invested.

Heavy forces within the Army also act as a deterrent to hostility and assurance if the deterrence fails, but as the analysis suggests, deployability is the main problem of Heavy forces. To compensate for this weakness, heavy units should be stationed close to the areas where national interests are clearly at stake.

5.5. Limitations of the Study

The model uses experts to rate the attribute and capability weights and those are determined using pairwise comparisons. Each expert made more than 500 evaluations to determine the criteria weights. This sometimes caused fatigue over experts and evaluations were done separately and conducted at different times.

This dissertation focused on physical weapon systems to evaluate force options in different missions, but it is worthwhile to mention that there are other factors (Doctrine, Organization, Training, Materiel, Leadership and Education, Personnel, and Facilities-DOTMLPF) that contribute to the effectiveness of a force. It is assumed that all the other

factors are equal across alternatives. A comprehensive evaluation of forces should take other factors into account.

Although the model is able to evaluate multiple force options across multiple missions, for demonstration purposes six diverse missions are selected. Results represent the ratings according to these selected missions. It should also be noted that the spectrum of missions is very broad and it is quite difficult to evaluate alternatives across all the missions from nuclear warfare to domestic disaster relieve.

5.6. Recommendations for Future Studies

Some possible improvements that came to light during the application of the model to U.S. ground forces are as follows.

First, demonstration of the model did not include the exploratory analysis where effects of the change in the problem structure (e.g. weights of attributes, ratio of weapon systems in each alternative, adding new systems to force alternatives) are investigated in the final results. Thus, in future applications it would be better to conduct exploratory analysis to get additional insights about the force options and their ranking sensitivities.

Second, five experts were used for evaluation, and they made over 500 hundred ratings and comparisons. Sometimes it became overwhelming for the experts. The number of experts could be increased in the future, and experts could be asked to provide responses depending on their background and expertise.

Third, the proposed model could also be applied to other services such as the Navy, Air force or other country's armed forces. Of course, there might be some changes required to customize the model for different service needs.

Last but not least, detailed simulation results are not used to have additional analysis about the alternatives. The results listed in Appendix D should be used to have additional insights about the importance of attributes and alternatives.

5.7. Conclusion

The most important conclusion of this dissertation is that it proposed a model to structure expert advice to inform complex and uncertain force development decisions. The proposed method combines simulation with Multi Attribute Group Decision Making (MAGDM) to provide additional perspectives and insights to traditional MADM models. Specifically, rather than imposing group consensus among experts, it uses expert judgments to provide more ground to analysis and guide exploration.

It provides a well-structured model to evaluate multiple force alternatives under multiple force options. Additionally, it provides a framework for the evaluation of systems that comprise sub systems with different roles and characteristics (e.g. vehicle fleets and sports teams).

Finally, this study is, to the best of the researcher's knowledge, is among the first work to apply MAGDM with simulation to ground force evaluation.

REFERENCES

- Ababutain, A.Y. (2002). A multi-criteria decision-making model for selection of bot toll road proposals within the public sector. University of Pittsburgh dissertation.
- Aertsen, W., Kint, V., Van Orshoven, J., & Muys, B. (2011). Evaluation of modelling techniques for forest site productivity prediction in contrasting ecoregions using stochastic multicriteria acceptability analysis (SMAA). *Environmental Modelling & Software*, 26(7), 929-937.
- Ahire, S. L., & Devaraj, S. (2001). An empirical comparison of statistical construct validation approaches. *IEEE Transactions on Engineering Management*, 48(3), 319-329.
- Alvandi M., Elahi M., Memarzade, M., Hesarakı A. (2011). Developing a New MADM Method (SIGRA) by Integrating SIR and GRA Methods. *American Journal of Scientific Research* ISSN 1450-223X Issue 36(2011), pp. 21-35 EuroJournals Publishing Inc 2011
- Bilsel, R. U., Büyüközkan, G., & Ruan, D. (2006). A fuzzy preference-ranking model for a quality evaluation of hospital web sites. *International Journal of Intelligent Systems*, 21, 1181–1197.
- Brendle Jr, B. E., & Jaczkowski, J. J. (2002, July). Robotic Follower: near-term autonomy for future combat systems. In *AeroSense 2002* (pp. 112-117). International Society for Optics and Photonics.
- Brown, H. (1967). Planning Our Military Forces Foreign Affairs January 1967 c.1

- Bui, L. T., Barlow M., & Abbass, H. A. (2007). A multi-objective risk-based framework for mission capability planning. The artificial life and adaptive robotics laboratory technical report.
- Carafano, J.J., & Rosenzweig P. (2005). *Winning the long war: Lessons from the cold war for defeating terrorism and preserving freedom*. The Heritage Foundation.
- Chakraborty, S. (2011). Applications of the MOORA method for decision making in manufacturing environment. The International Journal of Advanced Manufacturing Technology, 54(9), 1155-1166.
- Chan, C., Yu, K. M., & Yung, K. L. (2011). Selection of solar energy for green building using superiority and inferiority multi-criteria ranking (SIR) method. In Proceedings of: the 3rd International Postgraduate Conference on Infrastructure and Environment.
- Chang, J. R., Liao, S. Y., & Cheng, C. H. (2007). Situational ME-LOWA aggregation model for evaluating the best main battle tank. In Proceedings of the sixth international conference on machine learning and cybernetics, Hong Kong (pp. 19–22).
- Chatterjee, P., Athawale, V. M., & Chakraborty, S. (2011). Materials selection using complex proportional assessment and evaluation of mixed data methods. Materials & Design, 32(2), 851-860.
- Cheng, C. H. (1997). Evaluating naval tactical missile systems by fuzzy AHP based on the grade value of membership function. European Journal of Operational Research, 96, 343–350.

- Cheng, C. H. (1999b). Evaluating weapon systems using ranking fuzzy numbers. *Fuzzy Sets and Systems*, 107, 25–35.
- Cheng, C. H., & Lin, Y. (2002). Evaluating the best main battle tank using fuzzy decision theory with linguistic criteria evaluation. *European Journal of Operational Research*, 142, 174–186.
- Cheng, C. H., & Mon, D. L. (1994). Evaluating weapon system by analytical hierarchy process-based on fuzzy scales. *Fuzzy Sets and Systems*, 63, 1–10.
- Chin, K. S., Wang, Y. M., Ka Kwai Poon, G., & Yang, J. B. (2009). Failure mode and effects analysis using a group-based evidential reasoning approach. *Computers & Operations Research*, 36(6), 1768-1779.
- Chen, Z., & Yang, W. (2011). An MAGDM based on constrained FAHP and FTOPSIS and its application to supplier selection. *Mathematical and Computer Modelling*, 54(11), 2802-2815
- Choo E., Wedley W. (1985). Optimal criteria weights in repetitive multicriteria decision making. *Journal of Operational Research Society*; 36:983-92.
- Chou, S. Y., Chang, Y. H., & Shen, C. Y. (2008). A fuzzy simple additive weighting system under group decision-making for facility location selection with objective/subjective attributes. *European Journal of Operational Research*, 189(1), 132-145.
- Chuu, S.J. (2009). Group decision-making model using fuzzy multiple attributes analysis for the evaluation of advanced manufacturing technology. *Fuzzy Sets and Systems*;160:586–602.

- City, P. (1999). Urban Warfare and the Urban Warfighter of 2025. *Parameters*, 74-86.
- Climaco, J. (Ed.) (1997). *Multicriteria Analysis*. Springer-Verlag, New York
- CNN (2011). Defense secretary warns against fighting more ground wars. Retrived 15 November 2012 from http://articles.cnn.com/2011-02-25/us/gates.west.point_1_cadets-defense-secretary-robert-gates-gates-remarks?_s=PM:US
- Conrow, E.H. (2005). Risk management for Systems of Systems. *The Journal of Defense Software Engineering*, February, 8-12.
- Dağdeviren, M., Yavuz, S., & Kılınç, N. (2009). Weapon selection using the AHP and TOPSIS methods under fuzzy environment. *Expert Systems with Applications*, 36, 8143–8151.
- Darmon R., Rouzies D. (1991). Internal Validity Assessment Of Conjoint Estimated Attribute Importance Weights. *Journal of the Academy of Marketing Science*, 19:315-22.
- Dembczyński, K., Pindur, R., & Susmaga, R. (2003). Generation of exhaustive set of rules within dominance-based rough set approach. *Electronic Notes in Theoretical Computer Science*, 82(4), 96-107.
- Deng, Y., & Shen, C. (2006). Evaluating the main battle tank using fuzzy number arithmetic operations. *Defence Science Journal*, 56, 251–257.
- Department of Defense. (2005a). *Net-Centric environment joint functional concept*. Washington D.C.

Department of Defense. (2005b). *Capstone concept for joint operations: Version 2*. Washington, DC.

Department of the Army, (n.d.) Army Vision 2010. Washington, D.C.: Department of the Army Headquarters.

Dolan, J. G. (2010). Multi-criteria clinical decision support: A primer on the use of multiple criteria decision making methods to promote evidence-based, patient-centered healthcare. *The patient*, 3(4), 229.

Dyer J., Sarin R. (1979). Measurable multiattribute functions. *Operations Research*, 27:810-22.

Edmond, B., Dumer, J., Hanratty, T., Helfman, R., & Ingham, H. (1996). Technology and tank maintenance: An AI-based diagnostic system for the Abrams tank. *Expert Systems with Applications*, 11, 99–107.

Feickert A., (2008). Does the Army Need a Full-Spectrum Force or Specialized Units? Background and Issues for Congress. Congressional Research Service.

Figueira, J. R., Greco, S., & Słowiński, R. (2009). Building a set of additive value functions representing a reference preorder and intensities of preference: GRIP method. *European Journal of Operational Research*, 195(2), 460-486.

FM 3-92 (2010). Corps Operations. Headquarters Department of the Army, Washington, DC.

Fonseca, C. M., & Fleming, P. J. (1993, June). Genetic algorithms for multi objective optimization: Formulation, discussion and generalization. In *Proceedings of the fifth international conference on genetic algorithms* (Vol. 1, p. 416).

- Friedman, T.L. (2005). *The world is flat: a brief history of the twenty-first century*. Newyork: Farrar, Straus and Giroux.
- Frier, N. (2011). U.S. Ground Forces Capabilities Through 2020 A Report of the CSIS New Defense Approaches Project Washington. Center for Strategic and International Studies.
- Fu, C., & Yang, S. L. (2010). The group consensus based evidential reasoning approach for multiple attributive group decision analysis. *European Journal of Operational Research*, 206(3), 601-608.
- Gao, G. Q., Wen, F. L., & Liu, G. (2004). Analytic gray hierarchy process of safety evaluation for missile nuclear weapon system. *Progress in Safety Science and Technology*, 4, 2297–2300.
- Gao, X. J., Shi, Y. B., & Zhang, A. (2008). Optimal decision-making of weapon system based on effectiveness evaluation. In *Seventh wuhan international conference on E-business* (Vol. I–III, pp. 1080–1084).
- Georgiadis, D.R., Mazuchi, T.A., & Sarkani, S., (2012). Using Multi Criteria Decision Making in Analysis of Alternatives for Selection of Enabling Technology, *Systems Engineering*, Accepted for Publication in Vol.16, No. 2, 2013
- Geurs, K., Zondag, B., De Jong, G., & de Bok, M. (2010). Accessibility appraisal of land-use/transport policy strategies: More than just adding up travel-time savings. *Transportation Research Part D: Transport and Environment*, 15(7), 382-393.
- Glennie, P. W., & Hickok, J. (2003). Meeting Critical Defense Needs with CoPs. *KM Review*, 6(3),8-11.

- Grabisch, M., Kojadinovic, I., & Meyer, P. (2008). A review of methods for capacity identification in Choquet integral based multi-attribute utility theory: Applications of the Kappalab R package. *European journal of operational research*, 186(2), 766-785.
- Greco, S. (Ed.). (2004). *Multiple criteria decision analysis: state of the art surveys* (Vol. 78). Springer.
- Greene, R., Devillers, R., Luther, J. E., & Eddy, B. G. (2011). GIS-Based Multiple-Criteria Decision Analysis. *Geography Compass*, 5(6), 412-432. doi: 10.1111/j.1749-8198.2011.00431.x
- Gu, H., & Song, B. F. (2006). Study on effectiveness evaluation of missile weapon system based on rough set theory and neural network. In *Proceedings of the fifth international conference on information and management sciences* (Vol. 5, pp. 212–215).
- Guo, M., Yang, J. B., Chin, K. S., Wang, H. W., & Liu, X. B. (2009). Evidential reasoning approach for multiattribute decision analysis under both fuzzy and interval uncertainty. *Fuzzy Systems, IEEE Transactions on*, 17(3), 683-697.
- Gürbüz, T., Alptekin, S. E., & Işıklar Alptekin, G. (2012). A Hybrid MCDM Methodology for ERP Selection Problem with Interacting Criteria. *Decision Support Systems*.
- Hair, J.P., Anderson, E., Tatham, L., and Black, W. (1998). *Multivariate data analysis*. 5th ed. Englewood Cliffs': Prentice-Hall International.

- Heerkens, H. (2006). Assessing the Importance of Factors Determining Decision-Making by Actors Involved in Innovation Processes. *Creativity & Innovation Management*, Vol. 15, No. 4, 385-399
- Jangra, K., Jain, A., & Grover, S. (2010). Optimization of multiple-machining characteristics in wire electrical discharge machining of punching die using grey relational analysis. *Journal of Scientific and Industrial Research*, 69, 606-612.
- Jiang, J., Li, X., Zhou, Z.-j., Xu, D.-l., & Chen, Y.-w. (2011). Weapon System Capability Assessment under uncertainty based on the evidential reasoning approach. [Article]. *Expert Systems with Applications*, 38(11), 13773-13784. doi: 10.1016/j.eswa.2011.04.179
- Jiang, T. J., Wang, S. Z., & Wei, R. X. (2007). Study on tradeoffs between weapon system cost and performance based on support vector machine. In 2007 International conference on wireless communications, networking and mobile computing (Vol. 1–15, pp. 5232–5235).
- Jibao, L., Huiqiang, W., & Liang, Z. (2006, November). Study of network security situation awareness model based on simple additive weight and grey theory. In *Computational Intelligence and Security, 2006 International Conference on* (Vol. 2, pp. 1545-1548). IEEE.
- Joint Chiefs of Staff (JCS). (2004). *Joint Publication 1-02, Department of Defense dictionary of military and associated terms*. Retrieved from <http://www.dtic.mil/doctrine/jel/doddic>.
- JP 1-02 (2011) Department of Defense Dictionary of Military and Associated Terms.

- Kahraman, C. (2008). *Fuzzy Multi-Criteria Decision Making Theory Applications With Recent Developments*. İstanbul, Turkey. ISBN: 978-0-387-76812-0
- Kahraman, C., Ruan, D., & Ibrahim D.G. (2003). Fuzzy group decision-making for facility location selection, *Information Sciences*, 157, 135–153.
- Kangaspunta, J., Liesiö, J., & Salo, A. (2012). Cost-efficiency analysis of weapon system portfolios. *European Journal of Operational Research*, 223(1), 264-275. doi: 10.1016/j.ejor.2012.05.042
- Kanter, R. M. (1999). *The Change Masters: Innovation for productivity in the American corporation*. New York: Simon & Schuster.
- Kaplan, M., & Saccuzzo, P. (1993). *Psychological testing: Principles, applications and issues*. Pacific Grove: Brooks Cole.
- Kaplan, S., & Garrick, B.J. (1981). On the quantitative definition of risk. *Risk Analysis*, 1(1), 11-27.
- Karsak, E.E., Sozer, S., & Alptekin, S.E., (2002). Product Planning in Quality Function Deployment Using a Combined Analytic Network Process and Goal Programming Approach, *Computers & Industrial Engineering*, Vol. 44, 171–190
- Keating, C. B., Kauffmann, P., & Dryer, D. (2001). A framework for systemic analysis of complex issues. *Journal of Management Development*, 20(9), 772-784.
- Kelly, Jones, Barnett II, Crane, Davis, Jensen, (2009). *A Stability Police Force for the United States: Justification and Options for Creating U.S. Capability*. Santa Monica, CA: RAND Corporation. Retrieved 20 December 2012 from

http://www.rand.org/content/dam/rand/pubs/monographs/2009/RAND_MG819.pdf

- Kim, S.H. and Ahn B.S. (1999). Interactive group decision making procedure under incomplete information. *Eur. J. Oper. Res.*, 116: 498-507
- Krepinevich Jr, A. F. (2002). *The Army and Land Warfare: Transforming the Legions*. Center for strategic and budgetary assessments Washington DC.
- Krepinevich, A.F., (2009). *The Future of U.S. Ground Forces Testimony Before the U.S. Senate Armed Service Committee*. Washington, D.C. Center for Strategic and Budgetary Assessments.
- Kuhn, H.W. and A.W. Tucker (1951). Nonlinear Programming. *Proc. 2nd Berkeley Symp. Math. Stat. Prob.*, 481-492.
- Kurttila, M., Pesonen, M., Kangas, J., & Kajanus, M. (2000). Utilizing the analytic hierarchy process (AHP) in SWOT analysis—a hybrid method and its application to a forest-certification case. *Forest Policy and Economics*, 1(1), 41-52.
- Jiang, J., Li, X., Zhou, Z.-j., Xu, D.-l., & Chen, Y.-w. (2011). Weapon System Capability Assessment under uncertainty based on the evidential reasoning approach. [Article]. *Expert Systems with Applications*, 38(11), 13773-13784. doi: 10.1016/j.eswa.2011.04.179
- Lee, J., Kang, S. H., Rosenberger, J., & Kim, S. B. (2010). A hybrid approach of goal programming for weapon systems selection. *Computers & Industrial Engineering*, 58(3), 521-527.
- Lai, Y. J. & Hwang, C.L. (1994). *Fuzzy Multiple Objective Decision Making*. Landon, GB: Springer-Verlag

- Lin, Y. H., Lee, P. C., Chang, T. P., & Ting, H. I. (2008). Multi-attribute group decision making model under the condition of uncertain information. *Automation in Construction*, 17(6), 792-797.
- Lo, C. C., Chen, D. Y., Tsai, C. F., & Chao, K. M. (2010, April). Service selection based on fuzzy TOPSIS method. In *Advanced Information Networking and Applications Workshops (WAINA), 2010 IEEE 24th International Conference on* (pp. 367-372). IEEE.
- Lu, J., Zhang, G., & Ruan, D. (2007). *Multi-objective group decision making: methods, software and applications with fuzzy set techniques*. Imperial College Press.
- Ma, J., Lu, J., Zhang, G.Q. (2010). Decider: A fuzzy multi-criteria group decision support system. *Knowledge-Based Systems*. 23:23–31.
- Makkonen, S. (2005). *Decision modeling tools for utilities in the deregulated energy market*. Helsinki University of Technology.
- Mattia, A. (2012). *A Multi-Dimensional View of Agent-Based Decisions in Supply Chain Management*. Communications, 2012.
- McCaffrey, J. D. (2009, April). Using the Multi-Attribute Global Inference of Quality (MAGIQ) technique for software testing. In *Information Technology: New Generations, 2009. ITNG'09. Sixth International Conference on* (pp. 738-742). IEEE.
- Mergias, I., Moustakas, K., Papadopoulos, A., & Loizidou, M. (2007). Multi-criteria decision aid approach for the selection of the best compromise management scheme for ELVs: The case of Cyprus. *Journal of Hazardous Materials*, 147, 706–717.

- Miller, W., and Starr, K. (1969) *Executive Decisions and Operations Research*, Prentice-Hall, Inc., NJ.
- Mustajoki, J. (2011). Effects of imprecise weighting in hierarchical preference programming. *European Journal of Operational Research*.
- Mustajoki, J., Hämäläinen, R. P., & Salo, A. (2005). Decision support by interval SMART/SWING—incorporating imprecision in the SMART and SWING methods. *Decision Sciences*, 36(2), 317-339.
- Naisbitt, J. (1984). *Megatrends*. New York: Warner Books, Inc.
- Narasimhan, R., & Vickery, S. K. (1988). An Experimental Evaluation of Articulation of Preferences in Multiple Criterion Decision-Making (MCDM) Methods. *Decision Sciences*, 19(4), 880-888.
- NATO Unclassified MC 215/38, NATO Annual Manpower Plan 2012-2016, www.act.nato.int.
- Nutt P. (1980). Comparing methods for weighting decision criteria. *OMEGA*;8:163-72.
- Özelkan, E. C., & Duckstein, L. (1996). Analysing water resources alternatives and handling criteria by multi criterion decision techniques. *Journal of environmental management*, 48(1), 69-96.
- Pang, J., & Liang, J. (2012). Evaluation of the results of multi-attribute group decision-making with linguistic information. *Omega*, 40(3), 294-301.
- Pekelman D., Sen S. (1974). Mathematical programming models for determination of attribute weights. *Management Science*, 20:1217-29.

- Plichta, E. J., Hendrickson, M. A., & Hamlen, R. P. (2002). Mobile power challenges for the Army's Objective Force. In Battery Conference on Applications and Advances, 2002. The Seventeenth Annual (pp. 109-111). IEEE.
- Pohekar, S. D., & Ramachandran, M. (2004). Application of multi-criteria decision making to sustainable energy planning—A review. *Renewable and Sustainable Energy Reviews*, 8(4), 365-381.
- Ravi, V. (2012). Evaluating overall quality of recycling of e-waste from end-of-life computers. *Journal of Cleaner Production*, 20(1), 145-151.
- Raykov, T., & Marcoulides, G.A. (2006). *A first course in structural equation modeling* (2nd ed.). Mahwah, NJ: Lawrence Erlbaum Associates, Inc.
- Saaty, T. L. (1986). Axiomatic foundation of the analytic hierarchy process. *Management science*, 32(7), 841-855.
- Salo, A. A., & Hamalainen, R. P. (1992). PRIME±Preference ratios in multiattribute evaluation. In Helsinki University of Technology.
- Schumacker, R. E., & Lomax, R. G. (2004). *A beginner's guide to Structural Equation Modeling*. Mahwah, Lawrence Erlbaum.
- Shisler, V. B. (2001). Objective force warrior. Joint Service Small Arms Program Office. Dover NJ.
- Solymosi T., Dombi J. (1986). A method for determining the weights of criteria: the centralized weights. *European Journal of Operational Research*, 26:35-41.

- Sun, C. C., & Lin, G. T. (2009). Using fuzzy TOPSIS method for evaluating the competitive advantages of shopping websites. *Expert Systems with Applications*, 36(9), 11764-11771.
- Szidarovszky, F., Gershon, M. E., & Duckstein, L. (1986). *Techniques For Multi-Objective Decision Making In Systems Management (Advances In Industrial Engineering)* Author: Ferenc.
- Tam, C. M., Tong, T. K., & Wong, Y. W. (2004). Selection of concrete pump using the superiority and inferiority ranking Method. *Journal of construction engineering and management*, 130(6), 827-834.
- Taylor, W. J., Brown, M., Aati, O., Weatherall, M., & Dalbeth, N. (2013). Patient preferences for core outcome domains for chronic gout studies do not support the validity of composite response criteria. *Arthritis Care & Research*.
- Taylor, W. J., Singh, J. A., Saag, K. G., Dalbeth, N., MacDonald, P. A., Edwards, N. L., & Schumacher, H. R. (2011). Bringing it all together: A novel approach to the development of response criteria for chronic gout clinical trials. *The Journal of rheumatology*, 38(7), 1467-1470.
- Triantaphyllou E., Evangelos R. (2000). *Multi-criteria decision making methods*. Springer US.
- Triantaphyllou, E., & Mann, S. H. (1995). Using the analytic hierarchy process for decision making in engineering applications: some challenges. *International Journal of Industrial Engineering: Applications and Practice*, 2(1), 35-44.

- Triantaphyllou, E., & Sánchez, A. (2007). A Sensitivity Analysis Approach for Some Deterministic Multi Criteria Decision Making Methods. *Decision Sciences*, 28(1), 151-194.
- Triantaphyllou, E., Shu, B., Sanchez, S.N., & Ray, T., (1998). Multi-Criteria Decision Making: An Operations Research Approach, *Encyclopaedia of Electrical and Electronics Engineering*, Vol. 15, 175-186
- Tsamboulas, D., et al (1999). Use of Multi-criteria Methods for Assessment of Transport Projects. *Journal of Transportation Engineering*, p. 407.
- Tzeng, G., Huang J. (2011). *Multiple Attribute Decision Making Methods and Applications*. Taylor & Francis Group Boca Raton, FL
- U.S. Army, Headquarters, Field Manual 3-07.1: Security Force Assistance, May 1, 2009, p. 1-1, www.dtic.mil/doctrine/jel/service_pubs/fm3_071.pdf.
- Valls, A., Torra, V., (2000), Explaining the consensus of opinions with the vocabulary of the experts, *Proc. IPMU 2000*, Madrid, Spain.
<http://www.iiia.csic.es/~vtorra/publications/unrestricted/confIPMU.2000.746.pdf>
- Wang, T. C., & Chang, T. H. (2007). Application of TOPSIS in evaluating initial training aircraft under a fuzzy environment. *Expert Systems with Applications*, 33, 870–880.
- Wei, G. W. (2010). A method for multiple attribute group decision making based on the ET-WG and ET-OWG operators with 2-tuple linguistic information. *Expert Systems with Applications*, 37(12), 7895-7900.

- Wei, G. W. (2011). Grey relational analysis method for 2-tuple linguistic multiple attribute group decision making with incomplete weight information. *Expert Systems with Applications*, 38(5), 4824-4828.
- Wallenius, J., Dyer, J.S., Fishburn, P.C., Steur, R.E., Zionts, S, & Deb, K., (2008). Multiple Criteria Decision Making, Multiattribute Utility Theory: Recent Accomplishments and What Lies Ahead, *Management Science*, 1336-1349
- Wang, T. C., & Chang, T. H. (2007). Application of TOPSIS in evaluating initial training aircraft under a fuzzy environment. *Expert Systems with Applications*, 33, 870–880.
- Xu, L., and Yang J. (2001). Introduction to Multi-Criteria Decision Making and the Evidential Reasoning Approach. Manchester U.K. : University of Manchester Institute of Science and Technology
- Yager, R. R. (1977). Multiple objective decision-making using fuzzy sets. *International Journal of Man-Machine Studies*, 9(4), 375-382.
- Ye, F. and Li, Y.N. (2009). Group multi-attribute decision model to partner selection in the formation of virtual enterprise under incomplete information. *Expert Systems with Applications* 2009;36:9350–7.
- Yoon, K. P., & Hwang, C. L. (1995). Multiple attribute decision making: an introduction (No. 102-104). Sage Publications, Incorporated.
- Yüksel, İ., & Dağdeviren, M. (2010). Using the fuzzy analytic network process (ANP) for Balanced Scorecard (BSC): A case study for a manufacturing firm. *Expert Systems with Applications*, 37(2), 1270-1278.

- Zavadskas, E. K., Turskis, Z., Dejus, T., & Viteikiene, M. (2007). Sensitivity analysis of a simple additive weight method. *International Journal of Management and Decision Making*, 8(5), 555-574.
- Zeleny, M. (1981). *Multiple Criteria Decision Making*.: McGraw-Hill, Inc. New York, NY.
- Zen, S. X., Lou, G. X., & Tam, W. Y. (2007). Managing information flows for quality improvement of projects. *Measuring Business Excellence*, 11(3), 30-40.
- Zhang, C., Ma, C. B., & Xu, J. D. (2005). A new fuzzy MCDM method based on trapezoidal fuzzy AHP and merarchical fuzzy integral. In *Proceedings of fuzzy systems and knowledge discovery*, PT2 (Vol. 3614, pp. 466–474).
- Zhang D., Yu P., Wang P. (1992). State-dependent weights in multicriteria value functions. *Journal of Optimization Theory and Applications* 1992;74:1-21.
- Zhang, G. Ruan, D. and Wu, F. (2007). *Multi-Objective Group Decision Making Methods, Software and Applications with Fuzzy Set Techniques*. Imperial College Press. London UK.

APPENDICES

APPENDIX-A MULTI ATTRIBUTE DECISION MAKING MODELS

1. Weighted Sum Model (WSM)

The Weighted Sum Model (WSM) is one of the most used approaches, particularly in uni-dimensional decision problems. If a decision problem has M alternatives and N criteria, the best alternative is the one that satisfies (in the maximization case) the following expression (Triantaphyllou, 2000):

$$A_{WSM}^* = \max_i \sum_{j=1}^N q_{ij} w_j, \quad \text{for } i = 1, 2, 3, \dots, M. \quad 1-1$$

where A_{WSM}^* is the WSM score of the best alternative, N is the number of decision criteria, a_{ij} is the actual value of the i -th alternative in terms of the j -th criterion, and W_j is the weight of importance of the j -th criterion. The assumption that governs this model is the additive utility assumption. That is, the total value of each alternative is equal to the sum of products given as (1-1). In uni-dimensional problems, in which all the units are the same (e.g., mile, \$, ton), the WSM can be used without difficulty. The difficulty with this technique emerges when it is applied to multi-dimensional decision-making problems. Then, in merging different dimensions, and consequently different units, the additive utility assumption is violated (Triantaphyllou, Shu, Sanchez, and Ray, 1998).

- **Example**

Suppose that an MCDM problem involves four criteria, which are expressed in exactly the same unit, and three alternatives. The relative weights of the four criteria were

determined to be: $W_1 = 0.20$, $W_2 = 0.15$, $W_3 = 0.40$, and $W_4 = 0.25$. The corresponding data (i.e., decision matrix) for this MCDM problem are as follows:

Alt. (Criteria			
	C_1	C_2	C_3	C_4
	0.20	0.15	0.40	0.25)
A_1	25	20	15	30
A_2	10	30	20	30
A_3	30	10	30	10

1-2

When formula (1-1) is applied to the matrix (1-2), the scores of the three alternatives are:

$$A1(\text{WSM}) = 25 \times 0.20 + 20 \times 0.15 + 15 \times 0.40 + 30 \times 0.25 = 21.50.$$

$$A2(\text{WSM}) = 22.00,$$

$$A3(\text{WSM}) = 20.00.$$

Therefore, in the maximization case the best alternative is alternative A_2 (highest WSM).

Moreover, the following ranking is derived: $A_2 > A_1 > A_3$.

2. Weighted Product Model (WPM)

The weighted product model (WPM) is similar to the WSM. The main dissimilarity is that WPM uses multiplication instead of addition. Alternatives are compared with each other by multiplying a number of ratios, one for each criterion. Each ratio is raised to the power equivalent to the relative weight of the corresponding criterion. In general, in order to compare the alternatives A_K and A_L , the following product has to be calculated (Miller and Starr, 1969):

$$R(A_K/A_L) = \prod_{j=1}^N (a_{Kj}/a_{Lj})^{w_j}, \quad 2-1$$

where N is the number of criteria, a_{ij} is the actual value of the i -th alternative in terms of the j -th criterion, and W_j is the weight of importance of the j -th criterion.

If the term R (AK / AL) is greater than one, then in the maximization case, alternative AK is more desirable than alternative AL . The best alternative is the one that is better than or at least equal to all the other alternatives.

Contrary to WSM, WPM structure eliminates any units of measure. Consequently, the WPM can be used in multi-dimensional decision-making problems. An advantage of the method is that instead of the actual values it can use relative ones. This is true because:

$$\frac{a_{Kj}}{a_{Lj}} = \frac{a_{Kj} / \sum_{i=1}^N a_{Ki}}{a_{Lj} / \sum_{i=1}^N a_{Li}} = \frac{a'_{Kj}}{a'_{Lj}} \quad 2-2$$

A relative value a'_{Kj} is calculated by using equation (2-3) where the a_{Kj} 's are the actual values.

$$a'_{Kj} = a_{Kj} / \sum_{i=1}^N a_{Ki} \quad 2-3$$

- **Example**

Consider the problem presented in the WSM. When the WPM is applied, then the following values are derived:

$$R(A1/A2) = (25/10)^{0.20} \times (20/30)^{0.15} \times (15/20)^{0.40} \times (30/30)^{0.25} = 1.007 > 1.$$

$$R(A1/A3) = 1.067 > 1,$$

$$R(A2/A3) = 1.059 > 1.$$

Therefore, the best alternative is *A1*, since it is superior to all the other alternatives.

Moreover, the ranking of these alternatives is as follows: $A1 > A2 > A3$.

3. Analytical Hierarchy Process (AHP)

The AHP organizes the basic rationale of the decision problem by breaking it down into smaller constituent parts and then calling for only one simple pairwise comparison of judgments to develop priorities within each hierarchy (Tsamboulas, 1999).

The pair wise comparison method was originally developed by Thurstone (1927). Thomas Saaty, the developer of the Analytic Hierarchy Process, is well known for popularizing the use of pair wise comparison matrices to determine weights. Saaty provides his commonly used 1-9 measurement scale for quantifying decision maker judgments as listed in Table 38. For example, if a decision maker believes that criterion (i) is moderately more important than criterion (j), then this judgment is represented by number 3.

Table 32 Scale of Relative Importance (Saaty, 1980)

Intensity or Relative Importance	Definition	Explanation
1	Equal importance	Two criteria contribute equally to the objective
3	Moderate importance of one over another	Experience and judgment slightly favor one criterion over another
5	Essential or strong importance	Experience and judgment strongly favor one criterion over another
7	Very strong importance	An criterion is strongly favored and its dominance
9	Extremely important	The evidence favor one criterion over another is of the highest possible order of affirmation
2,4,6,8	Intermediate values between the two adjacent judgments	When comparison is needed
Reciprocals of above non-zero numbers		If the criterion (i) has one of the above non-zero numbers assigned to it when compared with criterion j, then j has the reciprocal value when compared to (i)

This information is usually provided by the decision maker or in some cases by subject matter experts, and entered into a pair wise comparison matrix. The comparison

matrix is also referred to as a reciprocal matrix as depicted in equation (3-1), “where a expresses a referee’s relative preference of stimulus X over Y , b expresses preference of stimulus X over Z , and c is a relative preference of stimulus Y over stimulus Z .”

$$R = \begin{bmatrix} X & Y & Z \\ X & 1 & a & b \\ Y & 1/a & 1 & c \\ Z & 1/b & 1/c & 1 \end{bmatrix} \quad (3-1)$$

The next step in the AHP deals with the structure of an $M \times N$ matrix (where M is the number of alternatives and N is the number of criteria). This matrix is constructed by using the relative importance of the alternatives in terms of each criterion. The vector $(a_{i1}, a_{i2}, a_{i3}, \dots, a_{iN})$ for each i is the principal eigenvector of an $N \times N$ reciprocal matrix which is determined by pairwise comparisons of the impact of the M alternatives on the i -th criterion as explained above.

The entry a_{ij} , in the $M \times N$ matrix, represents the relative value of the alternative A_i when it is considered in terms of criterion C_j . In the AHP the sum $\sum_{i=1}^n a_{ij}$ is equal one.

In AHP method for maximization problems the best alternative is indicated by the following equation (3-2):

$$A_{AHP}^* = \max_i \sum_{j=1}^N q_{ij} w_j, \quad \text{for } i = 1, 2, 3, \dots, M. \quad 3-2$$

The resemblance between the AHP and the WSM is obvious. The only difference is that AHP uses relative values instead of actual ones. Thus, it can be used both in uni and multi-dimensional problems.

- **Example**

Consider that data equation (3-3) is given (note that as in the WPM case the restriction to express all criteria in terms of the same unit is not needed). The AHP uses a series of pairwise comparisons to determine the relative performance of each alternative in terms of each one of the decision criteria. In other words, instead of the absolute data, the AHP would use the data in the relative data in matrix (3-3).

Alt. (Criteria				
	C_1	C_2	C_3	C_4	
	0.20	0.15	0.40	0.25)	
A_1	25/65	20/55	15/65	30/65	3-3
A_2	10/65	30/55	20/65	30/65	
A_3	30/65	5/55	30/65	5/65	

That is, the columns in the decision matrix have been normalized to add up to 1.

When formula (3-2) is applied to the data, the following scores are derived:

$$A_1 = (25/65) \times 0.20 + (20/55) \times 0.15 + (15/65) \times 0.40 + (30/65) \times 0.25 = 0.34.$$

$$A_2 = 0.35$$

$$A_3 = 0.31$$

Thus, the best alternative is A_2 . Moreover, the following ranking is derived: $A_2 > A_1 > A_3$.

4. Technique for Order Preference by Similarity to Ideal Solution (TOPSIS)

Yoon (1980) developed the Technique for Order Preference by Similarity to Ideal Solution (TOPSIS). The basic premise of TOPSIS is that “the chosen alternative should have the shortest distance from the ideal solution and the farthest from the negative-ideal solution” (Wang, 2001, p. 3). Figure 25, illustrates this principle assuming two criteria and providing definitions of the positive ideal solution (A^+) and negative ideal solution (A^-).




Figure 23 Technique for Order Preference by Similarity to Ideal Solution (TOPSIS) (Georgiadis, Mazzuchi & Sarkani, 2011)

The TOPSIS method evaluates the decision matrix in (4-1) which refers to M alternatives which are evaluated in terms of N criteria:

$$D = \begin{bmatrix} x_{11} & x_{12} & x_{13} & \dots & x_{1N} \\ x_{21} & x_{22} & x_{23} & \dots & x_{2N} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ x_{M1} & x_{M2} & x_{M3} & \dots & x_{MN} \end{bmatrix} \quad 4-1$$

where x_{ij} denotes the performance measure of the i -th alternative in terms of the j -th criterion. For a clear view of this method, the TOPSIS method is presented next as a series of successive steps.

4.1. Construct the Normalized Decision Matrix

This process tries to convert the various attribute dimensions into non-dimensional attributes. An element r_{ij} of the normalized decision matrix R can be calculated as follows:

$$r_{ij} = \frac{x_{ij}}{\sqrt{\sum_{i=1}^M x_{ij}^2}} \quad 4-2$$

4.2. Construct the Weighted Normalized Decision Matrix

A set of weights $W = (w_1, w_2, w_3, \dots, w_N)$, (where: $\sum w_i = 1$) defined by the decision maker is accommodated to the decision matrix to generate the weighted normalized matrix V as follows:

$$V = \begin{bmatrix} w_1 r_{11} & w_2 r_{12} & w_3 r_{13} & \dots & w_N r_{1N} \\ w_1 r_{21} & w_2 r_{22} & w_3 r_{23} & \dots & w_N r_{2N} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ w_1 r_{M1} & w_2 r_{M2} & w_3 r_{M3} & \dots & w_N r_{MN} \end{bmatrix} \quad 4-3$$

4.3. Determine the Ideal and the Negative-ideal Solutions

The ideal A^* and the negative-ideal A^- solutions are defined as follows:

$$A^* = \{ (\max_i v_{ij} | j \in J), (\min_i v_{ij} | j \in J') | i = 1, 2, 3, \dots, M \} = \{ v_{1*}, v_{2*}, \dots, v_{N*} \}. \quad 4-4$$

$$A^- = \{ (\min_i v_{ij} | j \in J), (\max_i v_{ij} | j \in J') | i = 1, 2, 3, \dots, M \} = \{ v_{1-}, v_{2-}, \dots, v_{N-} \}. \quad 4-5$$

where: $J = \{j = 1, 2, 3, \dots, N | j \text{ associated with benefit criteria}\}$,

$J' = \{j = 1, 2, 3, \dots, N | j \text{ associated with cost criteria}\}.$

For the benefit criteria, the decision maker wants to have a maximum value among the alternatives. For the cost criteria, the decision maker wants to have a minimum value among alternatives. Obviously, A^* indicates the most preferable alternative or ideal solution. Similarly, A^- indicates the least preferable alternative or negative-ideal solution.

4.4. Calculate the Separation Measure

The N-dimensional Euclidean distance method is next applied to measure the separation distances of each alternative to the ideal solution and negative-ideal solution.

$$Si^* = (\sum (vij - vj^*)^2)^{1/2}, i = 1, 2, 3, \dots, M, \quad (4-6)$$

where Si^* is the separation (in the Euclidean sense) of each alternative from the ideal solution.

$$Si^- = (\sum (vij - vj^-)^2)^{1/2}, i = 1, 2, 3, \dots, M, \quad (4-7)$$

where Si^- is the separation (in the Euclidean sense) of each alternative from the negative-ideal solution.

4.5. Calculate the Relative Closeness to the Ideal Solution

The relative closeness of an alternative A_i with respect to the ideal solution A^* is defined as follows:

$$Ci^* = Si^- / (Si^* + Si^-), 0 \leq Ci^* \leq 1, i = 1, 2, 3, \dots, M. \quad (4-8)$$

Apparently, $Ci^* = 1$, if $A_i = A^*$, and $Ci^- = 0$, if $A_i = A^-$.

4.6. Rank the Preference Order

The best satisfied alternative can now be decided according to preference rank order of Ci^* . Therefore, the best alternative is the one that has the shortest distance to the ideal solution. The relationship of alternatives reveals that any alternative which has the

shortest distance to the ideal solution is guaranteed to have the longest distance to the negative-ideal solution.

APPENDIX-B LIST OF MADM METHODS IN LITERATURE

Method	References
Simple Additive Weighting (SAW) or Weighted Sum Method (WSM)	Fishburn, (1965, 1968); Triantaphyllou, Sanchez, & Ray, (1998); Jibao, Huiqiang & Liang (2006); Zavadskas, Turskis, Dejus & Viteikiene (2007)
Fuzzy Simple Additive Weighting	Kahraman, Ruan, & Ibrahim (2003); Chou, Chang, & Shen (2008)
Weighted Product Model (WPM)	Triantaphyllou, Sanchez, & Ray, (1998); Triantaphyllou, & Sánchez (2007). Wang, (2011)
Technique for Order Preference by Similarity to Ideal Solution (TOPSIS)	Yoon, (1980); Hwang & Yoon, (1981); Lai, Liu, & Hwang, (1994); Triantaphyllou, Sanchez, & Ray, (1998); Abo-Sinna & Amer, (2005)
Fuzzy TOPSIS	Kahraman, Çevik, Ates, and Gülbay (2007), Sun, & Lin, (2009), Lo, Chen, Tsai & Chao (2010)
Analytic Hierarchy Process (AHP)	Saaty, (1986, 2008); Nydick & Hill, (1992); Barzilai & Golany, (1994); Triantaphyllou, Sanchez, & Ray, (1998); Kurttila, Pesonen, Kangas & Kajanus (2000)
Analytic Network Process (ANP)	Saaty, (1999, 2004); Thakkar, Deshmukh, Gupta & Shankar, (2006); Yang, Shieh, Leu & Tzeng, (2008); Yüksel & Dağdeviren (2010).
Preference Ranking Organization Method for Enrichment of Evaluations (PROMETHEE)	Brans & Vincke, (1985); Vincke, (1986, 1992); Wolters & Mareschal, (1995); Özelkan & Duckstein (1996); Albadvi, (2004); Brans & Mareschal (2005) Hopfe, (2009)
Elimination and Choice Expressing Reality (ELECTRE)	Roy, (1991, 1996); Roy & Vanderpooten, (1996); Triantaphyllou, Sanchez, & Ray, (1998); Cho, (1998); Figueira, Mousseau & Roy, (2005); Fülöp, (2005)
Multi-Attribute Utility Theory (MAUT)	Keeney, (1975); Keeney & Raiffa, (1993); Cho, (1998); Fülöp, (2005); Butler, et al., (2005); Grabisch, Kojadinovic & Meyer (2008)
The Evidential Reasoning Approach (ER)	Yang & Singh, (1994); Chin, Wang, KaKwai Poon & Yang (2009); Guo, Yang, Chin, Wang & Liu (2009); Fu & Yang (2010)
Measuring Attractiveness by a Categorical Based Evaluation Technique (MACBETH)	Bana E Costa & Vansnick, (1997); Bana e Costa, Corte & Vansnick (2011); Gürbüz, Alptekin, & Işıklar, (2012)
Data Envelopment Analysis (DEA)	Charnes, Cooper & Rhodes, (1978); Karsak & Ahiska, (2008); Salo & Punkka (2009); Lofti, Fallahnejad & Navidi, (2011)
Dominance Based Rough Set Approach (DRSA)	Greco, Matarazzo & Slowinski, (2001); Dembczyński, Pindur & Susmaga (2003); Figueira, Greco & Ehrgott (2005); Kotłowski, Dembczynski, Greco & Słowiński, (2008)

LIST OF MADM METHODS IN LITERATURE (CONTINUED)

Potentially All Pairwise Rankings of all possible Alternatives (PAPRIKA)	Hansen & Ombler, (2009); Taylor, Singh, Saag, Dalbeth, MacDonald, Edwards,... & Schumacher, (2011); Taylor, Brown, Aati, Weatherall & Dalbeth (2013)
Superiority and Inferiority Ranking method (SIR method)	Xu, (2001); Tam, Tong & Wong (2004); Chan, Yu & Yung (2011)
Superiority and inferiority grey relational analysis (SIGRA)	Alvandi, Elahi, Memarzade, Hesarakhi (2011)
Superiority and Inferiority Ranking method (SIR method)	Xu, (2001); Tam, Tong & Wong (2004); Chan, Yu & Yung (2011)
Randomization Aggregated Indices Method (RAIM)	Vladimirovich, (2010); Hovanov N.V., Yudaeva & Hovanov K., (2009); Hovanov & Yudaeva, (2011)
Decision Making Trial and Evaluation Laboratory (DEMATEL)	Li & Tzeng, (2009); Tzeng, Chiang & Li, (2007); Yang, Shieh, Leu & Tzeng, (2008)
Multi-Objective Optimization on the Basis of Ratio Analysis (MOORA)	Brauers & Zavadskas, (2006); Kalibatas & Turskis, (2008); Chakraborty (2011)
Grey Relational Analysis (GRA)	Kung & Wen, (2007); Tseng (2010); Jangra, Jain & Grover (2010); Wei (2011)
Multiple Attribute Group Decision Making (MAGDM)	Kim, Choi & Kim, (1999); Park & Kim, (1997); Wei (2010).
Complex Proportional Assessment of Alternatives (COPRAS)	Ustinovichius, Zavadskas & Podvezko, (2007); Zavadskas, Liias & Turskis, (2008); Zavadskas, Kaklauskas & Vilutiene, (2009); Chatterjee, Athawale & Chakraborty (2011)
New Approach to Appraisal (NATA)	Affuso, Masson & Newberry, 2003); Shepherd, Timms & May, (2006); Geurs, Zondag, De Jong & de Bok (2010); Carse (2011)
Multi Attribute Global Inference of Quality (MAGIQ)	Barron, (1992); Edwards & Barron, (1994); Barron & Barrett, (1996); McCaffrey & Koski, 2006); McCaffrey, (2009); Ravi (2012)
Vise Kriterijumska Optimizacija I Kompromisno Resenje (VIKOR)	Liu & Wang, (2011); Opricovic & Tzeng, (2004); Zavadskas, Liias & Turskis, (2008)
Interpretive Structural Modeling (ISM)	Mandal & Deshmukh, (1994); Thakkar, Deshmukh, Gupta & Shankar (2006); Singh & Kant (2007)

LIST OF MADM METHODS IN LITERATURE (CONTINUED)


Simple Multi Attribute Rating Technique (SMART)	Edwards & Barron, (1994); Weber & Borcherding, (1993; Hämäläinen&Salo, (2005)
Treatment of the Alternatives according To the Importance of Criteria(TACTIC)	Vansnick, (1986);Bouyssou, (1986); Bouyssou&Vansnick, (1986);Bouyssou&Pirlot, (2001, 2006)
Preference Ranking Global Frequencies in Multicriterion Analysis(PRAGMA)	Matarazzo, (1988)
Quality Function Deployment (QFD)	Akao& Mizuno, (1994);Crow, (2002); Chan & Wu, (2002)
Value Analysis (VA), Value engineering (VE)	Shillito& De Marle, (1992);Cheah& Ting, (2005; SAVE, (2007)
Stochastic Multicriteria Acceptability Analysis (SMAA)	Lahdelma, Hokkanen, &Salminen, (1998); Lahdelma, Salminen, &Hokkanen, (2002);Tervonen, Almeida-Dias, Figueira, Lahdelma & Salminen, (2005); Aertsen, Kint, Van Orshoven&Muys (2011)
Preference Ratios in Multiattribute Evaluation (PRIME)	Salo & Hamalainen (1992); Salo & Hämäläinen, (2001)
Rank Inclusion in Criteria Hierarchies (RICH)	Punkka&Salo, (2001);Salo&Punkka, (2005);Makkonen (2005)
Alternative Ranking Interactive Aid based on DomiNance structural information Elicitation (ARIADNE)	White, Sage, &Dozono, (1984); Optimality Conditions Hazen, (1986); Goicoechea, (1988);Mattia (2012).
Generalized Regression with Intensities of Preference (GRIP),	Figueira, Greco & Slowinski (2009)
Dominance and Potential Optimality	Eum, Park & Kim, (2001); Mustajoki, Hämäläinen & Salo (2005).
Preference Programming	Arbel, (1989);Salo&Hämäläinen, (2001);Mustajoki (2011).
Even Swaps (Smart Swaps)	Hammond, Keeney, &Raiffa, (1998);Mustajoki & Hämäläinen, (2005); Dolan (2010)

APPENDIX-C LIST OF EXPERTS

	Rank	Name	Service
1	CAPT	CAPT Jim Byerly	US Navy
2	LTC	James White	US Army
3	Col (Retired)	Leendert Nijssen	Army
4	Maj. (Retired)	Anthony Icayan	Army
5	LTC	Mehmet Seçilmiş	Army (TU)

APPENDIX-D SIMULATION RESULTS OF @RISK SOFTWARE


Mechanized (inf) Option-Missions



@RISK Output Report for Show of Force (SoF)

Performed By: Metin

Date: Thursday, April 11, 2013 9:33:39 PM





Simulation Summary Information

Workbook Name	ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Show of Force (SoF)

Statistics	Percentile
Minimum	5% 4.1735549
Maximum	10% 4.3282462
Mean	15% 4.4406379
Std Dev	20% 4.531426
Variance	25% 4.6168704
Skewness	30% 4.6899678
Kurtosis	35% 4.7607684
Median	40% 4.8309102
Mode	45% 4.8966998
Left X	50% 4.965777
Left P	55% 5.0330948
Right X	60% 5.0987277
Right P	65% 5.1600144
Diff X	70% 5.2257786
Diff P	75% 5.2930051
Errors	80% 5.3690707
Filter Min	85% 5.4553584
Filter Max	90% 5.5536935
Filtered	95% 5.7123737




Change in Output Statistic for Show of Force (SoF)

Rank	Name	Lower	Upper
1	Deployability / Show of Force (SoF)	4.5148548	5.3280908
2	Lethality / Show of Force (SoF)	4.6015987	5.2819241
3	Survivability / Show of Force (SoF)	4.7136769	5.1115786
4	Agility / Show of Force (SoF)	4.8755335	5.1216775
5	Command & Control	4.8925291	5.0771341
6	Maneuverability / Show of Force (SoF)	4.8845703	5.0573465
7	Detection	4.8868448	5.0558578
8	Sustainability / Show of Force (SoF)	4.8758474	5.014173
9	Mobility	4.8836922	5.0206597
10	Mounted Sniper	4.886379	5.0225207
11	Mounted Sniper	4.9027347	5.0327905
12	Mounted Sniper	4.8844189	5.011989
13	M3A3 Bradley CFV	4.8910585	5.0135456
14	Mobility	4.9079416	5.029012

@RISK Output Report for Sanctuary Denial (SD)

Performed By: Metin

Date: Thursday, April 11, 2013 9:33:52 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Sanctuary Denial (SD)

Statistics	Percentile
Minimum	5% 4.1272553
Maximum	10% 4.343886
Mean	15% 4.4799574
Std Dev	20% 4.5990007
Variance	25% 4.7017177
Skewness	30% 4.780784
Kurtosis	35% 4.8599387
Median	40% 4.9341736
Mode	45% 5.0071676
Left X	50% 5.081352
Left P	55% 5.154407
Right X	60% 5.2222971
Right P	65% 5.2975365
Diff X	70% 5.3840507
Diff P	75% 5.4748081
#Errors	80% 5.5709
Filter Min	85% 5.6799158
Filter Max	90% 5.8255338
#Filtered	95% 6.0597477



Change in Output Statistic for Sanctuary Denial (SD)


Rank	Name	Lower	Upper
1	Survivability / Sa	4.4885855	5.3591491
2	Deployability / Sa	4.9006634	5.5677425
3	Maneuverability /	4.772524	5.3655011
4	Sustainability / S	4.9342668	5.507154
5	Interoperability	4.9385575	5.3870217
6	Agility / Sanctuar	4.8975895	5.2617829
7	Command & Con	4.8996603	5.223317
8	Protection	4.9999036	5.2715283
9	Mobility	5.0095229	5.2205229
10	Command & Con	5.0090111	5.1931519
11	Transportability	5.0214631	5.1877301
12	M3A3 Bradley CF	5.0026952	5.1505123
13	Firepower	5.0384679	5.1817501
14	M3A3 Bradley CF	5.0136847	5.155032

@RISK Output Report for Support to Unconventional Foreign Forces

Performed By: Meth

Date: Thursday, April 11, 2013 9:34:06 PM

Support to Unconventional Foreign Forces (SFUF)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Support to Unconventional Foreign Forces (SFUF)


Statistics	Percentile
Minimum	5% 4.1751217
Maximum	10% 4.3411765
Mean	15% 4.4592674
Std Dev	20% 4.5593753
Variance	25% 4.6470136
Skewness	30% 4.7244532
Kurtosis	35% 4.7977628
Median	40% 4.8630637
Mode	45% 4.929858
Left X	50% 4.9935515
Left P	55% 5.0647182
Right X	60% 5.1356414
Right P	65% 5.2155932
Diff X	70% 5.2968096
Diff P	75% 5.3873632
#Errors	80% 5.4929253
Filter Min	85% 5.6126784
Filter Max	90% 5.7676853
#Filtered	95% 6.0198995

Support to Unconventional Foreign Forces (SFUF)



Support to Unconventional Foreign Forces (SFUF)

Inputs Ranked by Effect on Output Mean





Change in Output Statistic for Support to Unconventional Foreign Forces (SFUF)

Rank	Name	Lower	Upper
1	Deployability / Support to Unconventional Foreign Forces	4.8505302	5.6794126
2	Agility / Support to Unconventional Foreign Forces	4.6365073	5.2234661
3	Command & Control	4.7549835	5.2555397
4	Command & Control	4.8540149	5.2987114
5	Protection	4.9146112	5.2806839
6	Mobility	4.9438262	5.2282521
7	Survivability / Support to Unconventional Foreign Forces	4.8674547	5.131172
8	Lethality / Support to Unconventional Foreign Forces	4.8994453	5.1518337
9	Transportability	4.9608005	5.1917681
10	Sustainability / Support to Unconventional Foreign Forces	4.9271288	5.1565911
11	Interoperability	4.9248169	5.1222572
12	Self-Sufficiency	4.9230855	5.1144032
13	Firepower	4.9738017	5.1449594
14	Mounted Sniper	4.9442514	5.0970522

@RISK Output Report for Opposed Stabilization (OS)

Performed By: Meth

Date: Thursday, April 11, 2013 9:34:19 PM




Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Opposed Stabilization (OS)

Statistics	Percentile
Minimum	4.08228695 5% 4.6210208
Maximum	6.629280047 10% 4.7411154
Mean	5.217015762 15% 4.8214533
Std Dev	0.371417872 20% 4.892826
Variance	0.137951236 25% 4.9531871
Skewness	0.135944552 30% 5.0115139
Kurtosis	2.803506381 35% 5.0625758
Median	5.206956945 40% 5.1119178
Mode	5.163501851 45% 5.1599104
Left X	4.621020849 50% 5.2069569
Left P	5% 55% 5.2596054
Right X	5.835271407 60% 5.3090387
Right P	95% 65% 5.3586839
Diff X	1.214250559 70% 5.4144857
Diff P	90% 75% 5.4663681
Errors	0 80% 5.5334509
Filter Min	Off 85% 5.6076415
Filter Max	Off 90% 5.7056266
Filtered	0 95% 5.8352714



Change in Output Statistic for Opposed Stabilization


Rank	Name	Lower	Upper
1	Sustainability / C	4.9286347	5.4490734
2	Command & Con	5.0834367	5.4030376
3	Command & Con	5.0498729	5.3374782
4	Agility / Opposed	5.0816305	5.3551094
5	Interoperability	5.1297617	5.3857197
6	Maneuverability /	5.1071373	5.3111408
7	Protection	5.1577694	5.34766
8	Concealment	5.1611167	5.3387702
9	Mobility	5.1653526	5.3276209
10	Transportability	5.1748684	5.3076018
11	Detection	5.1468535	5.2764529
12	Mounted Sniper	5.1676955	5.2886453
13	Mounted Sniper	5.1704047	5.2908474
14	Self-Sufficiency	5.1632329	5.282928

@RISK Output Report for Major Combat Campaign (MCC)


Performed By: Metin

Date: Thursday, April 11, 2013 9:34:33 PM

Major Combat Campaign (MCC)




Major Combat Campaign (MCC)



Major Combat Campaign (MCC)

Inputs Ranked by Effect on Output Mean



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529


Summary Statistics for Major Combat Campaign (MCC)

Statistics	Percentile
Minimum	5% 4.4234765
Maximum	10% 4.5254864
Mean	15% 4.5984854
Std Dev	20% 4.66296
Variance	25% 4.7160706
Skewness	30% 4.7670759
Kurtosis	35% 4.8160872
Median	40% 4.8612501
Mode	45% 4.9042319
Left X	50% 4.947958
Left P	55% 4.9969039
Right X	60% 5.0419009
Right P	65% 5.0874413
Diff X	70% 5.1362497
Diff P	75% 5.1932888
#Errors	80% 5.2561473
Filter Min	85% 5.3270331
Filter Max	90% 5.4167209
#Filtered	95% 5.5573419

Change in Output Statistic for Major Combat Campaign (MCC)

Rank	Name	Lower	Upper
1	Menaverability / Major Combat Ca...	4.7130012	5.3128838
2	Lethality / Major Combat Cam...	4.7559974	5.2347549
3	Survivability / Major Combat Ca...	4.8720596	5.0701964
4	Command & Control	4.8670232	5.0366931
5	Command & Control	4.8988081	5.06133
6	Self-Sufficiency	4.8952198	5.0542705
7	Command & Control	4.9272383	5.0746745
8	M3A3 Bradley CF	4.8901472	5.0309065
9	Mounted Sniper	4.9119054	5.0472564
10	Detection	4.9079898	5.0417012
11	Interoperability	4.9087492	5.0397339
12	Mounted Sniper	4.8975179	5.0259718
13	Protection	4.923559	5.0493404
14	Mounted Sniper	4.8955671	5.0180723




Airborne (inf)- Missions



@RISK Output Report for Air-Show of Force (SoF)

Performed By: Netri

Date: Thursday, April 11, 2013 9:34:59 PM



Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Air-Show of Force (SoF)

Statistics	Percentile
Minimum	3.213265095 5% 3.7360521
Maximum	5.981984023 10% 3.8813693
Mean	4.519588094 15% 3.9906944
Std Dev	0.468771945 20% 4.0812345
Variance	0.219747136 25% 4.1678638
Skewness	-0.07944219 30% 4.2455363
Kurtosis	2.39886361 35% 4.3286608
Median	4.541692898 40% 4.4029456
Mode	4.613129007 45% 4.4738378
Left X	3.736052093 50% 4.5416929
Left P	5% 55% 4.607806
Right X	5.262048118 60% 4.6652975
Right P	95% 65% 4.7306365
Diff X	1.525996025 70% 4.8008249
Diff P	90% 75% 4.8707983
#Errors	0 80% 4.941396
Filter Min	Off 85% 5.0245765
Filter Max	Off 90% 5.1275814
#Filtered	0 95% 5.2620481



Change in Output Statistic for Air-Show of Force

Rank	Name	Lower	Upper
1	Deployability / Show of Force (SoF)	4.0402246	4.9249794
2	Lethality / Show of Force (SoF)	4.2004204	4.8288268
3	Survivability / Show of Force (SoF)	4.3097806	4.6560684
4	Agility / Show of Force (SoF)	4.4542118	4.6718706
5	Weapons Team (w/M1151) / Mobility	4.4515922	4.6148202
6	Sustainability / Show of Force (SoF)	4.4231272	4.5754914
7	Self-Sufficiency	4.4489868	4.599639
8	Rifle Section (Dis)	4.4511659	4.5855067
9	Weapons Team (w/M1151) / Firepower	4.4573685	4.5895916
10	Maneuverability / Show of Force (SoF)	4.4681615	4.5906444
11	Transportability	4.4640572	4.5849917
12	Command & Control	4.4807318	4.6001391
13	Detection	4.474507	4.5859228
14	Self-Sufficiency	4.4733721	4.5821876

@RISK Output Report for Air-Sanctuary Denial (SD)

Performed By: Metri

Date: Thursday, April 11, 2013 9:35:12 PM




Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Air-Sanctuary Denial (SD)

Statistics	Percentile
Minimum	3.022811616 5% 3.6788616
Maximum	6.617093298 10% 3.8723286
Mean	4.53414344 15% 4.0058661
Std Dev	0.527629639 20% 4.1005815
Variance	0.278393036 25% 4.1871028
Skewness	0.246228871 30% 4.2519929
Kurtosis	3.068477539 35% 4.3153281
Median	4.505193306 40% 4.3796583
Mode	4.489726633 45% 4.4460041
Left X	3.67886165 50% 4.5051933
Left P	5% 55% 4.5670237
Right X	5.451466555 60% 4.6378348
Right P	95% 65% 4.7090154
Diff X	1.772604905 70% 4.7916555
Diff P	90% 75% 4.8731393
#Errors	0 80% 4.9709376
Filter Min	Off 85% 5.0772102
Filter Max	Off 90% 5.2209524
#Filtered	0 95% 5.4514666



Change in Output Statistic for Air-Sanctuary Denial


Rank	Name	Lower	Upper
1	Deployability / Sanctuary Denial (SD)	4.3287814	5.0743872
2	Survivability / Sanctuary Denial (SD)	4.0365483	4.7708747
3	Sustainability / Sanctuary Denial (SD)	4.3789623	4.9753709
4	Maneuverability / Sanctuary Denial (SD)	4.3185824	4.7265298
5	Interoperability / Sanctuary Denial (SD)	4.4238448	4.7869327
6	Agility / Sanctuary Denial (SD)	4.3775511	4.6930542
7	Transportability / Sanctuary Denial (SD)	4.4654346	4.6705878
8	Weapons Team (w/M1151) / Mobility	4.4583059	4.6423195
9	Protection	4.4711076	4.6449207
10	Concealment	4.4770861	4.6355782
11	Weapons Team (w/M1151) / Mobility	4.4646645	4.6189583
12	Command & Control	4.4530358	4.6021876
13	Firepower	4.4819164	4.6285722
14	Rifle Section (Dis)	4.4552344	4.6006144

@RISK Output Report for Air-Support to Unconventional Foreign Forces

Performed By: Metri

Date: Thursday, April 11, 2013 9:35:26 PM

Air-Support to Unconventional Foreign Forces (SF ...




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529


Summary Statistics for Air-Support to Unconventional Foreign Forces (SFUF)

Statistics	Percentile
Minimum	5% 3.8373808
Maximum	10% 3.971219
Mean	15% 4.0667911
Std Dev	20% 4.1393669
Variance	25% 4.204616
Skewness	30% 4.2670967
Kurtosis	35% 4.3221643
Median	40% 4.3774677
Mode	45% 4.4333051
Left X	50% 4.4935541
Left P	55% 4.5571753
Right X	60% 4.6215825
Right P	65% 4.6928258
Diff X	70% 4.768388
Diff P	75% 4.8604288
#Errors	80% 4.9754497
Filter Min	85% 5.1196344
Filter Max	90% 5.2756021
#Filtered	95% 5.4973829

Air-Support to Unconventional Foreign Forces (SF ...



Air-Support to Unconventional Foreign Forces (SF ...



Change in Output Statistic for Air-Support to Unconventional Foreign Forces (SFUF)


Rank	Name	Lower	Upper
1	Deployability / Support to Unconventional Foreign Forces	4.3624385	5.2551437
2	Agility / Support to Unconventional Foreign Forces	4.2234151	4.7063871
3	Transportability	4.4745257	4.7474535
4	Command & Control	4.4328633	4.674382
5	Sustainability / Support to Unconventional Foreign Forces	4.4608792	4.6967507
6	Command & Control	4.4585545	4.6939927
7	Protection	4.4931071	4.721426
8	Survivability / Support to Unconventional Foreign Forces	4.4159785	4.6420092
9	Rifle Section (Dismounted) / C & C	4.4241936	4.6459819
10	Lethality / Support to Unconventional Foreign Forces	4.4336613	4.6511991
11	Firepower	4.5075397	4.709277
12	Self-Sufficiency	4.4349004	4.6209578
13	Weapons Team (w/M1151) / Self-Sufficiency	4.4769334	4.6533718
14	Weapons Team (w/M1151) / Self-Sufficiency	4.4670968	4.6341246

@RISK Output Report for Air-Opposed Stabilization (OS)

Performed By: Meth

Date: Thursday, April 11, 2013 9:35:39 PM

Air-Opposed Stabilization (OS)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Air-Opposed Stabilization


Statistics	Percentile
Minimum	5% 4.1866169
Maximum	10% 4.2990496
Mean	15% 4.3777424
Std Dev	20% 4.4427065
Variance	25% 4.5031262
Skewness	30% 4.551753
Kurtosis	35% 4.6019672
Median	40% 4.6528977
Mode	45% 4.6966393
Left X	50% 4.7409931
Left P	55% 4.7883455
Right X	60% 4.8340002
Right P	65% 4.8811474
Diff X	70% 4.930283
Diff P	75% 4.9851401
Errors	80% 5.0442269
Filter Min	85% 5.112048
Filter Max	90% 5.19787
Filtered	95% 5.3320483

Air-Opposed Stabilization (OS)



Air-Opposed Stabilization (OS)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for Air-Opposed Stabilization


Rank	Name	Lower	Upper
1	Sustainability / O	4.4397141	4.9928347
2	Concealment	4.6394517	4.9464377
3	Agility / Opposed	4.6337718	4.8732268
4	Weapons Team (4.6284814	4.8621601
5	Interoperability	4.6836605	4.8861783
6	Transportability	4.6768894	4.8633187
7	Self-Sufficiency	4.6759661	4.8458499
8	Command & Con	4.6747266	4.8417281
9	Self-Sufficiency	4.6674533	4.8252898
10	Command & Con	4.6687826	4.817316
11	Maneuverability /	4.6584022	4.8065016
12	Protection	4.7008947	4.8462317
13	Self-Sufficiency	4.6642002	4.7991581
14	Weapons Team (4.6641489	4.7977516

@RISK Output Report for Air-Major Combat Campaign (MCC)

Performed By: Metin

Date: Thursday, April 11, 2013 9:35:52 PM

Air-Major Combat Campaign (MCC)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Air-Major Combat Campaign


Statistics	Percentile
Minimum	5% 3.6875881
Maximum	10% 3.7773285
Mean	15% 3.8385326
Std Dev	20% 3.8950117
Variance	25% 3.94203
Skewness	30% 3.9875312
Kurtosis	35% 4.0273984
Median	40% 4.0633797
Mode	45% 4.101053
Left X	50% 4.1413476
Left P	55% 4.1795834
Right X	60% 4.2225747
Right P	65% 4.2600185
Diff X	70% 4.301573
Diff P	75% 4.3477303
Errors	80% 4.3994502
Filter Min	85% 4.4600505
Filter Max	90% 4.536191
Filtered	95% 4.6508693

Air-Major Combat Campaign (MCC)



Air-Major Combat Campaign (MCC)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for Air-Major Combat Campaign




Rank	Name	Lower	Upper
1	Lethality / Major	3.9463856	4.3984761
2	Maneuverability /	3.9731649	4.3947044
3	Self-Sufficiency	4.0627171	4.2741489
4	Rifle Section (Dis	4.0656132	4.2399021
5	Survivability / Ma	4.0798197	4.2455421
6	Weapons Team (4.0829027	4.2394552
7	Rifle Section (Dis	4.0706864	4.1928089
8	Interoperability	4.1037011	4.2253858
9	Weapons Team (4.0860498	4.2071507
10	Weapons Team (4.0780639	4.1978813
11	Concealment	4.112836	4.2234473
12	Command & Con	4.1115836	4.2163485
13	Detection	4.1081838	4.2110315
14	Command & Con	4.1215028	4.2119498

Airborne (Inf)-Attributes

@RISK Output Report for Mobility

Performed By: Meth

Date: Thursday, April 11, 2013 9:36:05 PM

**Simulation Summary Information**

Workbook Name	a\ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Mobility

Statistics	Percentile
Minimum	2.005154639 5% 2.4319527
Maximum	4.095854922 10% 2.5895522
Mean	3.018995123 15% 2.6692668
Std Dev	0.352730537 20% 2.7170543
Variance	0.124418832 25% 2.7600768
Skewness	0.146383208 30% 2.8028169
Kurtosis	2.717629626 35% 2.850208
Median	3.026785714 40% 2.9042146
Mode	3 45% 2.9693548
Left X	2.431952663 50% 3.0267857
Left P	5% 55% 3.0690608
Right X	3.597864769 60% 3.1102362
Right P	95% 65% 3.148855
Diff X	1.165912106 70% 3.190709
Diff P	90% 75% 3.2471358
Errors	0 80% 3.321489
Filter Min	Off 85% 3.4087481
Filter Max	Off 90% 3.4919169
Filtered	0 95% 3.5978648



Change in Output Statistic for Mobility

Rank	Name	Lower	Upper
1	Rifle Section (Dis	2.6596006	3.3899899
2	Weapons Team (2.7503321	3.412324
3	Javelin team (Dis	2.9094121	3.1393555
4	Fire Support	2.9377429	3.0954118
5	Recce Team (Dis	2.969889	3.1146689
6	Fire Attack	2.9533529	3.0800544
7	M119A3 105 (w/	2.9482097	3.0654699
8	Mortar 81mm (D	2.9772927	3.0745793
9	Sniper Team (Dis	2.981449	3.0518349
10	Reconnaissance	2.9951563	3.0461885
11	Indirect Fire	3.0037392	3.0449267
12	Target Acquisitio	2.9970345	3.0338767

@RISK Output Report for Firepower

Performed By: Metin

Date: Thursday, April 11, 2013 9:36:13 PM




Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Firepower

Statistics	Percentile
Minimum	5% 3.4699205
Maximum	10% 3.5749718
Mean	15% 3.6375921
Std Dev	20% 3.6870748
Variance	25% 3.7307275
Skewness	30% 3.7717647
Kurtosis	35% 3.8124281
Median	40% 3.8506024
Mode	45% 3.8894231
Left X	50% 3.9288703
Left P	55% 3.9683258
Right X	60% 4.0057537
Right P	65% 4.0464241
Diff X	70% 4.0888889
Diff P	75% 4.1296505
#Errors	80% 4.1805094
Filter Min	85% 4.2366589
Filter Max	90% 4.3094945
#Filtered	95% 4.4211099




Change in Output Statistic for Firepower

Rank	Name	Lower	Upper
1	Weapons Team (w/M1151) / Firepower	3.6449313	4.2278131
2	Rifle Section (Dismounted) / Firepower	3.7886306	4.1315453
3	Javelin team (Dismounted) / Firepower	3.7758903	4.0946459
4	Fire Attack	3.8008938	4.0353098
5	Fire Support	3.8797445	4.0197509
6	Mortar 81mm (Dismounted) / Firepower	3.8797813	4.0042775
7	M119A3 105 (w/ M998) / Firepower	3.8915957	3.9835682
8	Recce Team (Dismounted) / Firepower	3.8921356	3.9821757
9	Indirect Fire	3.901525	3.9704651
10	Reconnaissance	3.9049532	3.9635109
11	Sniper Team (Dismounted) / Firepower	3.9116729	3.9523632
12	Target Acquisition System (M1151)	3.9175844	3.9419796

@RISK Output Report for Concealment

Performed By: Meth

Date: Thursday, April 11, 2013 9:36:22 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Concealment

Statistics	Percentile
Minimum	5% 6.9141914
Maximum	10% 7.0377358
Mean	15% 7.1156915
Std Dev	20% 7.1833333
Variance	25% 7.2318182
Skewness	30% 7.2775591
Kurtosis	35% 7.3126294
Median	40% 7.3484252
Mode	45% 7.3854167
Left X	50% 7.4216867
Left P	55% 7.4557439
Right X	60% 7.4914197
Right P	65% 7.5437616
Diff X	70% 7.5963432
Diff P	75% 7.6510949
#Errors	80% 7.7081545
Filter Min	85% 7.7569231
Filter Max	90% 7.8116505
#Filtered	95% 7.8970874




Change in Output Statistic for Concealment

Rank	Name	Lower	Upper
1	Indirect Fire	7.0804939	7.6139834
2	Rifle Section (Dis	7.28781	7.6333247
3	Weapons Team (7.3541754	7.666372
4	Fire Attack	7.3516635	7.5412513
5	Javelin team (Dis	7.3309148	7.4985181
6	Mortar 81mm (D	7.3567868	7.4966381
7	Recce Team (Dis	7.3976369	7.5009193
8	M119A3 105 (w/	7.4033047	7.47612
9	Sniper Team (Dis	7.394196	7.4524332
10	Target Acquisitio	7.4035549	7.4579609
11	Reconnaissance	7.401157	7.4495614
12	Fire Support	7.414055	7.4498412

@RISK Output Report for Protection

Performed By: Meth

Date: Thursday, April 11, 2013 9:36:30 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Protection

Statistics	Percentile
Minimum	1 5% 1
Maximum	1.80859375 10% 1
Mean	1.225933737 15% 1
Std Dev	0.227049494 20% 1
Variance	0.051551473 25% 1.0015576
Skewness	0.507405257 30% 1.0038023
Kurtosis	2.281786191 35% 1.0057339
Median	1.326210826 40% 1.0210526
Mode	1 45% 1.0364372
Left X	1 50% 1.3262108
Left P	5% 55% 1.3448735
Right X	1.706997085 60% 1.3571429
Right P	95% 65% 1.366879
Diff X	0.706997085 70% 1.3758701
Diff P	90% 75% 1.3835616
#Errors	0 80% 1.3920455
Filter Min	Off 85% 1.4022346
Filter Max	Off 90% 1.4156627
#Filtered	0 95% 1.7069971






Change in Output Statistic for Protection

Rank	Name	Lower	Upper
1	Rifle Section (Dis	1.0705093	1.4534148
2	Weapons Team (1.1491207	1.4913652
3	M119A3 105 (w/	1.2058408	1.2527254
4	Fire Attack	1.2097621	1.2384064
5	Fire Support	1.2117654	1.2388177
6	Indirect Fire	1.2165034	1.2433034
7	Reconnaissance	1.2177152	1.2367496
8	Recce Team (Dis	1.2172047	1.2336594
9	Sniper Team (Dis	1.2172047	1.2336594
10	Javelin team (Dis	1.2172047	1.2336594
11	Mortar 81mm (Di	1.2172047	1.2336594
12	Target Acquisition	1.2193757	1.2344885

@RISK Output Report for Self-Sufficiency

Performed By: Meth

Date: Thursday, April 11, 2013 9:36:38 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Self-Sufficiency

Statistics	Percentile
Minimum	5% 6.0502717
Maximum	10% 6.1787072
Mean	15% 6.2870722
Std Dev	20% 6.3742331
Variance	25% 6.446729
Skewness	30% 6.5092025
Kurtosis	35% 6.572973
Median	40% 6.6261682
Mode	45% 6.668883
Left X	50% 6.7230539
Left P	55% 6.7724551
Right X	60% 6.8194888
Right P	65% 6.8711656
Diff X	70% 6.9279141
Diff P	75% 6.9833333
#Errors	80% 7.0437318
Filter Min	85% 7.1093294
Filter Max	90% 7.1784314
#Filtered	95% 7.3081081




Change in Output Statistic for Self-Sufficiency

Rank	Name	Lower	Upper
1	Weapons Team	6.2204277	7.1363514
2	Rifle Section (Dis	6.5594596	6.9156638
3	Javelin team (Dis	6.5249438	6.8375677
4	Mortar 81mm (D	6.6229846	6.7933817
5	M119A3 105 (w/	6.6461945	6.8006481
6	Recce Team (Dis	6.6696671	6.7360161
7	Fire Attack	6.6839955	6.7351514
8	Fire Support	6.6837693	6.7337462
9	Sniper Team (Dis	6.6838503	6.7232098
10	Target Acquisitio	6.6918638	6.7293346
11	Indirect Fire	6.6936748	6.730244

@RISK Output Report for Detection

Performed By: Metin

Date: Thursday, April 11, 2013 9:36:46 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Detection

Statistics	Percentile
Minimum	3.034175334 5% 3.3271605
Maximum	4.730519481 10% 3.4208809
Mean	3.85716436 15% 3.4939107
Std Dev	0.325438822 20% 3.5534106
Variance	0.105910427 25% 3.6124031
Skewness	0.005793459 30% 3.6649916
Kurtosis	2.344978573 35% 3.7178683
Median	3.859594384 40% 3.7688504
Mode	4 45% 3.8123953
Left X	3.327160494 50% 3.8595944
Left P	5% 55% 3.9070465
Right X	4.395550062 60% 3.9518414
Right P	95% 65% 3.998557
Diff X	1.068389568 70% 4.0474934
Diff P	90% 75% 4.096463
#Errors	0 80% 4.1490765
Filter Min	Off 85% 4.2175325
Filter Max	Off 90% 4.2926174
#Filtered	0 95% 4.3955501


Change in Output Statistic for Detection

Rank	Name	Lower	Upper
1	Weapons Team (w/ M1151) / Detection	3.5756537	4.1390255
2	Rifle Section (Dismounted) / Detection	3.7261244	4.0420007
3	Mortar 81mm (Dismounted) / Detection	3.698297	3.9942914
4	Javelin team (Dismounted) / Detection	3.7075567	4.0020379
5	Recce Team (Dismounted) / Detection	3.789381	3.9532612
6	M119A3 105 (w/ M998) / Detection	3.7987922	3.9154165
7	Sniper Team (Dismounted) / Detection	3.8154786	3.9018479
8	Fire Support	3.8429043	3.8818896
9	Reconnaissance	3.8386956	3.8771819
10	Target Acquisition System (M1151)	3.8439343	3.8819763
11	Indirect Fire	3.8407891	3.8751432
12	Fire Attack	3.8412366	3.8751686

@RISK Output Report for Transportability

Performed By: Meth

Date: Thursday, April 11, 2013 9:36:54 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Transportability

Statistics	Percentile
Minimum	8.316770186 5% 8.4159664
Maximum	8.668587896 10% 8.4411765
Mean	8.519545015 15% 8.4565826
Std Dev	0.058676615 20% 8.4689441
Variance	0.003442945 25% 8.4791045
Skewness	-0.425168698 30% 8.4883721
Kurtosis	2.902519353 35% 8.4976744
Median	8.526695527 40% 8.5072464
Mode	8.463320463 45% 8.5175719
Left X	8.415966387 50% 8.5266955
Left P	5% 55% 8.537037
Right X	8.604819277 60% 8.5446154
Right P	95% 65% 8.5519126
Diff X	0.188852891 70% 8.556701
Diff P	90% 75% 8.5625
Errors	0 80% 8.5686275
Filter Min	Off 85% 8.5771028
Filter Max	Off 90% 8.5884774
Filtered	0 95% 8.6048193




Change in Output Statistic for Transportability

Rank	Name	Lower	Upper
1	Indirect Fire	8.4846772	8.5708919
2	S / Transportability	8.4865392	8.5686065
3	Fire Support	8.4766411	8.5439428
4	Fire Attack	8.5056606	8.5286931
5	Reconnaissance	8.5112203	8.5309164
6	Target Acquisition	8.5111514	8.5260492
7	Recce Team (Dis	8.5153713	8.524211
8	Weapons Team (8.5153713	8.524211
9	Sniper Team (Dis	8.5153713	8.524211
10	Javelin team (Dis	8.5153713	8.524211
11	Rifle Section (Dis	8.5153713	8.524211
12	Mortar 81mm (Dis	8.5153713	8.524211

@RISK Output Report for C &C

Performed By: Meth

Date: Thursday, April 11, 2013 9:37:02 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for C &C

Statistics	Percentile
Minimum	5% 2.5404313
Maximum	10% 2.685254
Mean	15% 2.8
Std Dev	20% 2.90887
Variance	25% 2.9940828
Skewness	30% 3.0904393
Kurtosis	35% 3.1988166
Median	40% 3.2767528
Mode	45% 3.3564103
Left X	50% 3.4451039
Left P	55% 3.5156483
Right X	60% 3.568567
Right P	65% 3.6130653
Diff X	70% 3.6552316
Diff P	75% 3.7033557
Errors	80% 3.7602257
Filter Min	85% 3.8360071
Filter Max	90% 3.91423
Filtered	95% 3.994228



Change in Output Statistic for C &C




Rank	Name	Lower	Upper
1	Rifle Section (Dis	2.712111	3.6680027
2	Weapons Team (2.7861199	3.6394537
3	Mortar 81mm (D	3.2196074	3.4368432
4	5 / C &C	3.2452619	3.4229475
5	Javelin team (Dis	3.2782794	3.4514413
6	Fire Attack	3.2854127	3.424821
7	Indirect Fire	3.2829667	3.406807
8	Recce Team (Dis	3.2865701	3.404179
9	Reconnaissance	3.3150486	3.3771188
10	Sniper Team (Dis	3.3172325	3.3740333
11	Target Acquisitio	3.3147187	3.3661338
12	Fire Support	3.3183765	3.3682958

Airborne (inf)-Capabilities

@RISK Output Report for Survivability

Performed By: Meth

Date: Thursday, April 11, 2013 9:37:10 PM

**Simulation Summary Information**

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Survivability

Statistics	Percentile
Minimum	3.043553156 5% 3.3736388
Maximum	4.482036906 10% 3.4394366
Mean	3.696877226 15% 3.485232
Std Dev	0.200272845 20% 3.5224899
Variance	0.040109212 25% 3.5555936
Skewness	0.15143284 30% 3.5854137
Kurtosis	2.843586952 35% 3.615573
Median	3.6910655 40% 3.6421119
Mode	3.654425855 45% 3.6672858
Left X	3.373638845 50% 3.6910655
Left P	5% 55% 3.7163129
Right X	4.033261737 60% 3.7435263
Right P	95% 65% 3.7716587
DIEX	0.659622893 70% 3.7987392
DIEX	90% 75% 3.8314343
Errors	0 80% 3.8668638
Filter Min	Off 85% 3.9086698
Filter Max	Off 90% 3.9584184
Filtered	0 95% 4.0332617




Change in Output Statistic for Survivability

Rank	Name	Lower	Upper
1	Concealment	3.573312	3.8553004
2	Mobility	3.5768501	3.787108
3	Rifle Section (Dis	3.6266267	3.794722
4	Self-Sufficiency	3.6197692	3.7791374
5	Weapons Team (3.6636813	3.7977848
6	Indirect Fire	3.6090577	3.7422462
7	Detection	3.6436436	3.7540284
8	Rifle Section (Dis	3.6499628	3.7468605
9	Rifle Section (Dis	3.6574275	3.7495101
10	Weapons Team (3.6370488	3.729083
11	Weapons Team (3.6617776	3.7484333
12	Rifle Section (Dis	3.6427329	3.7293194
13	Weapons Team (3.6748985	3.7589445
14	Command & Con	3.6689437	3.7436495

@RISK Output Report for Deployability

Performed By: Meth

Date: Thursday, April 11, 2013 9:37:22 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Deployability

Statistics	Percentile
Minimum	5% 5.8659339
Maximum	10% 5.9806797
Mean	15% 6.0541812
Std Dev	20% 6.1202862
Variance	25% 6.1825802
Skewness	30% 6.2334318
Kurtosis	35% 6.2899312
Median	40% 6.3399784
Mode	45% 6.3846777
Left X	50% 6.4308709
Left P	55% 6.4807577
Right X	60% 6.530764
Right P	65% 6.584961
Diff X	70% 6.6379605
Diff P	75% 6.6933388
#Errors	80% 6.7547219
Filter Min	85% 6.8301841
Filter Max	90% 6.9296068
#Filtered	95% 7.0711682



Change in Output Statistic for Deployability

Rank	Name	Lower	Upper
1	Transportability	6.1034601	6.7781812
2	Self-Sufficiency	6.2238361	6.8137193
3	Mobility	6.2317449	6.5851836
4	Concealment	6.3407749	6.5156894
5	Rifle Section (Dis	6.3653494	6.4985337
6	Detection	6.3883158	6.5091998
7	Firepower	6.3877517	6.491115
8	Weapons Team	6.4035739	6.5045199
9	Weapons Team	6.4014176	6.4843277
10	Reconnaissance	6.4039214	6.479877
11	Indirect Fire	6.4015661	6.4760077
12	Rifle Section (Dis	6.4019017	6.4745778
13	Command & Con	6.4069945	6.4771536
14	Weapons Team	6.4030284	6.4719715

@RISK Output Report for Menaverability

Performed By: Meth

Date: Thursday, April 11, 2013 9:37:33 PM




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Menaverability

Statistics	Percentile
Minimum	5% 3.4368441
Maximum	10% 3.5321977
Mean	15% 3.6053005
Std Dev	20% 3.6650103
Variance	25% 3.7187735
Skewness	30% 3.770036
Kurtosis	35% 3.8181597
Median	40% 3.8637657
Mode	45% 3.9059077
Left X	50% 3.9518026
Left P	55% 3.9946191
Right X	60% 4.0370616
Right P	65% 4.082533
Diff X	70% 4.1278869
Diff P	75% 4.1805922
Errors	80% 4.235003
Filter Min	85% 4.3053874
Filter Max	90% 4.3823541
Filtered	95% 4.4962797





Change in Output Statistic for Menaverability

Rank	Name	Lower	Upper
1	Self-Sufficiency	3.6931607	4.2748706
2	Rifle Section (Dis	3.7670525	4.1468493
3	Weapons Team (3.8128925	4.1631807
4	Concealment	3.8507198	4.1539595
5	Transportability	3.8553334	4.0510077
6	Firepower	3.891167	4.057933
7	Javelin team (Dis	3.8956107	4.0281111
8	Command & Con	3.8718185	3.999816
9	Mobility	3.8989299	4.016313
10	Weapons Team (3.9085671	4.0186999
11	Weapons Team (3.8898922	3.9979794
12	Detection	3.9032458	4.0067948
13	Rifle Section (Dis	3.893037	3.989712
14	M119A3 105 (w/	3.8993367	3.988533

@RISK Output Report for Sustainability

Performed By: Metin

Date: Thursday, April 11, 2013 9:37:45 PM




Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Sustainability

Statistics	Percentile
Minimum	5% 5.0162734
Maximum	10% 5.128183
Mean	15% 5.2080069
Std Dev	20% 5.2653782
Variance	25% 5.3207357
Skewness	30% 5.3746039
Kurtosis	35% 5.426055
Median	40% 5.4726994
Mode	45% 5.523088
Left X	50% 5.572551
Left P	55% 5.6271923
Right X	60% 5.6803911
Right P	65% 5.7342206
Diff X	70% 5.804269
Diff P	75% 5.8752543
#Errors	80% 5.9553522
Filter Min	85% 6.0546217
Filter Max	90% 6.1865607
#Filtered	95% 6.348778






Change in Output Statistic for Sustainability

Rank	Name	Lower	Upper
1	Concealment	5.3411363	6.155458
2	Weapons Team	5.3518873	5.8709799
3	Self-Sufficiency	5.4525867	5.8361376
4	Rifle Section (Dis	5.5244837	5.7306547
5	Transportability	5.56636	5.749318
6	Javelin team (Dis	5.5129279	5.6954057
7	Mobility	5.5438528	5.6825271
8	Firepower	5.5708186	5.6899545
9	Detection	5.5564554	5.674863
10	Mortar 81mm (D	5.5493792	5.6605713
11	M119A3 105 (w/	5.5741061	5.6704456
12	Protection	5.561312	5.6545927
13	Weapons Team	5.5699796	5.6524503
14	Weapons Team	5.579136	5.6606838

@RISK Output Report for Lethality

Performed By: Metri

Date: Thursday, April 11, 2013 9:37:56 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Lethality

Statistics	Percentile
Minimum	5% 3.6436133
Maximum	10% 3.7311496
Mean	15% 3.7911348
Std Dev	20% 3.8409314
Variance	25% 3.8828184
Skewness	30% 3.9261589
Kurtosis	35% 3.9657264
Median	40% 4.0050079
Mode	45% 4.0439008
Left X	50% 4.0807895
Left P	55% 4.115949
Right X	60% 4.1511715
Right P	65% 4.1893437
Diff X	70% 4.2314629
Diff P	75% 4.2773549
#Errors	80% 4.327925
Filter Min	85% 4.3851295
Filter Max	90% 4.4623811
#Filtered	95% 4.5686794




Change in Output Statistic for Lethality

Rank	Name	Lower	Upper
1	Detection	3.931143	4.3068149
2	Firepower	3.906037	4.2680498
3	Weapons Team (w/M1151) / Firepower	3.9441436	4.2252907
4	Command & Control	4.017623	4.2948256
5	Rifle Section (Dismounted) / Firepower	4.0077009	4.1915906
6	Concealment	4.0166537	4.1784686
7	Javelin team (Dismounted) / Firepower	4.0103256	4.1675912
8	Self-Sufficiency	4.028314	4.1757062
9	Transportability	4.0370387	4.1534114
10	Weapons Team (w/M1151) / Firepower	4.0334637	4.1430249
11	Fire Attack	4.0306667	4.138374
12	Mobility	4.0363262	4.1432377
13	Rifle Section (Dismounted) / Firepower	4.0255682	4.1317879
14	Rifle Section (Dismounted) / C & C	4.0382267	4.1336696

@RISK Output Report for Interoperability

Performed By: Meth

Date: Thursday, April 11, 2013 9:38:08 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Interoperability

Statistics		Percentile	
Minimum	2.623933971	5%	3.3522709
Maximum	6.561268857	10%	3.5191971
Mean	4.369723695	15%	3.6428189
Std Dev	0.694919998	20%	3.7439055
Variance	0.482913803	25%	3.8360931
Skewness	0.318033704	30%	3.9315582
Kurtosis	2.344658174	35%	4.0101239
Median	4.266276156	40%	4.0945474
Mode	3.986228472	45%	4.1796515
Left X	3.352270877	50%	4.2662762
Left P	5%	55%	4.3683271
Right X	5.590077246	60%	4.4861704
Right P	95%	65%	4.6092732
Diff X	2.23780637	70%	4.7531405
Diff P	90%	75%	4.8990875
#Errors	0	80%	5.0394907
Filter Min	Off	85%	5.1984562
Filter Max	Off	90%	5.3637797
Filtered	0	95%	5.5900772




Change in Output Statistic for Interoperability

Rank	Name	Lower	Upper
1	Command & Control	3.9073675	5.0612661
2	Transportability	4.0462709	4.6678396
3	Detection	4.0947335	4.6241828
4	Self-Sufficiency	4.0793923	4.5886907
5	Concealment	4.1362359	4.5191913
6	Rifle Section (Dis	4.1503676	4.5022611
7	Weapons Team (4.1605255	4.5018986
8	Mobility	4.2269814	4.4836032
9	Firepower	4.2443544	4.4755483
10	Weapons Team (4.3014574	4.4294068
11	Protection	4.3112527	4.4276105
12	Sniper Team (Dis	4.328567	4.4394011
13	Weapons Team (4.3182867	4.4249612
14	Fire Attack	4.3254532	4.4281613

@RISK Output Report for Agility

Performed By: Metin

Date: Thursday, April 11, 2013 9:38:19 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529


Summary Statistics for Agility

Statistics	Percentile
Minimum	5% 3.0861852
Maximum	10% 3.2785381
Mean	15% 3.4271403
Std Dev	20% 3.5583925
Variance	25% 3.677832
Skewness	30% 3.7896485
Kurtosis	35% 3.8780921
Median	40% 3.9711359
Mode	45% 4.0581606
Left X	50% 4.1484722
Left P	55% 4.2348787
Right X	60% 4.3224841
Right P	65% 4.4168992
Diff X	70% 4.5214403
Diff P	75% 4.6346703
Errors	80% 4.7574795
Filter Min	85% 4.9127207
Filter Max	90% 5.0957912
Filtered	95% 5.3791866

Change in Output Statistic for Agility

Rank	Name	Lower	Upper
1	Transportability	3.9013389	4.8539045
2	Command & Con	3.7021395	4.5433976
3	Protection	3.9455209	4.7107644
4	Self-Sufficiency	3.7251848	4.4003447
5	Firepower	3.990676	4.5938651
6	Mobility	3.9972415	4.4661393
7	Concealment	4.0593192	4.4631357
8	Rifle Section (Dis	4.0098863	4.2511137
9	Weapons Team (4.0521095	4.2566855
10	Weapons Team (4.089518	4.2795453
11	Rifle Section (Dis	4.0922925	4.2564675
12	Weapons Team (4.1051675	4.2448018
13	Rifle Section (Dis	4.1072163	4.2375388
14	Weapons Team (4.1113732	4.2348206


Heavy Option- Missions



@RISK Output Report for Show of Force (SoF)

Performed By: Mehn

Date: Thursday, April 11, 2013 9:38:45 PM





Simulation Summary Information

Workbook Name	a\ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Show of Force (SoF)

Statistics	Percentile
Minimum	5% 4.4849439
Maximum	10% 4.6564576
Mean	15% 4.772042
Std Dev	20% 4.8671558
Variance	25% 4.9486737
Skewness	30% 5.018282
Kurtosis	35% 5.0885992
Median	40% 5.159593
Mode	45% 5.2232676
Left X	50% 5.2850528
Left P	55% 5.3493382
Right X	60% 5.416183
Right P	65% 5.4849897
Diff X	70% 5.5530143
Diff P	75% 5.6255525
#Errors	80% 5.7039364
Filter Min	85% 5.7969967
Filter Max	90% 5.9104408
#Filtered	95% 6.0661828




Change in Output Statistic for Show of Force (SoF)

Rank	Name	Lower	Upper
1	Lethality / Show	4.8227237	5.7255615
2	Deployability / Sh	4.936207	5.5710661
3	Survivability / Sh	5.0139962	5.4480217
4	Agility / Show of F	5.1873757	5.4797225
5	Command & Con	5.223874	5.4509779
6	Detection	5.2164413	5.4098765
7	Maneuverability /	5.2176112	5.4052679
8	M2A3 Bradley 2 I	5.1903537	5.373612
9	Firepower	5.1972109	5.3721311
10	Mobility	5.2039338	5.3466313
11	Protection	5.2324196	5.3636951
12	Sustainability / S	5.2011322	5.331509
13	M1A2 / Mobility	5.2156834	5.3451536
14	Mobility	5.2220863	5.3367834

@RISK Output Report for Sanctuary Denial (SD)

Performed By: Meth

Date: Thursday, April 11, 2013 9:38:59 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Sanctuary Denial (SD)

Statistics		Percentile
Minimum	3.265473658	5% 4.1144513
Maximum	7.379389046	10% 4.3608968
Mean	5.137839339	15% 4.533404
Std Dev	0.589285377	20% 4.6558814
Variance	0.347257255	25% 4.7610752
Skewness	-0.050469038	30% 4.8495624
Kurtosis	3.002722658	35% 4.9258801
Median	5.146502842	40% 4.9984248
Mode	5.282747694	45% 5.0762417
Left X	4.114451318	50% 5.1465028
Left P	5%	55% 5.2199918
Right X	6.093884846	60% 5.2890689
Right P	95%	65% 5.3638932
Diff X	1.979433528	70% 5.4480289
Diff P	90%	75% 5.5302088
#Errors	0	80% 5.6278197
Filter Min	Off	85% 5.7416183
Filter Max	Off	90% 5.885785
#Filtered	0	95% 6.0938848



Change in Output Statistic for Sanctuary Denial (SD)


Rank	Name	Lower	Upper
1	Survivability / Sanctuary Denial (SD)	4.4633879	5.4482319
2	Maneuverability / Sanctuary Denial (SD)	4.813962	5.4191848
3	Deployability / Sanctuary Denial (SD)	4.9827097	5.5224931
4	Sustainability / Sanctuary Denial (SD)	5.0255885	5.4976507
5	Interoperability / Sanctuary Denial (SD)	5.0032326	5.4528204
6	Agility / Sanctuary Denial (SD)	4.9345695	5.3352983
7	Protection	5.0139632	5.3758309
8	Command & Control	4.9592514	5.2915183
9	Mobility	5.0586338	5.2536224
10	M2A3 Bradley 2	5.0476452	5.2357501
11	Firepower	5.0591623	5.2467888
12	Command & Control	5.0700485	5.2284778
13	M1A2 / Self-Sufficiency	5.0521269	5.2095448
14	M1A2 / Mobility	5.055864	5.211793

@RISK Output Report for Support to Unconventional Foreign Forces


Performed By: Meth

Date: Thursday, April 11, 2013 9:39:13 PM


Support to Unconventional Foreign Forces (SFUF)



Support to Unconventional Foreign Forces (SFUF)



Support to Unconventional Foreign Forces (SFUF)



Simulation Summary/Information

Workbook Name	ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Support to Unconventional Foreign Forces

Statistics	Percentile
Minimum	5% 4.2673477
Maximum	10% 4.4308241
Mean	15% 4.5494406
Std Dev	20% 4.6503891
Variance	25% 4.7408974
Skewness	30% 4.8211601
Kurtosis	35% 4.9009886
Median	40% 4.974717
Mode	45% 5.0457986
Left X	50% 5.1152459
Left P	55% 5.1909364
Right X	60% 5.261834
Right P	65% 5.338927
Diff X	70% 5.4144525
Diff P	75% 5.5017092
#Errors	80% 5.5981636
Filter Min	85% 5.7127442
Filter Max	90% 5.8652816
#Filtered	95% 6.0809951


Change in Output Statistic for Support to Unconventional Foreign Forces

Rank	Name	Lower	Upper
1	Deployability / Support to Unconventional Foreign Forces	4.9797694	5.6430721
2	Agility / Support to Unconventional Foreign Forces	4.7251258	5.2980718
3	Command & Control	4.8534969	5.3583553
4	Command & Control	4.9247658	5.4120743
5	Protection	4.9950318	5.4794301
6	Mobility	5.0044592	5.3364464
7	Survivability / Support to Unconventional Foreign Forces	4.9326103	5.2640615
8	Lethality / Support to Unconventional Foreign Forces	4.9573529	5.2720902
9	Firepower	5.0588671	5.3358653
10	Sustainability / Support to Unconventional Foreign Forces	5.0271315	5.256317
11	Interoperability / Support to Unconventional Foreign Forces	5.0281539	5.2505328
12	Detection	5.0378311	5.2183072
13	M1A2 / Self-Sufficiency	5.0703828	5.22493
14	Self-Sufficiency	5.0346802	5.1807916

@RISK Output Report for Opposed Stabilization (OS)

Performed By: Meth

Date: Thursday, April 11, 2013 9:39:27 PM





Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Opposed Stabilization (OS)

Statistics	Value	Percentile	Value
Minimum	3.998773183	5%	4.4983801
Maximum	6.694577061	10%	4.6111892
Mean	5.080380067	15%	4.6984791
Std Dev	0.36349478	20%	4.7673596
Variance	0.132128455	25%	4.8300281
Skewness	0.173333698	30%	4.8814762
Kurtosis	2.872039606	35%	4.9312426
Median	5.06468413	40%	4.9781799
Mode	5.053132933	45%	5.0243667
Left X	4.498380134	50%	5.0646841
Left P	5%	55%	5.1142851
Right X	5.68993303	60%	5.1597546
Right P	95%	65%	5.2114447
Diff X	1.191552896	70%	5.2662459
Diff P	90%	75%	5.3258471
#Errors	0	80%	5.3900428
Filter Min	Off	85%	5.4661142
Filter Max	Off	90%	5.5602243
#Filtered	0	95%	5.689933



Change in Output Statistic for Opposed Stabilization


Rank	Name	Lower	Upper
1	Sustainability / Opposed Stabilization	4.8376913	5.2847206
2	Command & Control	4.9419229	5.2926231
3	Protection	5.0029716	5.2785607
4	Agility / Opposed Stabilization	4.9511839	5.2257968
5	Command & Control	4.9338206	5.2034594
6	Interoperability	4.992998	5.255198
7	Menability / Opposed Stabilization	4.9547382	5.165669
8	M1A2 / Self-Sufficiency	4.9674347	5.178141
9	M2A3 Bradley 21PV	5.0046251	5.1823323
10	Firepower	5.0284099	5.1926026
11	Mobility	5.0136802	5.1724814
12	Protection	5.0220187	5.1484206
13	M1A2 / Mobility	5.0083857	5.1294201
14	Detection	5.0191683	5.1331952

@RISK Output Report for Major Combat Campaign (MCC)


Performed By: Meth

Date: Thursday, April 11, 2013 9:39:41 PM

Major Combat Campaign (MCC)



Major Combat Campaign (MCC)



Simulation Summary Information


Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Major Combat Campaign (MCC)

Statistics	Percentile
Minimum	5% 4.8227467
Maximum	10% 4.9429383
Mean	15% 5.0284024
Std Dev	20% 5.0958415
Variance	25% 5.1530388
Skewness	30% 5.209582
Kurtosis	35% 5.2634813
Median	40% 5.3145781
Mode	45% 5.3627561
Left X	50% 5.4133072
Left P	55% 5.4598845
Right X	60% 5.5121309
Right P	65% 5.566049
Diff X	70% 5.6227757
Diff P	75% 5.6838434
#Errors	80% 5.7531337
Filter Min	85% 5.8336715
Filter Max	90% 5.936659
#Filtered	95% 6.0828396

Major Combat Campaign (MCC)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for Major Combat Campaign




Rank	Name	Lower	Upper
1	Lethality / Major	5.1407854	5.7719173
2	Maneuverability /	5.1793445	5.789245
3	Survivability / Ma	5.3275778	5.5567431
4	M2A3 Bradley 2 I	5.3268706	5.5255018
5	M1A2 / Mobility	5.3262404	5.5038925
6	Detection	5.3543815	5.5172262
7	Command & Con	5.3559814	5.517543
8	Command & Con	5.3411485	5.5022976
9	Protection	5.3845291	5.5425874
10	Firepower	5.3454265	5.5024829
11	Interoperability	5.3687821	5.5244219
12	Command & Con	5.3818373	5.5310791
13	Self-Sufficiency	5.3757349	5.5047112
14	Firepower	5.3833352	5.4926385

Heavy Option- Attributes

@RISK Output Report for Mobility

Performed By: Meth

Date: Thursday, April 11, 2013 9:39:55 PM

**Simulation Summary Information**

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Mobility

Statistics	Percentile
Minimum	5.345572354 5% 5.8143767
Maximum	7.399386503 10% 5.9674355
Mean	6.482822484 15% 6.0707865
Std Dev	0.376344414 20% 6.1534789
Variance	0.141635118 25% 6.2223292
Skewness	-0.252186592 30% 6.2903696
Kurtosis	2.564004947 35% 6.3492736
Median	6.507088332 40% 6.4029126
Mode	6 45% 6.4596026
Left X	5.814376706 50% 6.5070883
Left P	5% 55% 6.5542312
Right X	7.066315789 60% 6.601108
Right P	95% 65% 6.6513158
Diff X	1.251939083 70% 6.7008141
Diff P	90% 75% 6.7625806
#Errors	0 80% 6.8245161
Filter Min	Off 85% 6.886836
Filter Max	Off 90% 6.9574468
#Filtered	0 95% 7.0663158


Change in Output Statistic for Mobility

Rank	Name	Lower	Upper
1	M2A3 Bradley 2 IFV / Mobility	6.0646274	6.853801
2	M1A2 / Mobility	6.1054027	6.7366609
3	Fire Attack	6.3724248	6.5732602
4	M3A3 Bradley CF	6.3963265	6.5575301
5	M1A2-SEP / Mobility	6.3992637	6.5459533
6	M1109 Rec. Vehi	6.4409077	6.5736059
7	M2A3 Bradley M	6.4117169	6.5377895
8	Fire Support	6.4191189	6.5213234
9	M1151 w/LRAS3	6.4299797	6.5309423
10	Indirect Fire	6.4242766	6.5211926
11	Mounted Sniper	6.4280913	6.5100747
12	SP M109A6 Pala	6.4432598	6.5185456
13	Reconnaissance	6.4490667	6.5110892
14	M1038A1 troop	6.4523875	6.5128585

@RISK Output Report for Firepower

Performed By: Meth

Date: Thursday, April 11, 2013 9:40:03 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Firepower

Statistics	Percentile
Minimum	5.200379867 5% 5.438172
Maximum	6.455426357 10% 5.4889225
Mean	5.788865462 15% 5.5291262
Std Dev	0.231717301 20% 5.5651982
Variance	0.053692908 25% 5.5980126
Skewness	0.210365154 30% 5.6344086
Kurtosis	2.361793495 35% 5.6757246
Median	5.790419162 40% 5.7163668
Mode	5.597311828 45% 5.7566331
Left X	5.438172043 50% 5.7904192
Left P	5% 55% 5.8219557
Right X	6.20020429 60% 5.8529412
Right P	95% 65% 5.8802395
Diff X	0.762032247 70% 5.9106231
Diff P	90% 75% 5.9454545
Errors	0 80% 5.9852802
Filter Min	Off 85% 6.0405784
Filter Max	Off 90% 6.116194
Filtered	0 95% 6.2002043




Change in Output Statistic for Firepower

Rank	Name	Lower	Upper
1	M2A3 Bradley 2 IFV / Firepower	5.6515599	5.994285
2	M1A2 / Firepower	5.6746193	5.9523736
3	M2A3 Bradley Mortar Carrier / Firepower	5.7076976	5.8770401
4	Reconnaissance	5.7231112	5.8533052
5	Fire Support	5.7361646	5.8270823
6	M1038A1 troop carrier	5.7457106	5.8337526
7	SP M109A6 Paladin / Firepower	5.7347539	5.8168553
8	M1A2-SEP / Firepower	5.7585873	5.839435
9	Mounted Sniper Team (M1038A1) / Firepower	5.7479219	5.8284089
10	Fire Attack	5.757673	5.8331077
11	M3A3 Bradley CFV / Firepower	5.7642977	5.815751
12	Indirect Fire	5.773347	5.8109488
13	M1109 Rec. Vehicle / Firepower	5.7766984	5.8083532
14	Target Acquisition	5.7773682	5.8022249

@RISK Output Report for Concealment

Performed By: Metin

Date: Thursday, April 11, 2013 9:40:11 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Concealment

Statistics	Percentile
Minimum	2.183029453 5% 2.5302843
Maximum	3.879177378 10% 2.6299639
Mean	3.009590175 15% 2.6993428
Std Dev	0.282988844 20% 2.7554688
Variance	0.080082686 25% 2.8084337
Skewness	-0.05341151 30% 2.8539007
Kurtosis	2.53300615 35% 2.8968134
Median	3.01541307 40% 2.9369085
Mode	3 45% 2.9774648
Left X	2.530284302 50% 3.0154131
Left P	5% 55% 3.0547771
Right X	3.464285714 60% 3.0922882
Right P	95% 65% 3.1286255
Diff X	0.934001413 70% 3.1683239
Diff P	90% 75% 3.2123894
Errors	0 80% 3.2605634
Filter Min	Off 85% 3.3150685
Filter Max	Off 90% 3.3801792
#Filtered	0 95% 3.4642857






Change in Output Statistic for Concealment

Rank	Name	Lower	Upper
1	M2A3 Bradley 2 I	2.6758965	3.2307119
2	M1A2 / Conceal	2.9493069	3.2070497
3	Fire Attack	2.844103	3.0950206
4	M3A3 Bradley CF	2.8864551	3.0985857
5	Mounted Sniper	2.9340836	3.0955974
6	M2A3 Bradley M	2.9460552	3.095704
7	M1109 Rec. Vehi	2.9341364	3.0672047
8	M1151 w/LRAS3	2.9353044	3.0544457
9	Reconnaissance	2.970749	3.0588038
10	Fire Support	2.96845	3.0552818
11	SP M109A6 Pala	2.9615615	3.0480431
12	M1038A1 troop	2.9788821	3.0478383
13	M1A2-SEP / Con	2.9861915	3.0496986
14	Target Acquisitio	2.9929797	3.0261043

@RISK Output Report for Protection

Performed By: Meth

Date: Thursday, April 11, 2013 9:40:19 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Protection

Statistics	Percentile
Minimum	5% 4.6095238
Maximum	10% 4.7156348
Mean	15% 4.796544
Std Dev	20% 4.8626761
Variance	25% 4.9196231
Skewness	30% 4.9711009
Kurtosis	35% 5.0181269
Median	40% 5.0648352
Mode	45% 5.1095119
Left X	50% 5.1593886
Left P	55% 5.2130966
Right X	60% 5.2690125
Right P	65% 5.3273743
Diff X	70% 5.3882212
Diff P	75% 5.4463918
#Errors	80% 5.5077093
Filter Min	85% 5.5731272
Filter Max	90% 5.6546227
#Filtered	95% 5.7647059




Change in Output Statistic for Protection

Rank	Name	Lower	Upper
1	M1A2 / Protection	4.8726171	5.4856123
2	M2A3 Bradley 2	4.9921014	5.3045811
3	Fire Attack	5.0866907	5.3060663
4	Fire Support	5.0664016	5.2704932
5	Reconnaissance	5.0472628	5.2415169
6	M2A3 Bradley M	5.0841435	5.2515
7	M1A2-SEP / Prote	5.0968169	5.2426061
8	Indirect Fire	5.102907	5.2408211
9	Mounted Sniper	5.1319428	5.2688575
10	M3A3 Bradley CF	5.107595	5.2284636
11	M1038A1 troop c	5.1427579	5.2403925
12	M1109 Rec. Vehi	5.1425755	5.2295503
13	M1151 w/LRAS3	5.1471693	5.2289649
14	SP M109A6 Palad	5.141144	5.2150371

@RISK Output Report for Self-Sufficiency

Performed By: Meth

Date: Thursday, April 11, 2013 9:40:27 PM



Simulation Summary Information

Workbook Name	alTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Self-Sufficiency

Statistics	Percentile
Minimum	5% 3.2855297
Maximum	10% 3.3894558
Mean	15% 3.4745011
Std Dev	20% 3.5384615
Variance	25% 3.6001206
Skewness	30% 3.6491228
Kurtosis	35% 3.7027027
Median	40% 3.7569956
Mode	45% 3.8057785
Left X	50% 3.8474785
Left P	55% 3.8875256
Right X	60% 3.9256831
Right P	65% 3.9624183
Diff X	70% 4
Diff P	75% 4.0392491
#Errors	80% 4.0853659
Filter Min	85% 4.138484
Filter Max	90% 4.1991822
#Filtered	95% 4.2781186


Change in Output Statistic for Self-Sufficiency

Rank	Name	Lower	Upper
1	M1A2 / Self-Sufficiency	3.4130781	4.1635785
2	M2A3 Bradley 2	3.5681466	3.8864288
3	Reconnaissance	3.7118679	3.8832137
4	M3A3 Bradley CF	3.7360606	3.8991925
5	SP M109A6 Paladin	3.7629956	3.8770441
6	Fire Support	3.7715985	3.8800685
7	Fire Attack	3.7715488	3.8604076
8	M1109 Rec. Vehi	3.7631648	3.849217
9	M2A3 Bradley Mk	3.7674744	3.8529159
10	M1038A1 troop c	3.7855581	3.8551661
11	Indirect Fire	3.7876486	3.8553218
12	Mounted Sniper	3.7904969	3.855202
13	M1A2-SEP / Self-S	3.7960471	3.8593261
14	M1151 w/LRAS3	3.7783145	3.8352592

@RISK Output Report for Detection

Performed By: Meth

Date: Thursday, April 11, 2013 9:40:35 PM





Simulation Summary Information

Workbook Name	a\ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Detection

Statistics	Percentile	
Minimum	5%	5.3096774
Maximum	10%	5.4155107
Mean	15%	5.4837905
Std Dev	20%	5.5479684
Variance	25%	5.6021445
Skewness	30%	5.6571429
Kurtosis	35%	5.7058824
Median	40%	5.7553191
Mode	45%	5.8059701
Left X	50%	5.8530852
Left P	55%	5.9043716
Right X	60%	5.9531603
Right P	65%	6.00369
Diff X	70%	6.0584192
Diff P	75%	6.1131466
#Errors	80%	6.1731844
Filter Min	85%	6.2453704
Filter Max	90%	6.3349727
#Filtered	95%	6.471519




Change in Output Statistic for Detection

Rank	Name	Lower	Upper
1	M1A2 / Detection	5.5308568	6.2534614
2	M2A3 Bradley 2	5.6375545	6.2030709
3	M1A2-SEP / Detection	5.7945041	5.9613261
4	M2A3 Bradley M	5.7978564	5.9546464
5	M3A3 Bradley CF	5.7992161	5.9550325
6	M1109 Rec. Vehi	5.7964879	5.9416786
7	SP M109A6 Palad	5.7957983	5.9290854
8	Mounted Sniper	5.8102303	5.9282468
9	M1151 w/LRAS3	5.8188016	5.9237945
10	Fire Support	5.8307518	5.890011
11	M1038A1 troop	5.841193	5.8987037
12	Fire Attack	5.8432729	5.8952172
13	Indirect Fire	5.8423292	5.8847421
14	Target Acquisition	5.8505336	5.887103

@RISK Output Report for Transportability

Performed By: Meth

Date: Thursday, April 11, 2013 9:40:43 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Transportability

Statistics	Percentile
Minimum	3.120853081 5% 3.4166667
Maximum	4.326359833 10% 3.5074627
Mean	3.854365101 15% 3.5635697
Std Dev	0.250809023 20% 3.6054254
Variance	0.062905166 25% 3.6620553
Skewness	-0.388215993 30% 3.7264574
Kurtosis	2.392590543 35% 3.780814
Median	3.876829268 40% 3.8157895
Mode	3.503452244 45% 3.8466899
Left X	3.416666667 50% 3.8768293
Left P	5% 55% 3.9089184
Right X	4.214611872 60% 3.9466165
Right P	95% 65% 3.9828767
Diff X	0.797945205 70% 4.0240642
Diff P	90% 75% 4.0606061
Errors	0 80% 4.0957447
Filter Min	Off 85% 4.1269841
Filter Max	Off 90% 4.163227
Filtered	0 95% 4.2146119






Change in Output Statistic for Transportability

Rank	Name	Lower	Upper
1	Fire Attack	3.5804393	4.1466433
2	M1A2 / Transportability	3.7510505	4.0008497
3	Fire Support	3.7142676	3.9275217
4	Reconnaissance	3.7885403	3.916849
5	M1A2-SEP / Transportability	3.8252904	3.8871208
6	M1151 w/LRAS3	3.8213134	3.8716455
7	Indirect Fire	3.8285284	3.8697323
8	Target Acquisition	3.8450806	3.8612858
9	SP M109A6 Paladin	3.8478341	3.8611346
10	M2A3 Bradley M	3.8478341	3.8611346
11	M3A3 Bradley CF	3.8478341	3.8611346
12	Mounted Sniper	3.8478341	3.8611346
13	M2A3 Bradley 2 I	3.8478341	3.8611346
14	M1038A1 troop c	3.8478341	3.8611346

@RISK Output Report for C & C

Performed By: Metin

Date: Thursday, April 11, 2013 9:40:51 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529


Summary Statistics for C & C

Statistics	Percentile
Minimum	5% 6.5791962
Maximum	10% 6.6774542
Mean	15% 6.7402062
Std Dev	20% 6.7890947
Variance	25% 6.8260638
Skewness	30% 6.8632856
Kurtosis	35% 6.8998836
Median	40% 6.9350716
Mode	45% 6.9680095
Left X	50% 7.0055127
Left P	55% 7.0388298
Right X	60% 7.0703911
Right P	65% 7.1012373
Diff X	70% 7.1343826
Diff P	75% 7.1682848
#Errors	80% 7.2037618
Filter Min	85% 7.2475248
Filter Max	90% 7.308642
#Filtered	95% 7.3987578

Change in Output Statistic for C & C

Rank	Name	Lower	Upper
1	M2A3 Bradley 2	6.7034546	7.2807016
2	M1A2 / C & C	6.8494545	7.1002112
3	M1109 Rec. Vehi	6.9074964	7.0901599
4	M2A3 Bradley M	6.9079483	7.0794785
5	Mounted Sniper	6.9324638	7.041164
6	M3A3 Bradley CF	6.940086	7.0402803
7	SP M109A6 Palac	6.9414487	7.0399006
8	M1151 w/LRAS3	6.9520946	7.031515
9	Fire Attack	6.9525326	7.0280735
10	M1A2-SEP / C & C	6.9606988	7.0241617
11	Fire Support	6.9636803	7.0257957
12	M1038A1 troop c	6.95413	7.0146492
13	Indirect Fire	6.9805912	7.0097593
14	Target Acquisition	6.9854804	7.012451




Heavy Option- Capabilities



@RISK Output Report for Deployability

Performed By: Meth

Date: Thursday, April 11, 2013 9:41:11 PM



Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Deployability

Statistics	Percentile
Minimum	5% 3.9779696
Maximum	10% 4.104279
Mean	15% 4.1976772
Std Dev	20% 4.2702927
Variance	25% 4.3417939
Skewness	30% 4.4056974
Kurtosis	35% 4.4587381
Median	40% 4.5130604
Mode	45% 4.5625124
Left X	50% 4.6118874
Left P	55% 4.6595343
Right X	60% 4.7116031
Right P	65% 4.7670312
Diff X	70% 4.8220665
Diff P	75% 4.8765472
#Errors	80% 4.9338617
Filter Min	85% 5.0032725
Filter Max	90% 5.0813246
#Filtered	95% 5.1956396


Change in Output Statistic for Deployability

Rank	Name	Lower	Upper
1	Mobility	4.1456087	4.9283294
2	Self-Sufficiency	4.4745811	4.8228209
3	Transportability	4.4519372	4.7649529
4	Fire Attack	4.4583284	4.7569176
5	Detection	4.5350038	4.6864675
6	M1A2 / Transport	4.5358403	4.682194
7	Firepower	4.5294205	4.6753963
8	Command & Con	4.5277258	4.6506728
9	Protection	4.5397439	4.6599058
10	M1A2 / Mobility	4.53525	4.6545341
11	M2A3 Bradley 2 I	4.5465588	4.6578022
12	Fire Support	4.5263431	4.636232
13	Reconnaissance	4.5456619	4.6505471
14	Concealment	4.5631129	4.6493261

@RISK Output Report for Menaverability

Performed By: Metin

Date: Thursday, April 11, 2013 9:41:24 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Menaverability

Statistics	Percentile
Minimum	4.615313243 5% 5.2825038
Maximum	6.950545075 10% 5.3827146
Mean	5.760798588 15% 5.4568149
Std Dev	0.287548943 20% 5.516015
Variance	0.082684395 25% 5.5619274
Skewness	-0.015327039 30% 5.6074101
Kurtosis	2.843290364 35% 5.6508024
Median	5.762646007 40% 5.6883721
Mode	5.810855145 45% 5.7264982
Left X	5.2825038 50% 5.762646
Left P	5% 55% 5.7994384
Right X	6.233616314 60% 5.8371817
Right P	95% 65% 5.8753991
Diff X	0.951112514 70% 5.9141121
Diff P	90% 75% 5.956824
Errors	0 80% 6.0047656
Filter Min	Off 85% 6.0606286
Filter Max	Off 90% 6.1309453
Filtered	0 95% 6.2336163




Change in Output Statistic for Menaverability

Rank	Name	Lower	Upper
1	M2A3 Bradley 2 IFV / Mobility	5.5369635	5.9591423
2	Self-Sufficiency	5.6156189	5.9558521
3	M1A2 / Mobility	5.5607539	5.8971009
4	Mobility	5.635762	5.9048513
5	Firepower	5.6770407	5.9206484
6	Command & Control	5.6026498	5.8437252
7	Protection	5.7030123	5.8735005
8	Concealment	5.7194398	5.8387815
9	Fire Attack	5.7032852	5.817336
10	Transportability	5.7073761	5.8025802
11	Detection	5.7151327	5.807147
12	M1A2 / Self-Sufficiency	5.7174814	5.8056344
13	M3A3 Bradley CFV / Mobility	5.7147067	5.8000855
14	M2A3 Bradley Mobility	5.7199832	5.8023517

@RISK Output Report for Sustainability

Performed By: Meth

Date: Thursday, April 11, 2013 9:41:36 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Sustainability

Statistics	Percentile
Minimum	5% 3.9410821
Maximum	10% 4.0408518
Mean	15% 4.111621
Std Dev	20% 4.1707196
Variance	25% 4.2199837
Skewness	30% 4.2631822
Kurtosis	35% 4.3063085
Median	40% 4.3461066
Mode	45% 4.3832349
Left X	50% 4.419475
Left P	55% 4.4579198
Right X	60% 4.497842
Right P	65% 4.5384087
Diff X	70% 4.5813625
Diff P	75% 4.6263567
#Errors	80% 4.6788921
Filter Min	85% 4.7398387
Filter Max	90% 4.8166782
#Filtered	95% 4.9300166






Change in Output Statistic for Sustainability

Rank	Name	Lower	Upper
1	M1A2 / Self-Sufficiency	4.2091485	4.6058353
2	Protection	4.250314	4.6263331
3	Concealment	4.3111865	4.6449718
4	Mobility	4.2612403	4.5782344
5	Firepower	4.3528058	4.5542333
6	Self-Sufficiency	4.3384022	4.5392883
7	M2A3 Bradley 2 IFV	4.2824748	4.4696484
8	Detection	4.3511691	4.5178255
9	Command & Control	4.3690074	4.5314343
10	M3A3 Bradley CF	4.3707131	4.4722432
11	Reconnaissance	4.3788476	4.4623603
12	M2A3 Bradley 2 IFV	4.381611	4.4636073
13	M1A2 / Protection	4.3888025	4.4697068
14	Fire Support	4.3928906	4.4601468

@RISK Output Report for Lethality

Performed By: Metri

Date: Thursday, April 11, 2013 9:41:48 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Lethality

Statistics	Percentile
Minimum	4.716136605 5% 5.0967251
Maximum	7.134114659 10% 5.2019333
Mean	5.696300373 15% 5.2747573
Std Dev	0.398685219 20% 5.3393181
Variance	0.158949904 25% 5.4019123
Skewness	0.379342594 30% 5.458357
Kurtosis	2.855592741 35% 5.5130147
Median	5.669927372 40% 5.5644239
Mode	5.674983578 45% 5.6140958
Left X	5.096725059 50% 5.6699274
Left P	5% 55% 5.722186
Right X	6.414589717 60% 5.7751549
Right P	95% 65% 5.8311818
Diff X	1.317864659 70% 5.8918541
Diff P	90% 75% 5.9564216
Errors	0 80% 6.0268316
Filter Min	Off 85% 6.1201804
Filter Max	Off 90% 6.2281832
Filtered	0 95% 6.4145897




Change in Output Statistic for Lethality

Rank	Name	Lower	Upper
1	Detection	5.4571505	6.0551635
2	Command & Control	5.561488	6.1399463
3	Firepower	5.4241826	5.9693513
4	Mobility	5.5482897	5.8343299
5	M2A3 Bradley 2 I	5.6167998	5.7984496
6	M1A2 / Firepower	5.6298271	5.787407
7	M1A2 / Detection	5.6284754	5.7742346
8	M2A3 Bradley M	5.6442543	5.756549
9	Protection	5.63874	5.746207
10	Self-Sufficiency	5.6612366	5.7520549
11	M2A3 Bradley 2 I	5.6599292	5.7435421
12	Transportability	5.6547855	5.7381299
13	Reconnaissance	5.656006	5.7370305
14	Concealment	5.6663269	5.7456644

@RISK Output Report for Interoperability

Performed By: Mch

Date: Thursday, April 11, 2013 9:42:00 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Interoperability

Statistics	Percentile
Minimum	5% 4.1066292
Maximum	10% 4.2848231
Mean	15% 4.415316
Std Dev	20% 4.5248485
Variance	25% 4.6135023
Skewness	30% 4.7011542
Kurtosis	35% 4.7911934
Median	40% 4.8746982
Mode	45% 4.9683489
Left X	50% 5.0814844
Left P	55% 5.2329115
Right X	60% 5.713915
Right P	65% 6.5366394
Diff X	70% 6.7528577
Diff P	75% 6.9107674
#Errors	80% 7.0455026
Filter Min	85% 7.1747506
Filter Max	90% 7.3109646
#Filtered	95% 7.4991737


Change in Output Statistic for Interoperability

Rank	Name	Lower	Upper
1	Command & Control	4.6285366	7.0978617
2	Detection	5.1733118	5.9905007
3	Self-Sufficiency	5.3830438	5.8453344
4	Mobility	5.3704237	5.7925214
5	Protection	5.4061951	5.8018647
6	Firepower	5.417319	5.7597859
7	Transportability	5.4356843	5.7678635
8	Concealment	5.4459727	5.7549626
9	M2A3 Bradley 2 IFV	5.5271276	5.7496935
10	Mounted Sniper	5.5153015	5.7272718
11	M2A3 Bradley 2 IFV	5.5560134	5.7400539
12	M1109 Rec. Vehi	5.5343769	5.7157864
13	M1151 w/LRAS3	5.5425928	5.7213043
14	M1A2-SEP / Firep	5.519531	5.6879406

@RISK Output Report for Agility

Performed By: Meth

Date: Thursday, April 11, 2013 9:42:13 PM





Simulation Summary Information

Workbook Name	alTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Agility

Statistics	Percentile
Minimum	5% 3.5106293
Maximum	10% 3.7730035
Mean	15% 4.0311814
Std Dev	20% 4.2754505
Variance	25% 4.5188329
Skewness	30% 4.7093539
Kurtosis	35% 4.8598054
Median	40% 4.9945081
Mode	45% 5.1188813
Left X	50% 5.2534522
Left P	55% 5.3777488
Right X	60% 5.5104875
Right P	65% 5.6464584
Diff X	70% 5.7984134
Diff P	75% 5.96732
#Errors	80% 6.1626645
Filter Min	85% 6.4072046
Filter Max	90% 6.6854846
#Filtered	95% 7.0906263



Change in Output Statistic for Agility




Rank	Name	Lower	Upper
1	Command & Control	4.2776544	6.0181944
2	Protection	4.7581889	6.4329602
3	Mobility	4.902498	5.9035755
4	Firepower	5.0170477	5.8735229
5	Transportability	5.1185465	5.5488324
6	Self-Sufficiency	4.9966215	5.4065496
7	M2A3 Bradley 2 IFV	5.211847	5.4309545
8	Target Acquisition	5.1624672	5.3660344
9	Target Acquisition	5.1637309	5.3519553
10	Concealment	5.1853845	5.3676392
11	M2A3 Bradley Mortar Carrier	5.1850082	5.361847
12	M1151 w/LRAS3	5.1944244	5.3707434
13	M1151 w/LRAS3	5.1862407	5.3593527
14	M1151 w/LRAS3	5.1748773	5.3478436

Motorized (inf) Attributes

@RISK Output Report for Mobility

Performed By: Meth

Date: Thursday, April 11, 2013 9:42:25 PM

**Simulation Summary Information**

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Mobility

Statistics	Percentile
Minimum	5.246963563 5% 5.8066116
Maximum	7.080105634 10% 5.9446328
Mean	6.350127826 15% 6.0308422
Std Dev	0.29824727 20% 6.0982368
Variance	0.088951434 25% 6.1565957
Skewness	-0.415388884 30% 6.2057264
Kurtosis	2.82491726 35% 6.248666
Median	6.377726751 40% 6.290287
Mode	6.235294118 45% 6.3367698
Left X	5.80661157 50% 6.3777268
Left P	5% 55% 6.4146621
Right X	6.787878788 60% 6.4568789
Right P	95% 65% 6.4932432
Diff X	0.981267218 70% 6.5326633
Diff P	90% 75% 6.5720762
#Errors	0 80% 6.6161702
Filter Min	Off 85% 6.6627535
Filter Max	Off 90% 6.716303
#Filtered	0 95% 6.7878788




Change in Output Statistic for Mobility

Rank	Name	Lower	Upper
1	M3A3 Bradley CF	6.0370959	6.5588044
2	Mounted Sniper	6.034295	6.4371003
3	M1038A1 troop d	6.2326933	6.5080809
4	M1A2 / Mobility	6.2407813	6.4202843
5	Fire Support	6.2715308	6.4485145
6	M2A3 Bradley 2 I	6.2502972	6.422665
7	Fire Attack	6.2710658	6.4364205
8	M1151 w/LRAS3	6.3048935	6.3894579
9	M1A2-SEP / Mobi	6.3189488	6.3740089
10	Reconnaissance	6.311725	6.3658069
11	M2A3 Bradley M	6.3311702	6.3715324
12	Indirect Fire	6.3325344	6.3675201
13	M1109 Rec. Vehi	6.337447	6.3598023

@RISK Output Report for Firepower

Performed By: Metin

Date: Thursday, April 11, 2013 9:42:33 PM



Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Firepower

Statistics	Percentile
Minimum	2.266964952 5% 2.5883576
Maximum	3.760220126 10% 2.6732588
Mean	3.063923131 15% 2.7391304
Std Dev	0.277204545 20% 2.8048961
Variance	0.07684236 25% 2.8583129
Skewness	-0.213319712 30% 2.9130081
Kurtosis	2.39988445 35% 2.9629941
Median	3.090622537 40% 3.0102414
Mode	3.191993464 45% 3.0501213
Left X	2.588357588 50% 3.0906225
Left P	5% 55% 3.1244743
Right X	3.488057325 60% 3.1610228
Right P	95% 65% 3.1946472
Diff X	0.899699736 70% 3.2326087
Diff P	90% 75% 3.2710893
#Errors	0 80% 3.3145425
Filter Min	Off 85% 3.359401
Filter Max	Off 90% 3.4106845
#Filtered	0 95% 3.4880573


Change in Output Statistic for Firepower

Rank	Name	Lower	Upper
1	Mounted Sniper	2.7986059	3.2422058
2	M1038A1 troop carrier	2.8786306	3.2454843
3	M3A3 Bradley CF	2.9746201	3.1958067
4	Fire Support	2.9533626	3.1215823
5	Reconnaissance	2.9927402	3.1448269
6	Fire Attack	3.014123	3.13898
7	M2A3 Bradley 2	3.0318372	3.1032668
8	M2A3 Bradley M	3.0304485	3.0982206
9	M1A2 / Firepower	3.0379242	3.1052513
10	Indirect Fire	3.0407482	3.0816521
11	M1A2-SEP / Firepower	3.0501304	3.0837082
12	M1151 w/LRAS3	3.0525746	3.0858906
13	M1109 Rec. Vehi	3.0503845	3.0784221

@RISK Output Report for Concealment

Performed By: Metin

Date: Thursday, April 11, 2013 9:42:41 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Concealment

Statistics	Percentile
Minimum	3.027456647
Maximum	5.869109948
Mean	4.377183858
Std Dev	0.509925911
Variance	0.260024435
Skewness	0.307920672
Kurtosis	2.511443293
Median	4.334298119
Mode	3.66894198
Left X	3.613793103
Left P	5%
Right X	5.298118669
Right P	95%
Diff X	1.684325565
Diff P	90%
Errors	0
Filter Min	Off
Filter Max	Off
Filtered	0






Change in Output Statistic for Concealment

Rank	Name	Lower	Upper
1	Mounted Sniper	3.7749997	5.0731821
2	M3A3 Bradley CFV	4.1262806	4.5646307
3	M1038A1 troop carrier	4.2230051	4.5066913
4	Fire Support	4.2291818	4.5025293
5	Fire Attack	4.2519447	4.4494687
6	Indirect Fire	4.2792871	4.442026
7	M2A3 Bradley 2 IFV	4.2840248	4.4321442
8	M1151 w/LRAS3	4.3040867	4.4202299
9	M1A2 / Concealment	4.3387412	4.4190403
10	M2A3 Bradley Mortar Carrier	4.3433327	4.4160673
11	M1109 Rec. Vehicle	4.3484791	4.4010153
12	M1A2-SEP / Concealment	4.353732	4.4020931

@RISK Output Report for Protection

Performed By: Meth

Date: Thursday, April 11, 2013 9:42:49 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Protection

Statistics	Percentile
Minimum	5% 2.4342857
Maximum	10% 2.5391198
Mean	15% 2.6247401
Std Dev	20% 2.6920474
Variance	25% 2.7560976
Skewness	30% 2.8127018
Kurtosis	35% 2.864813
Median	40% 2.9208174
Mode	45% 2.9758149
Left X	50% 3.0362087
Left P	55% 3.1004695
Right X	60% 3.171967
Right P	65% 3.2444196
Diff X	70% 3.3302857
Diff P	75% 3.4154303
#Errors	80% 3.5089606
Filter Min	85% 3.6236906
Filter Max	90% 3.7497062
#Filtered	95% 3.9010526


Change in Output Statistic for Protection

Rank	Name	Lower	Upper
1	Mounted Sniper	2.8159364	3.7261918
2	M3A3 Bradley CF	2.7834134	3.3169956
3	Fire Support	2.8851091	3.243196
4	M1038A1 troop c	2.9959613	3.2186174
5	Reconnaissance	3.020436	3.220408
6	Indirect Fire	2.9831853	3.1750787
7	M1A2 / Protectio	3.0137961	3.1806023
8	M1151 w/LRAS3	3.0391752	3.1669475
9	Fire Attack	3.0386871	3.1557156
10	M2A3 Bradley 2 I	3.0242555	3.1370435
11	M1A2-SEP / Prote	3.0576445	3.1408603
12	M2A3 Bradley Mk	3.0585054	3.1330132
13	M1109 Rec. Vehi	3.0698625	3.1137583

@RISK Output Report for Self-Sufficiency

Performed By: Meth

Date: Thursday, April 11, 2013 9:42:57 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Self-Sufficiency

Statistics		Percentile
Minimum	4.474009901	5% 5.0836197
Maximum	6.619242579	10% 5.1980088
Mean	5.614229089	15% 5.2694118
Std Dev	0.33017549	20% 5.3333333
Variance	0.109015854	25% 5.3840666
Skewness	0.061592287	30% 5.4305043
Kurtosis	2.72634573	35% 5.4763343
Median	5.60199005	40% 5.5189003
Mode	5.407496977	45% 5.5626976
Left X	5.083619702	50% 5.60199
Left P	5%	55% 5.6449704
Right X	6.178119349	60% 5.690583
Right P	95%	65% 5.7362894
Diff X	1.094499647	70% 5.7849687
Diff P	90%	75% 5.8374525
#Errors	0	80% 5.9005792
Filter Min	Off	85% 5.9748804
Filter Max	Off	90% 6.0600437
#Filtered	0	95% 6.1781193






Change in Output Statistic for Self-Sufficiency

Rank	Name	Lower	Upper
1	Mounted Sniper	5.4380519	5.8865246
2	M3A3 Bradley CF	5.4194256	5.8150735
3	M1A2 / Self-Suffic	5.4389009	5.7669315
4	Fire Attack	5.4650399	5.7928279
5	Fire Support	5.4332578	5.7359158
6	Indirect Fire	5.5460313	5.7251007
7	M1038A1 troop c	5.5396187	5.7112956
8	Reconnaissance	5.5527479	5.7030477
9	M1151 w/LRAS3	5.5707316	5.6453954
10	M2A3 Bradley 2 I	5.5708768	5.6336005
11	M1A2-SEP / Self-S	5.5914798	5.6382237
12	M2A3 Bradley Me	5.5939538	5.6387502
13	M1109 Rec. Vehi	5.5915708	5.6291379

@RISK Output Report for Detection

Performed By: Metin

Date: Thursday, April 11, 2013 9:43:05 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Detection

Statistics	Percentile
Minimum	5% 4.452151
Maximum	10% 4.5375458
Mean	15% 4.6123188
Std Dev	20% 4.673029
Variance	25% 4.733871
Skewness	30% 4.7997812
Kurtosis	35% 4.8635438
Median	40% 4.9335828
Mode	45% 5.0086393
Left X	50% 5.0863454
Left P	55% 5.1602497
Right X	60% 5.2285714
Right P	65% 5.2921225
Diff X	70% 5.3578244
Diff P	75% 5.4146608
Errors	80% 5.4695912
Filter Min	85% 5.5362694
Filter Max	90% 5.6129032
#Filtered	95% 5.7098394


Change in Output Statistic for Detection

Rank	Name	Lower	Upper
1	Mounted Sniper	4.6834016	5.4751482
2	M3A3 Bradley CF	4.9212935	5.3089712
3	M1A2 / Detection	4.950095	5.2309584
4	M1038A1 troop c	5.0252591	5.2252703
5	Indirect Fire	5.0252677	5.1374306
6	M2A3 Bradley 2 I	5.0343694	5.1384448
7	M1151 w/LRAS3	5.0380779	5.1320143
8	M2A3 Bradley M	5.0350415	5.1273218
9	Reconnaissance	5.0416205	5.1237174
10	Fire Attack	5.0330968	5.1150853
11	Fire Support	5.0572957	5.1180164
12	M1A2-SEP / Det	5.0483579	5.1066226
13	M1109 Rec. Vehi	5.0605004	5.1041815

@RISK Output Report for Transportability

Performed By: Metn

Date: Thursday, April 11, 2013 9:43:13 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Transportability

Statistics	Percentile
Minimum	5.458272328 5% 5.9005525
Maximum	7.044038668 10% 6.0582121
Mean	6.443718391 15% 6.1588486
Std Dev	0.287192375 20% 6.2182741
Variance	0.08247946 25% 6.2684268
Skewness	-0.497109845 30% 6.3071809
Kurtosis	2.942306952 35% 6.3432574
Median	6.457687723 40% 6.3816667
Mode	6.332682927 45% 6.4242424
Left X	5.900552486 50% 6.4576877
Left P	5% 55% 6.5017626
Right X	6.865882353 60% 6.5441176
Right P	95% 65% 6.5849387
Diff X	0.965329867 70% 6.624424
Diff P	90% 75% 6.6635294
#Errors	0 80% 6.7038627
Filter Min	Off 85% 6.7474747
Filter Max	Off 90% 6.7966102
#Filtered	0 95% 6.8658824






Change in Output Statistic for Transportability

Rank	Name	Lower	Upper
1	Fire Attack	6.1599624	6.729511
2	Fire Support	6.1300651	6.6167096
3	Reconnaissance	6.3113032	6.5506311
4	Indirect Fire	6.333303	6.510536
5	M1A2 / Transport	6.4066778	6.4923041
6	M1151 w/LRAS3	6.4043708	6.4717857
7	M1A2-SEP / Trans	6.4223374	6.4568491
8	M1109 Rec. Vehi	6.4252848	6.4586185
9	M1038A1 troop c	6.4252848	6.4586185
10	M2A3 Bradley M	6.4252848	6.4586185
11	M3A3 Bradley CF	6.4252848	6.4586185
12	Mounted Sniper	6.4252848	6.4586185
13	M2A3 Bradley 2	6.4252848	6.4586185

@RISK Output Report for C & C

Performed By: Metri

Date: Thursday, April 11, 2013 9:43:21 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for C & C

Statistics	Percentile
Minimum	5.071559633 5% 5.5121339
Maximum	6.828657315 10% 5.6203072
Mean	6.115543546 15% 5.7291667
Std Dev	0.34151448 20% 5.8167442
Variance	0.11663214 25% 5.8824593
Skewness	-0.322309925 30% 5.9371125
Kurtosis	2.344367084 35% 5.9830827
Median	6.133534137 40% 6.0289449
Mode	6.121179039 45% 6.0792541
Left X	5.512133891 50% 6.1335341
Left P	5% 55% 6.1935829
Right X	6.615720524 60% 6.2456897
Right P	95% 65% 6.2944785
Diff X	1.103586633 70% 6.3415113
Diff P	90% 75% 6.3893557
#Errors	0 80% 6.4410646
Filter Min	Off 85% 6.496139
Filter Max	Off 90% 6.5524403
#Filtered	0 95% 6.6157205

Change in Output Statistic for C & C


Rank	Name	Lower	Upper
1	Mounted Sniper	5.6230239	6.4476863
2	M3A3 Bradley CF	5.9812728	6.2178687
3	Fire Attack	5.9941856	6.2098352
4	M1038A1 troop c	5.9732099	6.1681609
5	M1A2 / C & C	6.032519	6.1663425
6	Fire Support	6.0391993	6.1635278
7	Indirect Fire	6.0559784	6.1697575
8	M2A3 Bradley 2 I	6.056974	6.1654569
9	M1151 w/LRAS3	6.0726709	6.179413
10	M2A3 Bradley M	6.0809281	6.1649268
11	Reconnaissance	6.0825335	6.1500055
12	M1109 Rec. Vehi	6.0836665	6.146098
13	M1A2-SEP / C & C	6.0940518	6.1420598

Motorized (inf)-Capabilities

@RISK Output Report for Survivability

Performed By: Meth


Date: Thursday, April 11, 2013 9:43:29 PM

M119A3 105 (w/ M998) / Survivability**Simulation Summary Information**


Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /

Statistics	Percentile
Minimum	3.49614081 5% 3.9048914
Maximum	5.458842322 10% 4.0079635
Mean	4.381914423 15% 4.0773108
Std Dev	0.289723658 20% 4.1327048
Variance	0.083939798 25% 4.1815767
Skewness	0.080354702 30% 4.2260966
Kurtosis	2.827045356 35% 4.2661426
Median	4.378617424 40% 4.3038199
Mode	4.367435784 45% 4.341135
Left X	3.904891406 50% 4.3786174
Left P	5% 55% 4.4152313
Right X	4.864834648 60% 4.4521799
Right P	95% 65% 4.4924277
Diff X	0.959943243 70% 4.5311658
Diff P	90% 75% 4.5761537
Errors	0 80% 4.6267829
Filter Min	Off 85% 4.6858209
Filter Max	Off 90% 4.7615183
Filtered	0 95% 4.8648346

M119A3 105 (w/ M998) / Survivability**M119A3 105 (w/ M998) / Survivability**

Inputs Ranked by Effect on Output Mean

**Change in Output Statistic for M119A3 105 (w/**


Rank	Name	Lower	Upper
1	Mobility	4.1241791	4.5558628
2	Mounted Sniper	4.2725001	4.6366005
3	Mounted Sniper	4.2378346	4.5467396
4	M3A3 Bradley CF	4.2557601	4.4684199
5	Concealment	4.2967851	4.4874993
6	Fire Support	4.2999467	4.4532647
7	Detection	4.307018	4.4587446
8	Self-Sufficiency	4.3171767	4.4554673
9	Protection	4.3193586	4.4550621
10	Command & Con	4.3238574	4.4568037
11	M3A3 Bradley CF	4.3188738	4.429573
12	Indirect Fire	4.3349798	4.4274052
13	Reconnaissance	4.350555	4.4411732
14	M1038A1 troop c	4.3475896	4.435828

@RISK Output Report for Deployability


Performed By: Math

Date: Thursday, April 11, 2013 9:43:43 PM

M119A3 105 (w/ M998) / Deployability




M119A3 105 (w/ M998) / Deployability



M119A3 105 (w/ M998) / Deployability

Inputs Ranked by Effect on Output Mean



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /

Statistics	Percentile
Minimum	4.43055716 5% 5.1245656
Maximum	7.151167057 10% 5.2691294
Mean	5.823248268 15% 5.3669572
Std Dev	0.423226295 20% 5.4516296
Variance	0.179120497 25% 5.5228667
Skewness	-0.043656041 30% 5.5875319
Kurtosis	2.652909075 35% 5.6555109
Median	5.826350228 40% 5.7161128
Mode	5.743252852 45% 5.7675755
Left X	5.124565556 50% 5.8263502
Left P	5% 55% 5.884764
Right X	6.508267772 60% 5.9425346
Right P	95% 65% 6.00094
Diff X	1.383702216 70% 6.063028
Diff P	90% 75% 6.12277
Errors	0 80% 6.1891392
Filter Min	Off 85% 6.2769717
Filter Max	Off 90% 6.3730657
#Filtered	0 95% 6.5082678

Change in Output Statistic for M119A3 105 (w/


Rank	Name	Lower	Upper
1	Mobility	5.3703476	6.1469512
2	Transportability	5.5526108	6.084679
3	Self-Sufficiency	5.6437148	6.1420581
4	Fire Attack	5.6820029	5.979635
5	Fire Support	5.6339015	5.912819
6	Concealment	5.7576822	5.8810266
7	Detection	5.7631804	5.8861339
8	Reconnaissance	5.7658587	5.8840283
9	Command & Con	5.7595567	5.867887
10	Protection	5.7738054	5.8817048
11	Indirect Fire	5.7725788	5.8739426
12	M3A3 Bradley CF	5.7844348	5.8652456
13	Mounted Sniper	5.7950079	5.8676195
14	Reconnaissance	5.7890609	5.8605681

@RISK Output Report for Menaverability


Performed By: Meth

Date: Thursday, April 11, 2013 9:43:55 PM

M119A3 105 (w/ M998) / Menaverability




M119A3 105 (w/ M998) / Menaverability



M119A3 105 (w/ M998) / Menaverability

Inputs Ranked by Effect on Output Mean



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /

Statistics	Percentile
Minimum	5% 5.1857352
Maximum	10% 5.2907238
Mean	15% 5.3561975
Std Dev	20% 5.4110718
Variance	25% 5.4592517
Skewness	30% 5.5016671
Kurtosis	35% 5.5413822
Median	40% 5.5787763
Mode	45% 5.6177109
Left X	50% 5.6568053
Left P	55% 5.6936897
Right X	60% 5.7326513
Right P	65% 5.7711803
Diff X	70% 5.8146406
Diff P	75% 5.8583284
Errors	80% 5.906697
Filter Min	85% 5.9606699
Filter Max	90% 6.027585
Filtered	95% 6.1222159

Change in Output Statistic for M119A3 105 (w/


Rank	Name	Lower	Upper
1	Self-Sufficiency	5.4494454	5.9324097
2	M3A3 Bradley CF	5.4954523	5.7824773
3	Mobility	5.5300683	5.7968046
4	Mounted Sniper	5.4978994	5.7134099
5	Command & Con	5.5221985	5.7276542
6	Concealment	5.5813988	5.7820357
7	M1038A1 troop c	5.587155	5.7383713
8	Transportability	5.5847245	5.7354748
9	Firepower	5.5997237	5.7447386
10	Fire Support	5.6129489	5.7216565
11	Mounted Sniper	5.6002414	5.7077862
12	Detection	5.6122607	5.7179078
13	Protection	5.616308	5.721028
14	M2A3 Bradley 2 I	5.6008338	5.6917367

@RISK Output Report for Menaverability

Performed By: Metn

Date: Thursday, April 11, 2013 9:43:55 PM

M119A3 105 (w/ M998) / Menaverability




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /


Statistics	Percentile
Minimum	5% 5.1857352
Maximum	10% 5.2907238
Mean	15% 5.3561975
Std Dev	20% 5.4110718
Variance	25% 5.4592517
Skewness	30% 5.5016671
Kurtosis	35% 5.5413822
Median	40% 5.5787763
Mode	45% 5.6177109
Left X	50% 5.6568053
Left P	55% 5.6936897
Right X	60% 5.7326513
Right P	65% 5.7711803
Diff X	70% 5.8146406
Diff P	75% 5.8583284
Errors	80% 5.906697
Filter Min	85% 5.9606699
Filter Max	90% 6.027585
Filtered	95% 6.1222159

M119A3 105 (w/ M998) / Menaverability



M119A3 105 (w/ M998) / Menaverability

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M119A3 105 (w/


Rank	Name	Lower	Upper
1	Self-Sufficiency	5.4494454	5.9324097
2	M3A3 Bradley CF	5.4954523	5.7824773
3	Mobility	5.5300683	5.7968046
4	Mounted Sniper	5.4978994	5.7134099
5	Command & Con	5.5221985	5.7276542
6	Concealment	5.5813988	5.7820357
7	M1038A1 troop c	5.587155	5.7383713
8	Transportability	5.5847245	5.7354748
9	Firepower	5.5997237	5.7447386
10	Fire Support	5.6129489	5.7216565
11	Mounted Sniper	5.6002414	5.7077862
12	Detection	5.6122607	5.7179078
13	Protection	5.616308	5.721028
14	M2A3 Bradley 21	5.6008338	5.6917367

@RISK Output Report for Lethality

Performed By: Metn

Date: Thursday, April 11, 2013 9:44:19 PM

M119A3 105 (w/ M998) / Lethality




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998)


Statistics	Percentile
Minimum	3.313962515 5% 3.7254621
Maximum	5.484282837 10% 3.8264285
Mean	4.252956201 15% 3.8914368
Std Dev	0.345709776 20% 3.9468757
Variance	0.119515249 25% 4.0048284
Skewness	0.344103214 30% 4.0511262
Kurtosis	2.890745505 35% 4.0986001
Median	4.229073258 40% 4.1417134
Mode	4.188981918 45% 4.1853302
Left X	3.72546211 50% 4.2290733
Left P	5% 55% 4.2713323
Right X	4.87197719 60% 4.3197197
Right P	95% 65% 4.3697854
Diff X	1.146515081 70% 4.4220096
Diff P	90% 75% 4.4832731
#Errors	0 80% 4.5443756
Filter Min	Off 85% 4.6191835
Filter Max	Off 90% 4.7144141
#Filtered	0 95% 4.8719772

M119A3 105 (w/ M998) / Lethality



M119A3 105 (w/ M998) / Lethality

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M119A3 105 (w/


Rank	Name	Lower	Upper
1	Detection	4.0407285	4.5571473
2	Command & Con	4.1291626	4.6380401
3	Firepower	4.1081028	4.3876126
4	Mounted Sniper	4.1078591	4.3551994
5	Mobility	4.134166	4.3696617
6	M1038A1 troop	4.1581402	4.3613885
7	Mounted Sniper	4.1904889	4.3140345
8	Reconnaissance	4.1886685	4.3065806
9	M3A3 Bradley CF	4.1972616	4.3148894
10	Concealment	4.2005205	4.3123373
11	Fire Support	4.1837772	4.2879815
12	Transportability	4.1997181	4.298912
13	Self-Sufficiency	4.2170682	4.3147626
14	Mounted Sniper	4.2002651	4.2948955

@RISK Output Report for Interoperability

Performed By: Metin

Date: Thursday, April 11, 2013 9:44:30 PM

M119A3 105 (w/ M998) / Interoperability




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /


Statistics	Percentile
Minimum	5% 3.9322056
Maximum	10% 4.1001275
Mean	15% 4.2247595
Std Dev	20% 4.3148603
Variance	25% 4.4062009
Skewness	30% 4.4923233
Kurtosis	35% 4.5769979
Median	40% 4.6694037
Mode	45% 4.7716979
Left X	50% 4.8860283
Left P	55% 5.0406919
Right X	60% 5.4545369
Right P	65% 6.0081007
Diff X	70% 6.2340687
Diff P	75% 6.3968182
#Errors	80% 6.5389606
Filter Min	85% 6.6919432
Filter Max	90% 6.8470887
#Filtered	95% 7.037508

M119A3 105 (w/ M998) / Interoperability



M119A3 105 (w/ M998) / Interoperability

Inputs Ranked by Effect on Output Mean




Change in Output Statistic for M119A3 105 (w/

Rank	Name	Lower	Upper
1	Command & Control	4.4370632	6.6071462
2	Detection	4.9330058	5.6455064
3	Transportability	5.0767078	5.6028586
4	Self-Sufficiency	5.064353	5.5117923
5	Mobility	5.0588265	5.4956939
6	Mounted Sniper	5.1235576	5.4493146
7	Protection	5.1391274	5.4276356
8	Firepower	5.1907544	5.4171537
9	Concealment	5.1523414	5.3741872
10	Mounted Sniper	5.2123599	5.4252019
11	Fire Support	5.2072853	5.412929
12	Mounted Sniper	5.2171518	5.3939725
13	Fire Support	5.2189901	5.3848303
14	M3A3 Bradley CF	5.2493108	5.4148152

Performed By: Metin
Date: Thursday, April 11, 2013 9:44:42 PM

M119A3 105 (w/ M998) / Agility




Simulation Summary Information

Workbook Name	alTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M119A3 105 (w/ M998) /


Statistics	Percentile
Minimum	5% 3.3638645
Maximum	10% 3.6033923
Mean	15% 3.8414561
Std Dev	20% 4.0493013
Variance	25% 4.2471725
Skewness	30% 4.4124533
Kurtosis	35% 4.5489563
Median	40% 4.6738396
Mode	45% 4.8007422
Left X	50% 4.9196099
Left P	55% 5.0262246
Right X	60% 5.1438883
Right P	65% 5.2783078
Diff X	70% 5.413561
Diff P	75% 5.5626263
#Errors	80% 5.7156078
Filter Min	85% 5.8983558
Filter Max	90% 6.1352727
#Filtered	95% 6.5023694

M119A3 105 (w/ M998) / Agility



M119A3 105 (w/ M998) / Agility


Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M119A3 105 (w/

Rank	Name	Lower	Upper
1	Command & Control	3.9669113	5.6210624
2	Protection	4.508702	5.7776817
3	Mobility	4.5769437	5.5471596
4	Transportability	4.6700492	5.489455
5	Self-Sufficiency	4.5193692	5.1158697
6	Firepower	4.7398498	5.238472
7	Concealment	4.8270148	5.0827171
8	Mounted Sniper	4.7905259	5.0369859
9	Mounted Sniper	4.8110121	5.0052915
10	Mounted Sniper	4.8323624	5.0254854
11	Fire Support	4.8107481	4.9988736
12	M3A3 Bradley CF	4.8261018	4.9959341
13	M1038A1 troop c	4.8596873	5.0259573
14	Fire Support	4.8178387	4.9683179

Stryker Option- Missions




@RISK Output Report for Show of Force (SoF)

Performed By: Metin

Date: Thursday, April 11, 2013 9:45:08 PM

M777A2 w/M1152A2 / Show of Force (SoF)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M777A2 w/M1152A2 / Show of Force (SoF)


Statistics	Percentile
Minimum	3.795276962 5% 4.4283863
Maximum	6.739802553 10% 4.5799238
Mean	5.207606677 15% 4.7041748
Std Dev	0.470545033 20% 4.7933599
Variance	0.221412628 25% 4.866588
Skewness	0.001001406 30% 4.9391468
Kurtosis	2.56950407 35% 5.0144002
Median	5.20994018 40% 5.0811679
Mode	5.280440464 45% 5.1490777
Left X	4.42838626 50% 5.2099402
Left P	5% 55% 5.2751295
Right X	5.975789264 60% 5.3384186
Right P	95% 65% 5.4023129
Diff X	1.547403004 70% 5.4700705
Diff P	90% 75% 5.5438743
#Errors	0 80% 5.6232929
Filter Min	Off 85% 5.712746
Filter Max	Off 90% 5.8297106
Filtered	0 95% 5.9757893

M777A2 w/M1152A2 / Show of Force (SoF)



M777A2 w/M1152A2 / Show of Force (SoF)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M777A2 w/M1152A2 / Show of Force (SoF)


Rank	Name	Lower	Upper
1	Lethality / Show of Force (SoF)	4.796437	5.5958362
2	Deployability / Show of Force (SoF)	4.8109895	5.5351092
3	Survivability / Show of Force (SoF)	4.9852757	5.3356249
4	Agility / Show of Force (SoF)	5.1190976	5.3906411
5	Command & Control	5.1457346	5.346939
6	Maneuverability / Show of Force (SoF)	5.1278099	5.3262386
7	Detection	5.1403739	5.3193181
8	Mobility	5.1107464	5.2743954
9	Sustainability / Show of Force (SoF)	5.1149315	5.2708379
10	Firepower	5.1269951	5.2805366
11	Stryker ICV (Inf. Squad) / Mobility	5.1057927	5.2574591
12	Self-Sufficiency	5.1539795	5.2764987
13	Stryker ICV (Inf. Squad) / Concealment	5.154411	5.2753462
14	Self-Sufficiency	5.1639711	5.283534

@RISK Output Report for Sanctuary Denial (SD)

Performed By: Meth

Date: Thursday, April 11, 2013 9:45:22 PM

M777A2 w/M1152A2 / Sanctuary Denial (SD)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M777A2 w/M1152A2 / Sanctuary Denial (SD)


Statistics	Percentile
Minimum	5% 4.2986335
Maximum	10% 4.510647
Mean	15% 4.648951
Std Dev	20% 4.7545907
Variance	25% 4.8472503
Skewness	30% 4.9351772
Kurtosis	35% 5.013026
Median	40% 5.0801643
Mode	45% 5.1464349
Left X	50% 5.2225686
Left P	55% 5.2921348
Right X	60% 5.3683495
Right P	65% 5.4415899
Diff X	70% 5.5234555
Diff P	75% 5.6045246
#Errors	80% 5.702352
Filter Min	85% 5.8193158
Filter Max	90% 5.9702878
#Filtered	95% 6.2057638

M777A2 w/M1152A2 / Sanctuary Denial (SD)



M777A2 w/M1152A2 / Sanctuary Denial (SD)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M777A2 w/M1152A2 / Sanctuary Denial (SD)


Rank	Name	Lower	Upper
1	Survivability / Sa	4.6819603	5.4810713
2	Sustainability / S	5.0769186	5.712315
3	Maneuverability /	4.9077667	5.5348642
4	Deployability / S	5.0569652	5.6716485
5	Interoperability	5.0957049	5.5344811
6	Agility / Sanctuar	5.0321022	5.4342493
7	Command & Con	5.0400597	5.4029908
8	Protection	5.1599903	5.3829307
9	Mobility	5.1713154	5.3555408
10	Self-Sufficiency	5.1188124	5.2969722
11	Firepower	5.174819	5.3453228
12	Stryker ICV (Inf. S	5.1635968	5.3221829
13	Mobility	5.151545	5.3083255
14	Command & Con	5.1737484	5.3210963

@RISK Output Report for Support to Unconventional Foreign Forces

Performed By: Metin

Date: Thursday, April 11, 2013 9:45:36 PM

M777A2 w/M1152A2 / Support to Unconventional ...




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529


Summary Statistics for M777A2 w/M1152A2 / Support to Unconventional Foreign Forces (SPUF)

Statistics	Percentile
Minimum	5% 4.3637525
Maximum	10% 4.5256617
Mean	15% 4.649506
Std Dev	20% 4.7479106
Variance	25% 4.8358594
Skewness	30% 4.9165608
Kurtosis	35% 4.9891946
Median	40% 5.0637599
Mode	45% 5.1317831
Left X	50% 5.2034004
Left P	55% 5.2716753
Right X	60% 5.3459114
Right P	65% 5.4216657
Diff X	70% 5.5056449
Diff P	75% 5.5955024
Errors	80% 5.6923691
Filter Min	85% 5.8037206
Filter Max	90% 5.9540658
Filtered	95% 6.178914

M777A2 w/M1152A2 / Support to Unconventional ...



M777A2 w/M1152A2 / Support to Unconventional ...



Change in Output Statistic for M777A2 w/M1152A2 / Support to Unconventional Foreign Forces (SPUF)


Rank	Name	Lower	Upper
1	Deployability / Support to Unconventional Foreign Forces	5.0660075	5.7885479
2	Agility / Support to Unconventional Foreign Forces	4.8061324	5.4134292
3	Command & Control	4.9488248	5.4577045
4	Command & Control	5.0504501	5.4946477
5	Mobility	5.1069234	5.4228011
6	Protection	5.1246856	5.4287349
7	Lethality / Support to Unconventional Foreign Forces	5.0664643	5.3648001
8	Sustainability / Support to Unconventional Foreign Forces	5.1217788	5.3646411
9	Survivability / Support to Unconventional Foreign Forces	5.076155	5.310424
10	Firepower	5.1697045	5.3881935
11	Interoperability	5.1202996	5.321263
12	Self-Sufficiency	5.0971818	5.296283
13	Transportability	5.1684718	5.342794
14	Stryker ICV (Inf. Support)	5.1734812	5.3255301

@RISK Output Report for Opposed Stabilization (OS)

Performed By: Metin

Date: Thursday, April 11, 2013 9:45:50 PM

M777A2 w/M1152A2 / Opposed Stabilization (OS)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M777A2 w/M1152A2 / Opposed Stabilization (OS)


Statistics	Percentile
Minimum	4.347081065 5% 4.9253822
Maximum	6.94535866 10% 5.0442207
Mean	5.538869161 15% 5.1285589
Std Dev	0.380571611 20% 5.2010899
Variance	0.144834751 25% 5.2687197
Skewness	0.111336815 30% 5.3322847
Kurtosis	2.763545318 35% 5.3841037
Median	5.533769107 40% 5.4334766
Mode	5.615550953 45% 5.4858021
Left X	4.925382237 50% 5.5337691
Left P	5% 55% 5.5840552
Right X	6.175563369 60% 5.6286142
Right P	95% 65% 5.685414
Dist X	1.250181131 70% 5.7414696
Dist P	90% 75% 5.8019155
Errors	0 80% 5.8673735
Filter Min	Off 85% 5.9415479
Filter Max	Off 90% 6.0375182
Filtered	0 95% 6.1755634

M777A2 w/M1152A2 / Opposed Stabilization (OS)



M777A2 w/M1152A2 / Opposed Stabilization (OS)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M777A2 w/M1152A2 / Opposed Stabilization (OS)


Rank	Name	Lower	Upper
1	Sustainability / Opposed Stabilization	5.2246597	5.7859036
2	Command & Control	5.4088497	5.7378436
3	Agility / Opposed Stabilization (OS)	5.4073441	5.6938276
4	Interoperability	5.4494817	5.7089317
5	Command & Control	5.3887527	5.6480515
6	Maneuverability	5.4250079	5.6159667
7	Concealment	5.4815407	5.6487552
8	Mobility	5.4815105	5.6406059
9	Self-Sufficiency	5.4745321	5.6290303
10	Protection	5.4966713	5.6443563
11	Firepower	5.4951137	5.640527
12	Self-Sufficiency	5.479651	5.6147548
13	Mobility	5.4645959	5.5970677
14	Stryker ICV (Inf. S)	5.4850659	5.6156858

@RISK Output Report for Major Combat Campaign (MCC)

Performed By: Meth

Date: Thursday, April 11, 2013 9:46:04 PM

M777A2 w/M1152A2 / Major Combat Campaign (...)




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M777A2 w/M1152A2 / M


Statistics	Percentile
Minimum	4.171935098 5% 4.698936
Maximum	6.739080585 10% 4.8097288
Mean	5.276622834 15% 4.8924937
Std Dev	0.364584842 20% 4.957666
Variance	0.132922107 25% 5.0131025
Skewness	0.222516027 30% 5.0686978
Kurtosis	2.793882643 35% 5.1214533
Median	5.262341466 40% 5.1693408
Mode	5.30421255 45% 5.2147639
Left X	4.698936045 50% 5.2623415
Left P	5% 55% 5.3077503
Right X	5.905156595 60% 5.3573799
Right P	95% 65% 5.4053427
Diff X	1.20622055 70% 5.4635238
Diff P	90% 75% 5.5230319
Errors	0 80% 5.5873927
Filter Min	Off 85% 5.6617962
Filter Max	Off 90% 5.759378
Filtered	0 95% 5.9051566

M777A2 w/M1152A2 / Major Combat Campaign (...)



M777A2 w/M1152A2 / Major Combat Campaign (...)

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M777A2 w/M1152A2 / M




Rank	Name	Lower	Upper
1	Menaverability / Major Combat Ca	5.0104397	5.6399483
2	Lethality / Major Combat Ca	5.0208621	5.590162
3	Self-Sufficiency	5.1963339	5.390939
4	Survivability / Major Combat Ca	5.1958527	5.376032
5	Command & Control	5.2094874	5.3661263
6	Command & Control	5.2357629	5.3872639
7	Command & Control	5.1991561	5.3449564
8	Interoperability	5.2184673	5.3604036
9	Stryker ICV (Inf. Squad) / Mobility	5.1790739	5.3191891
10	Stryker ICV (Inf. Squad) / C & C	5.2201068	5.3440774
11	Stryker ICV (Inf. Squad) / C & C	5.2347456	5.3531621
12	Detection	5.2301273	5.3455965
13	Mobility	5.2308277	5.3413686
14	Firepower	5.2131692	5.3199731

Stryker Option-Attributes

@RISK Output Report for Mobility

Performed By: Metin

Date: Thursday, April 11, 2013 9:46:18 PM

**Simulation Summary Information**

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Mobility

Statistics	Percentile
Minimum	5% 6.2728561
Maximum	10% 6.3632107
Mean	15% 6.4767932
Std Dev	20% 6.6076759
Variance	25% 6.6696987
Skewness	30% 6.7085582
Kurtosis	35% 6.7397998
Median	40% 6.7671492
Mode	45% 6.7916355
Left X	50% 6.8133129
Left P	55% 6.8357827
Right X	60% 6.8562049
Right P	65% 6.8773163
Diff X	70% 6.899519
Diff P	75% 6.9216167
#Errors	80% 6.946061
Filter Min	85% 6.974212
Filter Max	90% 7.0138782
#Filtered	95% 7.0671693


Change in Output Statistic for Mobility

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / Mobility	6.3789446	6.8654993
2	M1134A2 Stryker CV / Mobility	6.6779625	6.8680173
3	M1128 MGS 105 mm. / Mobility	6.6856454	6.8753898
4	M777A2 w/M1152 / Mobility	6.696131	6.8061534
5	Javelin team (w/M1152) / Mobility	6.7223923	6.8298772
6	M1109 Rec. Veh. / Mobility	6.7346491	6.8276906
7	M1130A2 Stryker CV / Mobility	6.7230575	6.8062056
8	Fire Support	6.7300859	6.8103008
9	Indirect Fire	6.7222488	6.7974568
10	Stryker 120 mm. / Mobility	6.7362597	6.8033354
11	81mm Mortar (w/M1152) / Mobility	6.7336843	6.7893447
12	Target Acquisition / Mobility	6.7351883	6.7744197
13	Mounted Sniper Team (M1038A1) / Mobility	6.7400216	6.7782549
14	Fire Attack	6.7392291	6.7767411

@RISK Output Report for Firepower

Performed By: Meth

Date: Thursday, April 11, 2013 9:46:26 PM





Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Firepower

Statistics	Percentile
Minimum	4.131177829 5% 4.3535749
Maximum	5.403491756 10% 4.4071051
Mean	4.715467428 15% 4.4503311
Std Dev	0.241961744 20% 4.4866605
Variance	0.058545486 25% 4.5198218
Skewness	0.18257381 30% 4.5519399
Kurtosis	2.186042368 35% 4.5827781
Median	4.701433515 40% 4.621856
Mode	4.578456758 45% 4.6609995
Left X	4.353574927 50% 4.7014335
Left P	5% 55% 4.744113
Right X	5.118913378 60% 4.7838828
Right P	95% 65% 4.8222738
Diff X	0.765338451 70% 4.8609843
Diff P	90% 75% 4.9010633
#Errors	0 80% 4.9456674
Filter Min	Off 85% 4.996286
Filter Max	Off 90% 5.0498886
#Filtered	0 95% 5.1189134





Change in Output Statistic for Firepower

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / Firepower	4.5587363	4.953796
2	M1128 MGS 105	4.6306511	4.8414227
3	Stryker 120 mm.	4.6465336	4.8168063
4	Fire Attack	4.6234409	4.7824909
5	M1134A2 Stryker	4.6336939	4.7475196
6	Javelin team (w/	4.6616775	4.7676685
7	Fire Support	4.6836115	4.7868554
8	M777A2 w/M115	4.6902294	4.7609571
9	M1130A2 Stryker	4.6824914	4.7454768
10	Indirect Fire	4.6940522	4.7438257
11	81mm Mortar (w/	4.6955255	4.7417364
12	Mounted Sniper	4.6906623	4.7365556
13	Reconnaissance	4.692544	4.7349752
14	M1109 Rec. Vehi	4.7001934	4.7324912

@RISK Output Report for Concealment

Performed By: Metin

Date: Thursday, April 11, 2013 9:46:34 PM




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Concealment

Statistics	Percentile
Minimum	5% 3.7446458
Maximum	10% 3.822627
Mean	15% 3.8759232
Std Dev	20% 3.923588
Variance	25% 3.96337
Skewness	30% 4.0055594
Kurtosis	35% 4.0450523
Median	40% 4.0933977
Mode	45% 4.157161
Left X	50% 4.2246377
Left P	55% 4.2880711
Right X	60% 4.3463855
Right P	65% 4.3932003
Diff X	70% 4.4416544
Diff P	75% 4.490785
#Errors	80% 4.5513768
Filter Min	85% 4.6465364
Filter Max	90% 4.7720639
#Filtered	95% 4.9112903






Change in Output Statistic for Concealment

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / Concealment	3.9101443	4.770476
2	M1128 MGS 105	4.122917	4.3398128
3	Fire Support	4.1614006	4.3340519
4	Fire Attack	4.1971444	4.3513078
5	M1134A2 Stryker	4.1742389	4.3167643
6	Javelin team (w/ M1134A2)	4.1912764	4.3091147
7	Indirect Fire	4.1888749	4.2884885
8	Mounted Sniper	4.2083919	4.3052669
9	M1130A2 Stryker	4.2182572	4.3134023
10	Stryker 120 mm.	4.2136768	4.2790923
11	M1109 Rec. Vehl	4.2278731	4.2817792
12	M777A2 w/M1152	4.2354416	4.2832911
13	81mm Mortar (w/ M1152) / Concealment	4.2336806	4.2795279
14	Target Acquisition	4.2281819	4.2730551

@RISK Output Report for Protection

Performed By: Metin

Date: Thursday, April 11, 2013 9:46:42 PM



Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Protection

Statistics	Percentile
Minimum	1.013917884 5% 1.3323077
Maximum	2.362260343 10% 1.427334
Mean	1.806487851 15% 1.5204945
Std Dev	0.241039368 20% 1.6138871
Variance	0.058099977 25% 1.6798337
Skewness	-0.701480107 30% 1.7280093
Kurtosis	3.057148157 35% 1.7687075
Median	1.858785942 40% 1.8029197
Mode	2 45% 1.8334281
Left X	1.332307692 50% 1.8587859
Left P	5% 55% 1.8778173
Right X	2.137001079 60% 1.8979592
Right P	95% 65% 1.9187192
Diff X	0.804693386 70% 1.9415385
Diff P	90% 75% 1.9678148
#Errors	0 80% 1.9992963
Filter Min	Off 85% 2.0359712
Filter Max	Off 90% 2.0790763
#Filtered	0 95% 2.1370011



Change in Output Statistic for Protection

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. S...	1.4314166	1.9097423
2	M1128 MGS 105	1.6102072	1.9992197
3	M1134A2 Stryker	1.6971928	1.9105679
4	M1130A2 Stryker	1.7599905	1.85572
5	Mounted Sniper	1.7734999	1.8681166
6	Javelin team (w/...	1.7874248	1.854111
7	M1109 Rec. Vehi	1.7828592	1.8479271
8	Stryker 120 mm.	1.7771818	1.8212819
9	M777A2 w/M115	1.7918379	1.8289972
10	81mm Mortar (w/...	1.7954418	1.8275558
11	Fire Attack	1.7935397	1.8229625
12	Indirect Fire	1.7923213	1.8196416
13	Fire Support	1.7928895	1.814887
14	Reconnaissance	1.7955455	1.8163419

@RISK Output Report for Self-Sufficiency

Performed By: Meth

Date: Thursday, April 11, 2013 9:46:50 PM




Simulation Summary Information

Workbook Name	a\TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Self-Sufficiency

Statistics	Percentile
Minimum	5% 6.4456959
Maximum	10% 6.5070064
Mean	15% 6.5535852
Std Dev	20% 6.5926966
Variance	25% 6.6292467
Skewness	30% 6.6601942
Kurtosis	35% 6.6934911
Median	40% 6.7293333
Mode	45% 6.7640449
Left X	50% 6.8043478
Left P	55% 6.8455882
Right X	60% 6.887574
Right P	65% 6.9313233
Diff X	70% 6.9754647
Diff P	75% 7.0227001
#Errors	80% 7.0707965
Filter Min	85% 7.1172996
Filter Max	90% 7.1715818
#Filtered	95% 7.2331945






Change In Output Statistic for Self-Sufficiency

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / Self-Sufficiency	6.6602497	7.0663756
2	M1128 MGS 105	6.6975686	6.9155066
3	Stryker 120 mm. Mortar Carrier / Self-Sufficiency	6.7539612	6.901452
4	M1134A2 Stryker CV / Self-Sufficiency	6.7685637	6.8997655
5	Javelin team (w/M1152) / Self-Sufficiency	6.7505786	6.8762124
6	Fire Attack	6.7717841	6.8736151
7	M777A2 w/M1152 / Self-Sufficiency	6.7848697	6.8734265
8	Fire Support	6.7774338	6.8638237
9	M1109 Rec. Vehicle / Self-Sufficiency	6.7853322	6.8518966
10	81mm Mortar (w/M1152) / Self-Sufficiency	6.7873921	6.853278
11	M1130A2 Stryker CV / Self-Sufficiency	6.7884837	6.8494384
12	Indirect Fire	6.7936602	6.8514622
13	Mounted Sniper Team (M1038A1) / Self-Sufficiency	6.8038581	6.8456181
14	Target Acquisition	6.8058498	6.8427781

@RISK Output Report for Detection

Performed By: Meth

Date: Thursday, April 11, 2013 9:46:58 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Detection

Statistics	Percentile
Minimum	5% 4.5066387
Maximum	10% 4.5872679
Mean	15% 4.640869
Std Dev	20% 4.6941256
Variance	25% 4.7419558
Skewness	30% 4.7866824
Kurtosis	35% 4.8353756
Median	40% 4.8901444
Mode	45% 4.9433962
Left X	50% 4.9954207
Left P	55% 5.036941
Right X	60% 5.0821622
Right P	65% 5.1237374
Diff X	70% 5.1732852
Diff P	75% 5.2286432
#Errors	80% 5.2973568
Filter Min	85% 5.3781407
Filter Max	90% 5.4619918
#Filtered	95% 5.5639413




Change in Output Statistic for Detection

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / Detection	4.6891748	5.4599741
2	M1128 MGS 105	4.798498	5.1867946
3	Stryker 120 mm.	4.9066124	5.0930467
4	M1134A2 Stryker	4.9525021	5.0711703
5	Javelin team (w/M1152) / Detection	4.9391131	5.0553266
6	M1109 Rec. Vehi	4.9514417	5.0592139
7	M1130A2 Stryker	4.9723683	5.0487609
8	Mounted Sniper	4.9674488	5.0375936
9	M777A2 w/M115	4.9725435	5.0306599
10	81mm Mortar (w	4.9840683	5.0365731
11	Reconnaissance	4.988	5.0256465
12	Fire Attack	4.9755447	5.012423
13	Fire Support	4.9814811	5.0159151
14	Indirect Fire	4.9887767	5.0198487

@RISK Output Report for Transportability

Performed By: Metin

Date: Thursday, April 11, 2013 9:47:06 PM



Simulation Summary Information

Workbook Name	a1TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for Transportability

Statistics	Percentile
Minimum	5% 4.7082324
Maximum	10% 4.7616099
Mean	15% 4.817734
Std Dev	20% 4.8712871
Variance	25% 4.9265306
Skewness	30% 4.9841535
Kurtosis	35% 5.041977
Median	40% 5.0766501
Mode	45% 5.104142
Left X	50% 5.1266003
Left P	55% 5.1439661
Right X	60% 5.1629013
Right P	65% 5.1844215
DIFFX	70% 5.2078708
DIFFP	75% 5.2383838
#Errors	80% 5.2987654
Filter Min	85% 5.3366337
Filter Max	90% 5.3715596
#Filtered	95% 5.4072749




Change in Output Statistic for Transportability

Rank	Name	Lower	Upper
1	Stryker ICV (Inf. S...	4.885288	5.2274541
2	M1128 MGS 105	4.9943774	5.2317041
3	Fire Attack	5.0355122	5.1525295
4	Stryker 120 mm.	5.0330579	5.1109356
5	Javelin team (w/...	5.0465117	5.1189096
6	M777A2 w/M115	5.0532564	5.1175626
7	M1130A2 Stryker	5.0406568	5.1049002
8	81mm Mortar (w/...	5.0652059	5.117406
9	Indirect Fire	5.0704817	5.1104348
10	Fire Support	5.0703227	5.1039514
11	Target Acquisitio	5.0743682	5.0967962
12	Mounted Sniper	5.0822294	5.1016682
13	M1109 Rec. Vehi	5.0822294	5.1016682
14	M1134A2 Stryker	5.0822294	5.1016682

@RISK Output Report for C & C

Performed By: Meth

Date: Thursday, April 11, 2013 9:47:15 PM



Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for C & C

Statistics	Percentile
Minimum	5% 6.2873923
Maximum	10% 6.3370044
Mean	15% 6.3720657
Std Dev	20% 6.4030023
Variance	25% 6.4350433
Skewness	30% 6.4679012
Kurtosis	35% 6.4981353
Median	40% 6.5334088
Mode	45% 6.5707196
Left X	50% 6.6194145
Left P	55% 6.6722998
Right X	60% 6.7385079
Right P	65% 6.801509
Diff X	70% 6.8707085
Diff P	75% 6.9557522
Errors	80% 7.0622568
Filter Min	85% 7.1584446
Filter Max	90% 7.2474708
Filtered	95% 7.3506173

Change in Output Statistic for C & C


Rank	Name	Lower	Upper
1	Stryker ICV (Inf. Squad) / C & C	6.4754256	7.2525314
2	M1134A2 Stryker	6.6059132	6.8451939
3	M1128 MGS 105	6.6593902	6.8827357
4	M1109 Rec. Vehi	6.6409288	6.78447
5	Javelin team (w/	6.6596054	6.7772508
6	Stryker 120 mm.	6.6871636	6.7721855
7	Mounted Sniper	6.6740958	6.7533806
8	Fire Attack	6.6843239	6.7506463
9	81mm Mortar (w	6.6741476	6.739604
10	M777A2 w/M115	6.6673159	6.7284224
11	M1130A2 Stryker	6.6781735	6.7383252
12	Fire Support	6.6857899	6.7439152
13	Target Acquisition	6.685445	6.7279086
14	Indirect Fire	6.6959365	6.7361603

Stryker Option-Capabilities

@RISK Output Report for Stryker Survivability

Performed By: Meth


Date: Thursday, April 11, 2013 9:47:23 PM

M1134A2 Stryker AT / Survivability**Simulation Summary Information**


Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Survivability

Statistics	Percentile
Minimum	3.217419479 5% 3.640051
Maximum	4.927843567 10% 3.7233647
Mean	4.03463132 15% 3.7816785
Std Dev	0.237993661 20% 3.8287356
Variance	0.056640983 25% 3.8691611
Skewness	-0.042132102 30% 3.9065027
Kurtosis	2.76023303 35% 3.9435321
Median	4.037977675 40% 3.9765931
Mode	4.040517865 45% 4.0067722
Left X	3.64005102 50% 4.0379777
Left P	5% 55% 4.0683927
Right X	4.422844362 60% 4.1016109
Right P	95% 65% 4.1313586
Diff X	0.782793343 70% 4.1658639
Diff P	90% 75% 4.2001188
#Errors	0 80% 4.2415642
Filter Min	Off 85% 4.2840299
Filter Max	Off 90% 4.3403193
#Filtered	0 95% 4.4228444

M1134A2 Stryker AT / Survivability**M1134A2 Stryker AT / Survivability**

Inputs Ranked by Effect on Output Mean

**Change in Output Statistic for: M1134A2 Stryker**


Rank	Name	Lower	Upper
1	Mobility	3.7765721	4.2331617
2	Stryker ICV (Inf. S	3.943714	4.1515842
3	Stryker ICV (Inf. S	3.8764424	4.0830462
4	Concealment	3.9630249	4.125416
5	Self-Sufficiency	3.970172	4.131361
6	M1128 MGS 105	3.9528268	4.1121066
7	Detection	3.9630271	4.099268
8	Command & Con	3.9814141	4.1124105
9	Stryker ICV (Inf. S	3.9995685	4.0925467
10	Protection	3.9991029	4.0843983
11	M1134A2 Stryker	3.9922757	4.0764122
12	Stryker ICV (Inf. S	3.9776454	4.0604348
13	Firepower	4.0023881	4.0833594
14	M1128 MGS 105	3.9899857	4.0635597

@RISK Output Report for Stryker Deployability


Performed By: Meth

Date: Thursday, April 11, 2013 9:47:35 PM

M1134A2 Stryker AT / Deployability



M1134A2 Stryker AT / Deployability



Simulation Summary Information


Workbook Name	a1TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / De

Statistics	Percentile
Minimum	4.041168386 5% 4.5945489
Maximum	6.609781787 10% 4.7487425
Mean	5.311990842 15% 4.8527676
Std Dev	0.427142665 20% 4.9371236
Variance	0.182450856 25% 5.0130164
Skewness	-0.009059658 30% 5.0815379
Kurtosis	2.614917593 35% 5.1439103
Median	5.315058412 40% 5.1994219
Mode	5.407656987 45% 5.2593229
Left X	4.594548903 50% 5.3150584
Left P	5% 55% 5.3709628
Right X	6.023860801 60% 5.4230491
Right P	95% 65% 5.4826139
Diff X	1.429311898 70% 5.546953
Diff P	90% 75% 5.6156255
#Errors	0 80% 5.6849144
Filter Min	Off 85% 5.7628564
Filter Max	Off 90% 5.8657488
#Filtered	0 95% 6.0238608

M1134A2 Stryker AT / Deployability

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M1134A2 Stryker


Rank	Name	Lower	Upper
1	Mobility	4.8310447	5.6497031
2	Self-Sufficiency	5.0785934	5.6772913
3	Transportability	5.0968672	5.4949184
4	Stryker ICV (Inf. S...	5.1978604	5.413919
5	M1128 MGS 105	5.2402255	5.4063046
6	Detection	5.2262649	5.3892516
7	Concealment	5.2353071	5.3684313
8	Firepower	5.2351961	5.3564945
9	Stryker ICV (Inf. S...	5.2435781	5.3526952
10	Command & Con	5.2476541	5.3507506
11	Stryker ICV (Inf. S...	5.2713044	5.3566252
12	Javelin team (w/	5.2603103	5.3420069
13	Stryker ICV (Inf. S...	5.2758164	5.3545779
14	M1130A2 Stryker	5.2738221	5.350616

@RISK Output Report for Stryker Menaverability

Performed By: Mch

Date: Thursday, April 11, 2013 9:47:47 PM

M1134A2 Stryker AT / Menaverability




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Menaverability


Statistics	Percentile
Minimum	5.003244399 5% 5.5041956
Maximum	6.963221687 10% 5.5982346
Mean	5.986854318 15% 5.6668054
Std Dev	0.298488187 20% 5.7228576
Variance	0.089095198 25% 5.7716336
Skewness	0.019494505 30% 5.8169885
Kurtosis	2.590702259 35% 5.8596691
Median	5.986182787 40% 5.9021668
Mode	5.927316395 45% 5.9390053
Left X	5.504195602 50% 5.9861828
Left P	5% 55% 6.0243047
Right X	6.473049827 60% 6.0636381
Right P	95% 65% 6.1102471
Diff X	0.968854224 70% 6.1566838
Diff P	90% 75% 6.2046881
#Errors	0 80% 6.2543252
Filter Min	Off 85% 6.3103359
Filter Max	Off 90% 6.3792961
#Filtered	0 95% 6.4730498

M1134A2 Stryker AT / Menaverability



M1134A2 Stryker AT / Menaverability

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M1134A2 Stryker


Rank	Name	Lower	Upper
1	Self-Sufficiency	5.7300479	6.31427
2	Stryker ICV (Inf. S	5.7792408	6.0515237
3	Mobility	5.8641649	6.132386
4	Command & Con	5.8335473	6.0546581
5	Firepower	5.9210226	6.1051448
6	Concealment	5.918059	6.0930762
7	Transportability	5.9338977	6.0503062
8	M1134A2 Stryker	5.9388844	6.0444504
9	M1128 MGS 105	5.9416994	6.0458369
10	Detection	5.935824	6.0298502
11	Stryker ICV (Inf. S	5.9540929	6.0457987
12	Stryker ICV (Inf. S	5.9601315	6.0262268
13	M1109 Rec. Vehi	5.9594042	6.0239593
14	Javelin team (w/	5.9564078	6.0206336

@RISK Output Report for Stryker Sustainability

Performed By: Meth

Date: Thursday, April 11, 2013 9:48:00 PM

M1134A2 Stryker AT / Sustainability




Simulation Summary Information

Workbook Name	alTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Sustainability


Statistics	Percentile
Minimum	5% 5.3004204
Maximum	10% 5.3860961
Mean	15% 5.4582349
Std Dev	20% 5.5114325
Variance	25% 5.5568941
Skewness	30% 5.599557
Kurtosis	35% 5.6420598
Median	40% 5.682813
Mode	45% 5.7224402
Left X	50% 5.7623272
Left P	55% 5.802909
Right X	60% 5.8426727
Right P	65% 5.8872185
Diff X	70% 5.932159
Diff P	75% 5.9810134
#Errors	80% 6.0327981
Filter Min	85% 6.0970556
Filter Max	90% 6.1760888
#Filtered	95% 6.2977059

M1134A2 Stryker AT / Sustainability



M1134A2 Stryker AT / Sustainability

Inputs Ranked by Effect on Output Mean



Change in Output Statistic for M1134A2 Stryker


Rank	Name	Lower	Upper
1	Concealment	5.6082889	6.0924586
2	Self-Sufficiency	5.6085907	5.9912418
3	Mobility	5.6101226	5.9175383
4	Stryker ICV (Inf. S...	5.6829457	5.9130209
5	Firepower	5.7250696	5.8830382
6	Protection	5.7098943	5.8644614
7	Command & Con	5.7184722	5.8649186
8	Detection	5.7121117	5.8534054
9	M1128 MGS 105	5.7006996	5.829622
10	Transportability	5.7339104	5.8565869
11	Stryker 120 mm.	5.7360771	5.8277945
12	M1134A2 Stryker	5.7370348	5.8226791
13	Stryker ICV (Inf. S...	5.7461382	5.8270098
14	Fire Attack	5.7314264	5.8086799

@RISK Output Report for Stryker Lethality

Performed By: Meth

Date: Thursday, April 11, 2013 9:48:12 PM

M1134A2 Stryker AT / Lethality




Simulation Summary Information

Workbook Name	aLTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Lethality


Statistics	Percentile
Minimum	4.130158949 5% 4.5817412
Maximum	6.406478408 10% 4.6796592
Mean	5.127523023 15% 4.7445681
Std Dev	0.362097465 20% 4.8082261
Variance	0.131114574 25% 4.8616745
Skewness	0.361862658 30% 4.9122517
Kurtosis	2.818980459 35% 4.9577183
Median	5.098620375 40% 5.0033337
Mode	5.131422624 45% 5.0509827
Left X	4.581741173 50% 5.0986204
Left P	5% 55% 5.1465055
Right X	5.765615225 60% 5.200728
Right P	95% 65% 5.2497681
Diff X	1.183874052 70% 5.309963
Diff P	90% 75% 5.3716646
Errors	0 80% 5.437569
Filter Min	Off 85% 5.5158165
Filter Max	Off 90% 5.6196708
Filtered	0 95% 5.7656152

M1134A2 Stryker AT / Lethality



M1134A2 Stryker AT / Lethality

Inputs Ranked by Effect on Output Mean




Change in Output Statistic for M1134A2 Stryker

Rank	Name	Lower	Upper
1	Command & Control	4.9937892	5.5417845
2	Detection	4.9155977	5.4322979
3	Firepower	4.9144984	5.3486938
4	Mobility	4.984159	5.2435916
5	Stryker ICV (Inf. Squad)	5.0314871	5.2575029
6	M1128 MGS 105	5.0717364	5.2098668
7	Self-Sufficiency	5.0778123	5.2081297
8	Concealment	5.0816937	5.1988331
9	Stryker ICV (Inf. Squad)	5.0777071	5.1915596
10	Stryker 120 mm.	5.0740788	5.1851438
11	Transportability	5.0766674	5.1811877
12	Fire Attack	5.0806927	5.1797222
13	Stryker ICV (Inf. Squad)	5.0874822	5.1847633
14	M1128 MGS 105	5.0875539	5.165755

@RISK Output Report for Stryker Interoperability

Performed By: MCTR

Date: Thursday, April 11, 2013 9:48:24 PM





Simulation Summary Information

Workbook Name	a\ALTERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Interoperability

Statistics	Percentile
Minimum	5% 4.0764434
Maximum	10% 4.2440855
Mean	15% 4.370097
Std Dev	20% 4.4788859
Variance	25% 4.5791428
Skewness	30% 4.6688803
Kurtosis	35% 4.7635842
Median	40% 4.8552614
Mode	45% 4.9506736
Left X	50% 5.0643647
Left P	55% 5.2150216
Right X	60% 5.672668
Right P	65% 6.3722618
Diff X	70% 6.5914463
Diff P	75% 6.7585113
#Errors	80% 6.9033469
Filter Min	85% 7.0493921
Filter Max	90% 7.2008555
#Filtered	95% 7.4073259





Change in Output Statistic for M1134A2 Stryker AT / Interoperability

Rank	Name	Lower	Upper
1	Command & Control	4.5960309	6.9826271
2	Detection	5.1366083	5.9015559
3	Self-Sufficiency	5.2336453	5.809515
4	Mobility	5.2957871	5.7470512
5	Transportability	5.3537847	5.7179235
6	Stryker ICV (Inf. Squad)	5.4359181	5.7691868
7	Firepower	5.3799191	5.7077417
8	Concealment	5.40904	5.6492777
9	Stryker ICV (Inf. Squad)	5.4382056	5.6366835
10	Protection	5.4473357	5.6377864
11	M1109 Rec. Vehicle	5.4358596	5.6207622
12	Stryker ICV (Inf. Squad)	5.4865933	5.6669383
13	Mounted Sniper Team	5.4512632	5.6303187
14	Javelin team (w/	5.4835858	5.6612944

@RISK Output Report for Stryker Agility

Performed By: Metin

Date: Thursday, April 11, 2013 9:48:36 PM




Simulation Summary Information

Workbook Name	a1TERNATIVES-4.xlsx
Number of Simulations	1
Number of Iterations	10000
Number of Inputs	1103
Number of Outputs	84
Sampling Type	Latin Hypercube
Simulation Start Time	4/11/2013 21:20
Simulation Duration	00:06:45
Random # Generator	Mersenne Twister
Random Seed	506905529

Summary Statistics for M1134A2 Stryker AT / Agility

Statistics	Percentile
Minimum	5% 3.6240312
Maximum	10% 3.8907549
Mean	15% 4.1037334
Std Dev	20% 4.3251056
Variance	25% 4.5303812
Skewness	30% 4.7135997
Kurtosis	35% 4.8684718
Median	40% 5.0049082
Mode	45% 5.1395753
Left X	50% 5.2598806
Left P	55% 5.3878643
Right X	60% 5.5053196
Right P	65% 5.6316078
Diff X	70% 5.773933
Diff P	75% 5.9240207
Errors	80% 6.0787117
Filter Min	85% 6.2531227
Filter Max	90% 6.4644006
Filtered	95% 6.7912255



Change in Output Statistic for M1134A2 Stryker

Rank	Name	Lower	Upper
1	Command & Control	4.2760183	5.9955547
2	Protection	4.9249897	5.9668939
3	Mobility	4.866481	5.8945356
4	Firepower	4.9853726	5.7520247
5	Self-Sufficiency	4.762366	5.4453835
6	Transportability	5.0894548	5.6258002
7	Stryker ICV (Inf. Squad)	5.1392051	5.3925638
8	Concealment	5.1376915	5.3731848
9	Javelin team (w/M1152)	5.1637797	5.3089122
10	M1134A2 Stryker	5.1658662	5.3054762
11	Fire Attack	5.1599653	5.2993674
12	M1128 MGS 105	5.1724934	5.3118618
13	Stryker 120 mm. Mortar Carrier	5.1602706	5.2984511
14	M1134A2 Stryker	5.1573143	5.2925809

VITA

**Metin Gultekin
Engineering Management
Old Dominion University
Norfolk, VA 23529
(757) 3521821**

Education:

M.S. in National and International Security Strategies Management & Leadership,
Turkish Army War College, Istanbul, Turkey, 2008

M.S. in Operations Research, Defense Science Institute, Ankara, Turkey, 2003

B.S. in System Engineering, Turkish Military Academy, Ankara, Turkey, 1998

Professional Experience:

Supreme Allied Command Transformation HQ Norfolk/VA, NATO Operational
Experimentation Staff Officer, 2010-2013

Brigade, Chief of Logistics Branch, 2008-2010

Brigade, Chief of Logistics Branch, 2007-2008

NATO KFOR Liaison and Monitor Team (LMT) Leader 2006

Tank Platoon/howitzer Leader and Company Commander, 1999-2006